

# Product data sheet

Specifications



## APC Replacement Battery Cartridge, VRLA, 9Ah, 24V DC, 2-year warranty

APCRBCV203

### Overview

|           |                  |
|-----------|------------------|
| Lead time | Usually in Stock |
|-----------|------------------|

### Main

|                           |                               |
|---------------------------|-------------------------------|
| Product or component type | Replacement battery cartridge |
| Main Output Voltage       | 24 V DC                       |
| Number of rack unit       | 0U                            |
| Battery type              | VRLA                          |

### Batteries & Runtime

|                                        |                  |
|----------------------------------------|------------------|
| Battery location                       | Internal battery |
| Number of battery blocks per string    | 2                |
| Number of battery free slots           | 0                |
| Number of battery filled slots         | 0                |
| Battery voltage                        | 24 V             |
| Number of battery replacement quantity | 1                |

### Physical

|                |                    |
|----------------|--------------------|
| Height         | 64.8 mm            |
| Width          | 150.9 mm           |
| Depth          | 98.6 mm            |
| Net weight     | 5 kg               |
| mounting mode  | Not rack-mountable |
| USB compatible | No                 |

### Output

|                  |      |
|------------------|------|
| Battery capacity | 9 Ah |
|------------------|------|

### Conformance

|                        |    |
|------------------------|----|
| Product certifications | CB |
|------------------------|----|

### Environmental

|                                       |           |
|---------------------------------------|-----------|
| Ambient air temperature for operation | 0...40 °C |
|---------------------------------------|-----------|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                                     |                         |
|-------------------------------------|-------------------------|
| Operating altitude                  | 0...2000 m              |
| Relative humidity                   | 0...90 % non-condensing |
| ambient air temperature for storage | -15...45 °C             |
| Storage altitude                    | 0...3000 m              |
| Storage Relative Humidity           | 0...95 % non-condensing |

## Packing Units

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 18.000 cm  |
| Package 1 Width              | 23.000 cm  |
| Package 1 Length             | 25.000 cm  |
| Package 1 Weight             | 5.790 kg   |
| Unit Type of Package 2       | P12        |
| Number of Units in Package 2 | 20         |
| Package 2 Height             | 52.000 cm  |
| Package 2 Width              | 80.000 cm  |
| Package 2 Length             | 120.000 cm |
| Package 2 Weight             | 133.000 kg |

## Contractual warranty

|          |         |
|----------|---------|
| Warranty | 2 Years |
|----------|---------|

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance



Mercury Free



RoHS Exemption Information

Yes

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu RoHS Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)