



4XEM DisplayPort Cable 3FT

4XEM Part- 4XDPDPCBL3



Elevate your visual experience with 4XEM's DisplayPort 3ft cables – the epitome of excellence in multimedia connectivity. Unleash the full potential of your DisplayPort-equipped monitor or display as these cables seamlessly deliver pristine 4K @ 60Hz HD images with unparalleled precision.

Designed for the demands of modern multimedia, 4XEM DisplayPort cables go beyond the ordinary by transmitting not only video but also audio and USB data with seamless efficiency. Experience the pinnacle of display resolutions as 4XEM DisplayPort cables support the highest available today – up to 4K @ 60Hz. Immerse yourself in breathtaking clarity and detail, making every pixel count. Say goodbye to distortion and signal degradation, and hello to a consistently remarkable visual performance.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Features:

- DisplayPort 1.2 bandwidth of 20.6Gbps
- Transmit video, and audio seamlessly
- Supports 4K@60Hz, 2K@165Hz and 2K@144Hz video resolutions
- Bi-directional connectivity no "wrong way" connection
- Consistent Visual Performance
- Durable build- triple shielded
- Elevate your multimedia setup with 4XEM DisplayPort 3ft cables.



Application:

- Upgrade your home theatre video
- Make work presentation connections a breeze with one cable
- Advanced length of the cable offers the ability to go the length of many rooms to create easy video connections

Supports audio and video transmission...no external speakers needed



4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



DATA SHEET

Warranty Information Lifetime Warranty

Active or Passive cable Active Hardware Chip ID N/A

Direction Bidirectional

Cable Jacket Type PVC - Polyvinyl Chloride

Cable Shield Type Triple Aluminum-Mylar Foil with Braid

Connector Plating Gold

Fire Rating CMG Rated (General Purpose)

VW-1 (Vertical Wire Flame Test)

Number of Conductors

Bandwidth 20.6Gbps (DisplayPort 1.2)

Connector(s) Connector A 1x DisplayPort Male

Connector B 1x DisplayPort Male

Performance Supported Resolution(s) 4K@60Hz [3840 x 2160]

2K@165Hz [2560 x 1440] 2K@144Hz [2560 x 1440]

Physical Characteristics Color Black

Cable Length 3 ft

Cable OD 0.3 in [6.5 mm] Wire Gauge **30 AWG** Connector Style Latching

0.5 in [12.7 mm] **Product Height Product Length** 4 in [101.6 mm] **Product Width** 4.75 in [120.65 mm] 1.45 oz [41.1 g] Weight of Product

Packaging Information Packaging Type Poly-bag

Package Height 0.5 in [12.7 mm] Package Width 9 in [228.6 mm] Package Length 5 in [127 mm] Shipping (Package) Weight 1.45 oz [41.1 g]

What's in the Box Included in Package 1x DisplayPort Male to DisplayPort Male

Cable

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



^{*} Product appearance and specifications are subject to change without notice.

^{*} Approximate measurements

^{*} Same day shipping is only available for orders shipping within the United States