



4XEM DisplayPort to HDMI Adapter 4K @ 30Hz

4XEM Part- 4XDPHDMI4K30HZ



This DisplayPort to HDMI adapter lets you output HDMI video and audio from a DP device, with support for 4K at 30Hz. The adapter lets you harness the video capabilities that are built into your DisplayPort connection, to deliver the astonishing quality of a 4K 30Hz display. This makes it easier for you to multitask while using multiple monitors to work on resource-demanding applications.

Problem it solves: The adapter offers the ability to output HDMI video and audio from a DisplayPort device. Increase your connections with 4XEM.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





Features

- Harness the video capabilities that are built into your DisplayPort connection for, to deliver the astonishing quality at 4K 30Hz display
- Works with HDMI 2.0 displays that can deliver output resolutions 30Hz
- This adapter can support bandwidth up to 18Gbps, making it the ideal solution for performing high-resolution tasks such as editing 4K video
- Backward compatible with 1080p displays, which ensures that it will work with lower resolution displays such as TVs or projectors around your home or office
- To ensure compatibility with any DisplayPort output, the DP adapter offers active conversion
- Active video conversion is required to maintain 4K resolutions when converting DisplayPort to HDMI
- An active DP adapter is ideal for outputting 1080p resolutions because it will work with graphics cards that can't output multimode DP++ signals, such as ATI Eyefinity cards

Application

- Home
- Office
- Set-up
- Connections

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information Warranty Lifetime

Hardware Active or Passive Adapter Passive

Chip ID N/A

Adapter Style Pig-Tail Adapter

Audio Yes

AV Input DisplayPort 1.2 (TMDS mode @ 300 MHz)

AV Output HDMI 1.4 (Limited Bandwidth)

Bandwidth 9 Gbps

Connector(s) Connector A DisplayPort Male Input

Connector B HDMI Female Output

Performance Audio Specifications 8 Channels (7.1 Surround)

Maximum Digital Resolutions 3840x2160, 30Hz, 8bpc

Power Source N/A

Physical Characteristics Cable Length 5.35 in [136.0 mm]

Color Black

Cable OD 0.20 in [5.00 mm]

Wire Guage 30 AWG
Weight of Product 0.78 oz [22 g]

Packaging Information Packaging Type Poly-bag

Package Height 7.48 in [190 mm]
Package Width 6.02 in [153 mm]
Package Length 0.47 in [12 mm]

Shipping (Package) Weight 0.92 oz [26 g]

What's in the Box Included in Package 1x DisplayPort to HDMI adapter

Notes This adaptor requires a DP++ port to

function properly

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



^{*} Product appearance and specifications are subject to change without notice.

^{*} Same day shipping is only available for orders shipping within the United States.