# **Product data sheet**

Specifications





Usually in Stock

APC Smart-UPS SRT Tower Isolation/Step-Down Transformer, 5kVA, 8x 5-20R & 2x L6-20R & 1x L6-30R & 1x L14-30R NEMA outlets

SRT5KTF

Product availability: Stock - Normally stocked in distribution facility

#### **Overview**

Lead time

Main Main Input Voltage 208 V 240 V **Product or Component Type** Transformer Main Output Voltage 120 V 208 V Other Output Voltage 240 V Input Connection Type NEMA L6-30P Cable length 3 ft (0.9 m) Number of cables **Provided Equipment** User Manual Range of Product Smart-UPS Accessories

### **Physical**

Color	Black
Height	17.008 in (43.2 cm)
Width	5.1 in (13 cm)
Depth	26.0 in (66 cm)
Net Weight	125.002 lb(US) (56.7 kg)
Mounting preference	No preference
Mounting Mode	Rack-mounted with kit

### Input

Input Frequency 50/60 Hz

### **Output**

Maximum Total Current Draw per Phase	5000 A
Number of power socket outlets	12

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of power socket outlets	8 NEMA 5-20R
	2 NEMA L6-20R
	1 NEMA L6-30R
	1 NEMA I 14-30R

### **Environmental**

Ambient Air Temperature for Operation	32.0000000000104.0000000000 °F (040 °C)
Relative Humidity	095 % non-condensing
Operating altitude	010000 ft
Ambient Air Temperature for Storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage Relative Humidity	095 % non-condensing
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

# Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304318873
Returnability	No
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.7 in (34.7 cm)
Package 1 Width	38.6 in (98 cm)
Package 1 Length	23.7 in (60.3 cm)
Package 1 Weight	140.0 lb(US) (63.5 kg)

## **Contractual warranty**

Warranty	2 years repair or replace
----------	---------------------------



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

### Resource performance



Take-Back Program Available

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information