


MPN: UTP530

CAT5e U/UTP Network Cable 30m, Grey

CAT5e cables enables a convenient and reliable connection from one network device, such as switch, modem or router, to another or to the infrastructure at large through a patch panel, keystone jack or wall outlet. This cable are also used a lot in small office and home network and entertainment applications. These cables are tested up to 100MHz (CAT5e standard) and are backwards compatible with CAT5 cables. They are produced with latch protection, which prevents the connector do be damaged when you install the cable through an installation with very less space.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT5e tested up to 100MHz
- with Latch Protection
- with slimline relief
- with gold plated PINs



Spezifikationen

| | | |
|--------------------------------------|---------------------------------|---|
| Battery | Battery Type | NONE - Only use for non-battery items |
| Features | AWG-Drahtgröße | 26 |
| | Datenübertragungsrate | 1000 Mbit/s |
| | Frequenz | 100 MHz |
| | Jackenmaterial | Polyvinyl chloride (PVC) |
| | Kabelabschirmung | U/UTP (UTP) |
| | Kabelart | CAT5e |
| | Kabellänge | 30 m |
| | Kabelstandard | Cat5e |
| | Leitermaterial | Copper |
| | Leitertyp | Stranded |
| | Produktfarbe | Grey |
| | RoHS-Konformität | Yes |
| | Stecker 1 | RJ45 |
| | Stecker 1 Geschlecht | Male |
| | Stecker 2 | RJ45 |
| Stecker 2 Geschlecht | Male | |
| Other features | Produktreihe | Round Cable |
| | Technische Eigenschaften | Kink Protection, strain relief and Latch Protection |
| Package dimensions (verified) | Depth Verified | 26,7 cm |
| | Gross Weight Verified | 0,828 kg |
| | Height Verified | 6,4 cm |
| | Width Verified | 27,4 cm |
| Packaging data | Menge pro Packung | 1 Stück(e) |

| | | |
|--------------------------------|-------------------------|--------------|
| Product dimensions | Net Weight | 0,728 kg |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 25 Jahre) |
| Weight & dimensions | Außendurchmesser | 5 mm |

Weitere Produkte dieser Serie

| Kabellänge | Black | Blue | Green | Grey |
|------------|----------|----------|----------|---------|
| 0,3 | UTP5003S | UTP5003B | UTP5003G | UTP5003 |
| 0,5 | UTP5005S | UTP5005B | UTP5005G | UTP5005 |
| 1,0 | UTP501S | UTP501B | UTP501G | UTP501 |
| 1,5 | UTP5015S | UTP5015B | UTP5015G | UTP5015 |
| 2,0 | UTP502S | UTP502B | UTP502G | UTP502 |
| 3,0 | UTP503S | UTP503B | UTP503G | UTP503 |
| 5,0 | UTP505S | UTP505B | UTP505G | UTP505 |
| 7,0 | UTP507S | UTP507B | UTP507G | UTP507 |
| 10,0 | UTP510S | UTP510B | UTP510G | UTP510 |
| 15,0 | UTP515S | UTP515B | UTP515G | UTP515 |
| 20,0 | UTP520S | UTP520B | UTP520G | UTP520 |
| 25,0 | | | | UTP525 |
| 30,0 | | | | UTP530 |
| 35,0 | | | | UTP535 |
| 40,0 | | | | UTP540 |
| 50,0 | | | | UTP550 |

| Kabellänge | Red | White | Yellow |
|------------|----------|----------|----------|
| 0,3 | UTP5003R | UTP5003W | UTP5003Y |
| 0,5 | UTP5005R | UTP5005W | UTP5005Y |
| 1,0 | UTP501R | UTP501W | UTP501Y |
| 1,5 | UTP5015R | UTP5015W | UTP5015Y |
| 2,0 | UTP502R | UTP502W | UTP502Y |
| 3,0 | UTP503R | UTP503W | UTP503Y |
| 5,0 | UTP505R | UTP505W | UTP505Y |
| 7,0 | UTP507R | UTP507W | UTP507Y |
| 10,0 | UTP510R | UTP510W | UTP510Y |
| 15,0 | UTP515R | UTP515W | UTP515Y |
| 20,0 | UTP520R | UTP520W | UTP520Y |
| 25,0 | | UTP525W | |
| 30,0 | | UTP530W | |
| 35,0 | | UTP535W | |
| 40,0 | | UTP540W | |
| 50,0 | | UTP550W | |

Weitere Bilder

