Overview

HP Fortis x360 11 inch G3 J Chromebook



- Webcam LED 1.
- 2. Webcam
- 3. Internal Microphone
- 4. **Touchpad**
- Microphone (Optional)
- Auto-Focus 5MP Rear Camera with single mic (World 13. Nano Security LockSlot Facing secondary camera) (Optional)
- 7. Webcam LED (Optional)

- Volume Button
- 9. Power Light
- 10. Power Button
- 11. SuperSpeed USB Type-A 5Gbps signaling rate
- 12. SuperSpeed USB Type-C® 5Gbps signaling rate (Power Delivery, video, data)

Overview



Right

- 1. Lock Key
- **2.** SuperSpeed USB Type-C® 5Gbps signaling rate (Power Delivery, video, data)
- 3. SuperSpeed USB Type-A 5Gbps signaling rate
- 4. Stereo Headphone/Microphone Combo Jack

Overview



Overview

AT A GLANCE

- Corning® Gorilla® Glass 3 damage-resistant touchscreen.
- Enjoy affordable, convenient mobile productivity with Intel® Celeron® N4500, N5100, and Pentium® N6000 processors
- Undergoes MIL-STD 810H tests ¹
- 2 SuperSpeed USB Type-C[®] 5Gbps signaling rate (Power Delivery, video, data)
- Choice of up to 8GB memory and 64GB eMMc storage
- Spill and pick resistant keyboard with Full Skirted anchored key
- Spend less time charging with HP Fast Charge technology
- Flexible 360°hinge supports laptop, tablet, tent or media mode with 2nd Auto-Focus 5MP world-facing camera (Optional)
- Purchase, deploy and manage apps
- Your Chromebook boots up within 10 seconds and you can be browsing online and working in just moments later²
- Intel® Wi-Fi 6 AX 2x2 WLAN with MU-MIMO and HP Extended Range Wireless LAN for stable connection in dense environment
- Keyboard that can be repeatedly wiped down with common household cleaning wipes 3
- Easy for small hands to grip and handle with Unique textured surface
- 1. MIL-STD-810H testing is not intended to demonstrate fitness of U.S. Department of Defense (DoD) contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.
- 2. Boot up speed varies depending on device.
- 3. The chassis, ports, keyboards and displays the HP Chromebook x360 11 G4 EE, HP Chromebook x360 11MK G3 EE, HP Chromebook 11 G9 EE, HP Chromebook 11 MK G9 EE, HP Chromebook 14 G7 and the HP ProBook x360 11 G7 EE have been tested to 1,000 wipes with Windex® Original Glass & Surface Wipes and Clorox® Disinfecting Wipes with EPA Registration Number 5813-79. See wipe manufacturer's instructions for disinfecting and the HP cleaning guide for HP tested wipe solutions at How to Sanitize Your HP Device Whitepaper (http://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-7610ENW).

NOTE: See important legal disclosures for all listed specs in their respective features sections.



PRODUCT NAME

HP Fortis x360 11 inch G3 J Chromebook

OPERATING SYSTEM

Preinstalled ChromeOS

PROCESSORS

| | | | | Max Fre | equency | | |
|------------------------------|-------|---------|----------|--|---------|----------------|--|
| Processor ^{1,2,3,4} | Cores | Threads | L3 Cache | 1-core and 2- 3-core and 4- core burst core burst | | Base Frequency | |
| Intel® Pentium® Silver N6000 | 4 | 4 | 4 MB | 3.3 GHz | 3.1 GHz | 1.1 GHz | |
| Intel® Celeron® N5100 | 4 | 4 | 4 MB | 2.8 GHz | 2.8 GHz | 1.1 GHz | |
| Intel® Celeron® N4500 | 2 | 2 | 4 MB | 2.8 GHz | N/A | 1.1 GHz | |

^{1.} Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

2. Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.

CHIPSET

Chipset is integrated with processor

GRAPHICS

Integrated

Intel® UHD Graphics 3

Supports

Support HD decode, DX12, HDMI

3. HD content required to view HD images.



Technical Specifications

DISPLAY

Touch

29.46 cm (11.6") diagonal HD IPS eDP BrightView WLED-backlit TOP+ touch screen with Corning® Gorilla® Glass 3, 220 nits, 50% NTSC (1366 \times 768) 4,5,6

Displays support

Support extended displays through HP docks

Display Size (Diagonal)

11.6"

29.46 cm

- 4. FHD/HD content required to view HD images.
- 5. Resolutions are dependent upon monitor capability, and resolution and color depth settings.
- 6. Actual brightness will be lower with touchscreen or HP Sure View.

DOCKING (Sold Separately)

Docking station model #1

HP USB-C/A Universal Dock G2

For additional aftermarket options and docking specs please see page 23.

STORAGE AND DRIVES

Primary Storage

64 GB eMMC 5.0

32 GB eMMC 5.0

7. For storage drives, GB = 1 billion bytes. Actual formatted capacity is less. Up to 18.3 GB is not user available.



MEMORY

Maximum Memory

8 GB LPDDR4X -4266 SDRAM 8

Memory

8 GB LPDDR4X -4266 SDRAM⁸ 4 GB LPDDR4X -4266 SDRAM⁸

Memory Slots

Memory soldered on board 8

8. All slots are non-accessible / non-upgradeable.

NETWORKING/COMMUNICATIONS

WLAN

Intel® Wi-Fi CERTIFIED® 6 AX201 (2x2) and Bluetooth® 5 combo, non-vPro® 9 MU-MIMO supported
HP Extended Range WLAN supported

Chromecast

Chromecast Support 10

9. Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 802.11 specs.

10. Chromecast must be purchased separately. Google and Chromecast are trademarks of Google LLC.

AUDIO/MULTIMEDIA

Audio

HD audio Dual 2W stereo speakers Integrated dual microphones

Speaker Power

2W/4ohm Per speaker

Camera

720p HD camera ³

Auto-Focus 5MP Rear Camera (World Facing secondary camera)

3. HD content required to view HD images.



KEYBOARDS/POINTING DEVICES/BUTTONS & FUNCTION KEYS

Keyboard

Full-size island-style Chromebook keyboard, spill resistant with HP Full-Skirted Anchored Key

Pointing Device

Clickpad with multi-touch gesture support

Taps enabled as default

Function Keys

| \leftarrow | Back |
|--------------|------|
| | |

→ Forward

C Reload

Full Screen

□II Display Apps

Brightness Down

Brightness Up

₩ Mute

Volume Down

Volume Up

SOFTWARE AND SECURITY

Preinstalled Software

HP Classroom Manager (Sold Separately) 11

Manageability Features

Chrome Education Upgrade 12,13

NOTE: To enhance brightness, level go to the Intel® Graphics Command Center app, click on System and turn off the Display Power Savings function.

Security Management

Titan C security chip Nano lock slot (Lock sold separately) ¹² Zero-touch enrollment ¹⁴

IPv6 Support

Yes

Is the BIOS on this Chromebook ISO/IEC 19678:2015 (formerly NIST 800-147) compliant?: Yes

11. HP Classroom Manager is sold separately. Control and device locking from the teacher's desktop requires purchase of HP Classroom Manager for Teachers.

12. Sold separately.



- 13. Chrome Education Upgrade requires one-time setup, subscription, Google Admin Console, and your organization's domain. Please see https://support.google.com/a/answer/60216.
- 14. Zero-touch enrollment is sold separately and requires separately purchased HP Get More Service. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

POWER

Power Supply

HP Smart 45 W USB Type-C® adapter 15

Battery

HP Long Life 2-cell, 47 Wh Li-ion polym ^{16,17} HP Fast Charge Technology (90% in 90 minutes) ¹⁸

Power Cord

3-wire plug - 1m

Battery Life

Up to 11 hours 19

Battery Weight

0.42 lb

190 q

- 15. Availability may vary by country.
- 16. Battery is internal and not replaceable by customer. Serviceable by warranty.
- 17. Actual battery Watt-hours (Wh) will vary from design capacity. Battery capacity will naturally decrease with shelf life, time, usage, environment, temperature, system configuration, loaded apps, features, power management settings and other factors.
- 18. Recharges up to 90% within 90 minutes when the system is off or in standby mode when used with the power adapter provided with the Chromebook device. After charging has reached 90% capacity, charging will return to normal. Charging time may vary +/-10% due to System tolerance.
- 19. Testing conducted by HP using Google ChromeOS power_LoadTest. Battery life will vary and the maximum capacity of the battery will naturally decrease with time and usage and battery optimization activation. See

http://www.chromium.org/chromium-os/testing/power-testing for test details. Battery configuration and charge capacity is optimized to improve battery health over time based upon charging patterns and temperature.



WEIGHTS & DIMENSIONS

Product Weight

Starting at 3.24 lb ²⁰ Starting at 1.47 kg ²⁰

Product Dimensions (W x D x H)

11.61 x 8.08 x 0.82 in 29.5 x 20.53 x 2.09 cm

Packaging Dimensions (W x D x H)²¹

12-15" boxes (305mm height): 1200mm x 1000mm x 1080mm 16"-17" boxes (345mm height): 1200mm x 1000mm x 1200mm

- 20. Weight will vary by configuration.
- 21. Product packaging size varies based on options chosen. Please contact your HP representative for your packaging size details.

PORTS/SLOTS

- 2 SuperSpeed USB Type-C® 5Gbps signaling rate (Power Delivery, video, data)
- 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB 3.2 Gen 1)
- 1 Headphone/microphone combo jack

SERVICE AND SUPPORT

HP Services offers 1-year limited warranties and 90 day software limited warranty options depending on country. Batteries have a default one year limited warranty except for Long Life batteries which will have same 1-year or 3-year limited warranty as the platform. Refer to http://www.hp.com/support/batterywarranty/ for additional battery information. Onsite service and extended coverage is also available. HP Care Pack Services are optional extended service contracts that go beyond the standard limited warranties. To choose the right level of service for your HP product, use the HP Care Pack Services Lookup Tool at: http://www.hp.com/go/cpc.²²

22. HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit http://www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.



Technical Specifications

SYSTEM UNIT

Stand-Alone Power Requirements (AC Power) USB-C 45W adapter

Nominal Operating Voltage 15V Average Operating Power <45W

Integrated graphics Intel UHD Graphics 12EUs/24EUs

Discrete Graphics N/A
Max Operating Power <45W

Temperature

Operating 41° to 95° F (5° to 35° C) Non-operating -4° to 140° F (-20° to 60° C)

Relative Humidity

Operating 10% to 90% Non-operating 5% to 95%

Shock

Operating 40 G, 2 ms, half-sine Non-operating 240 G, 2 ms, half-sine

Random Vibration

Operating 1.043 grams Non-operating 3.5 grams

Altitude (unpressurized)

Operating -50 to 10,000 ft (-15 to 3,048 m) Non-operating -50 to 40,000 ft (-15 to 12,192 m)

Planned Industry Standard Certifications

Regulatory Model Number TPN-Q289
CSA/UL 62368-1 Yes
FCC/ICES/CISPR/VCCI Yes
ENERGY STAR® Yes 23

EPEAT® Yes, EPEAT® Gold in United States²⁴

TCO Yes
China CCC/SRRC No
Korea KCC/KC/KES Yes
Taiwan BSMI/NCC Yes
GS Mark No
Related commodity should comply with ISO 9241 Standards.
CE Marking Yes

EAEU Compliance Yes
GOST No
Saudi Arabian Compliance Yes
Ukraine NSoC/TEC No
Low Blue Light No
WW ROHS Yes



23. Configurations of the HP Fortis x360 11 inch G3 J Chromebook that are ENERGY STAR® qualified are identified as HP Fortis x360 11 inch G3 J Chromebook ENERGY STAR on HP websites and on http://www.energystar.gov.

24. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit http://www.epeat.net for more information.

DISPLAYS

1. Actual brightness will be lower with touchscreen or HP Sure View.

NOTE: All specifications represent the typical specifications provided by hp's component manufacturers; actual performance may vary either higher or lower.

Panel LCD 11.6 inch HD (1366x768) BrightView WLED UWVA 50percent cg 220nits eDP 1.2 w/o PSR slim TOP+ OBZ Outline Dimensions (W x H x D)

299.6 x 192.9 x 4.2

Active Area

256.125 x 144.0

Weight

320g (max)

Diagonal Size

11.6 (inch)

Surface Treatment

Touch Enabled

Yes 1

Contrast Ratio 800:1 (typical)

Refresh Rate 60Hz

Brightness 220 nits (typ.) **Pixel Resolution - Format** 1366 x 768 (HD)

BacklightWLEDPixel ResolutionRGBColor Gamut CoverageCG 50%

Color Depth 6

Viewing Angle UWV 85/85/85

Low Blue Light No

Power Consumption (W, EBL@ 2.13 (max) EBL@ 150nits

150nits max/ 200nits max)



STORAGE AND DRIVES

For storage drives, GB = 1 billion bytes. Actual formatted capacity is less. Up to 18.3 GB is not user available.

SSD 128GB 2230 PCIe NVMe Value (SSD 128GB 2230 PCIe NVMe

Value)

Form Factor eMMC
Capacity 32GB/64GB
NAND Type TLC/MLC
Interface MMC protoco

Interface MMC protocal

Maximum Sequential Read Up to 250MB/s

Maximum Sequential Write Up to 70 MB/s

Logical Blocks 32GB (31,268,536,320 Bytes)/64GB(62,537,072,640

Bytes)

Features HS400



NETWORKING/COMMUNICATIONS

Intel® Wi-Fi 6 AX201 + Bluetooth®5 (802.11ax

2x2, non-vPro,

supporting gigabit file transfer speeds) 1

Wireless LAN Standards

IEEE 802.11a IEEE 802.11b

IEEE 802.11q IEEE 802.11n

IEEE 802.11ac IEEE 802.11ax IEEE 802.11d IEEE 802.11e

IEEE 802.11h IEEE 802.11i IEEE 802.11k IEEE 802.11r

IEEE 802.11v

Interoperability Wi-Fi certified

Frequency Band •802.11b/g/n/ax

> 2.402 - 2.482 GHz •802.11a/n/ac/ax 4.9 - 4.95 GHz (Japan) 5.15 - 5.25 GHz 5.25 - 5.35 GHz 5.47 - 5.725 GHz

5.825 - 5.850 GHz

Data Rates • 802.11b: 1, 2, 5.5, 11 Mbps

> • 802.11g: 6, 9, 12, 18, 24, 36, 48, 54 Mbps • 802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps

 802.11n: max 300Mbps • 802.11ac: 1733Mbps • 802.11ax: max 2.4Gbps

Modulation Direct Sequence Spread Spectrum

OFDM, BPSK, QPSK, CCK, 16-QAM, 64-QAM, 256-QAM, 1024QAM

Security³ • IEEE and WiFi compliant 64 / 128 bit WEP encryption for a/b/g mode only

AES-CCMP: 128 bit in hardware

• 802.1x authentication

• WPA, WPA2: 802.1x. WPA-PSK, WPA2-PSK, TKIP, and AES.

 WPA2 certification WPA3 certification • IEEE 802.11i WAPI

Network Architecture

Ad-hoc (Peer to Peer)

Models Infrastructure (Access Point Required)

Roaming IEEE 802.11 compliant roaming between access points

Output Power² • 802.11b: +17dBm minimum

> • 802.11g: +16dBm minimum • 802.11a: +17dBm minimum

• 802.11n HT20(2.4GHz): +14dBm minimum 802.11n HT40(2.4GHz): +13dBm minimum • 802.11n HT20(5GHz): +14dBm minimum



• 802.11n HT40(5GHz) : +13dBm minimum

802.11ac VHT80(5GHz): +10dBm minimum
 802.11ac VHT160(5GHz): +10dBm minimum

• 802.11ax HE40(2.4GHz) : +12dBm minimum

• 802.11ax HE80(5GHz): +10dBm minimum

• 802.11ax HE160(5GHz): +10dBm minimum

Power Consumption • Transmit mode 2.0 W

• Receive mode 1.6 W

Idle mode (PSP) 180 mW (WLAN Associated)
 Idle mode 50 mW (WLAN unassociated)

Connected Standby 10mW

Radio disabled 8 mW

Power Management ACPI and PCI Express compliant power management

802.11 compliant power saving mode

Receiver Sensitivity⁴ • 802.11b, 1Mbps : -93.5dBm maximum

802.11b, 11Mbps: -84dBm maximum
802.11a/g, 6Mbps: -86dBm maximum
802.11a/g, 54Mbps: -72dBm maximum
802.11n, MCS07: -67dBm maximum
802.11n, MCS15: -64dBm maximum

802.11ac, MCS0(VHT80): -84dBm maximum
802.11ac, MCS9(VHT80): -59dBm maximum
802.11ac, MCS9(VHT160): -58.5dBm maximum
802.11ax, MCS11(HE40): -57dBm maximum
802.11ax, MCS11(HE80): -54dBm maximum
802.11ax, MCS11(HE160): -53.5dBm maximum

Antenna type High efficiency antenna with spatial diversity, mounted in the display

enclosure

Two embedded dual band 2.4/5 GHz antennas are provided to the card to support WLAN MIMO communications and Bluetooth communications

Form Factor PCI-Express M.2 MiniCard with CNVi Interface

Dimensions 1. Type 2230 : 2.3 x 22.0 x 30.0 mm

2. Type 1216: 1.67 x 12.0 x 16.0 mm

Weight 1. Type 2230 : 2.8g

2. Type 1216: 1.3q

Operating Voltage 3.3v +/- 9%

Temperature Operating 14° to 158° F (-10° to 70° C)

Non-operating -40° to 176° F (-40° to 80° C)

Humidity Operating 10% to 90% (non-condensing)

Non-operating 5% to 95% (non-condensing)

Altitude Operating 0 to 10,000 ft (3,048 m)

Non-operating 0 to 50,000 ft (15,240 m)

LED Activity LED Amber – Radio OFF; LED OFF – Radio ON

HP Integrated Module with Bluetooth 4.0/4.1/4.2/5.0/5.1/5.2 Wireless Technology

Bluetooth Specification 4.0/4.1/4.2/5.0/5.1/5.2 Compliant

Frequency Band 2402 to 2480 MHz



Number of Available Legacy: 0~79 (1 MHz/CH)
Channels BLE: 0~39 (2 MHz/CH)

Data Rates andLegacy: 3 Mbps data rate; throughput up to 2.17 Mbps **Throughput**BLE: 1 Mbps data rate; throughput up to 0.2 Mbps

Legacy: Synchronous Connection Oriented links up to 3, 64 kbps, voice

channels

Legacy: Asynchronous Connection Less links 2178.1 kbps/177.1 kbps

asymmetric (3-DH5) or 864 kbps symmetric (3-EV5)

Transmit Power The Bluetooth component shall operate as a Class II Bluetooth device with

a maximum transmit power of + 9.5 dBm for BR and EDR.

- 1. Wi-Fi 6 is designed to support gigabit data rate when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 80MHz and higher channels. Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 (802.11ax) is backwards compatible with prior 802.11 specs. Wi-Fi 6 is designed to support gigabit data rate when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 80MHz and higher channels.
- 2. The FCC has declared as of September 1, 2014 products that utilize passive scanning on channel 12/13 and are capable of transmitting must fully comply with requirements of 15.247 or otherwise disable those channels.
- 3. Check latest software/driver release for updates on supported security features.
- 4. Receiver sensitivity is measured at a packet error rate of 8% for 802.11b (CKK modulation) and a packet error rate of 10% for 802.11a/g (OFDM modulation).



POWER

1. Actual battery Watt-hours (Wh) will vary from design capacity. Battery capacity will naturally decrease with shelf life, time, usage, environment, temperature, system configuration, loaded apps, features, power management settings and other factors.

| AC Adapter 45 Watt n |
|----------------------|
| Standard USB type C |
| Straight 1.8m |

PFC Dimensions (H x W x D) 95 x 40 x 26.5 mm

Weight 200g +/- 10g (Not including power cord. Power cord varies by country.)

Input 100 to 240 VAC

Input Efficiency 88.0 % at 115 VAC and 89.0 % at 230VAC

Input frequency range 48 ~ 63 Hz

Input AC current Max. 1.4 A at 90 VA

Output Output power 45W

DC output 19.5V

Hold-up time 5ms at 115 Vac input

Output current limit <8.0A Over voltage protection- 29V max

automatic shutdown

Connector 4.5mm Barrel Type, 3 pin/grounded, mates with interchangeable cords

Environmental Design Operating 32°F to 95°F (0° to 35°C)

temperature

Non-operating (storage) - 4°F to 185°F (-20° to 85°C)

temperature

Altitude 1 to 16,400 ft (0 to 5,000m)

Humidity20% to 95%Storage Humidity10% to 95%

EMI and Safety Eg:

Certifications *CE Mark - full compliance with LVD and EMC directives

* Worldwide safety standards - IEC60950-1 and/or IEC62368-1,

EN60950-1 and/or EN62368-1, UL60950-1 and/or UL62368-1, Class1,

SELV;

Agency approvals - C-UL-US, NORDICS, DENAN, EN55032 Class B, FCC

Class B. CISPR32 Class B. CCC. NOM-001 NYCE.

* MTBF - over 200,000 hours at 25°C ambient condition.



Technical Specifications

HP 2-cell Long Life Li-Ion Weight 0.19 kg (0.418 lb)

(47 WHr)¹ Cells/Type

cells/Type 2cell Lithium-Ion Polymer cell / 4473A9

Energy Voltage 7.7V

Amp-hour capacity 6.15Ah

Watt-hour capacity¹ 47.3Wh

Temperature Operating (Charging) 32° to 113° F (0° to 45° C)

Operating (Discharging) 14° to 122° F (-10° to 60° C)

Optional Travel Battery No

Available

AUDIO

HD Stereo Codec Realtek ALC5682I-VS

Audio I/O PortsHeadset connector supports both CTIA and OMTP style headsetInternal Speaker AmplifierMaxim MAX98360D x 2, up to 3W class-D mono amplifierMulti-streaming CapableFollow ChromeOS behavior (NOT SUPPORT in current version)

Sampling Follow ChromeOS behavior

Wavetable Syntheses None

Analog Audio Stereo headphone out by 3.5mm audio jack only

of Channels on Line-Out None Internal Speaker Yes



Technical Specifications

ENVIRONMENTAL DATA

| ENVIRONMENTAL DATA | | | | | |
|---|--|--|---|--|--|
| Eco-Label Certifications & declarations | This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks: • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO Certified • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label* | | | | |
| Sustainable Impact | Ocean-bound plastic in S | neaker | | | |
| Specifications | Ocean-bound plastic in Speaker 2% post-consumer recycled plastic Low halogen Outside Box and corrugated cushions are 100% sustainably sourced and recyclable Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable Bulk packaging available | | | | |
| System Configuration | The configuration used for the Energy Consumption and Declared Noise Emissions data for the Chromebook model is based on a "Typically Configured Chromebook device". | | | | |
| Energy Consumption | | | | | |
| (in accordance with US ENERGY STAR® test method) | 115VAC, 60Hz | 230VAC, 50Hz | 100VAC, 50Hz | | |
| ENERGY STAR® test | 115VAC, 60Hz 4.52 W | 230VAC, 50Hz 4.57 W | 100VAC, 50Hz 4.56 W | | |
| ENERGY STAR® test method) Normal Operation (Sort | | | | | |
| ENERGY STAR® test method) Normal Operation (Sort idle) Normal Operation (Long idle) | 4.52 W 1.81 W | 4.57 W 1.93 W | | | |
| ENERGY STAR® test method) Normal Operation (Sort idle) Normal Operation (Long idle) Sleep | 4.52 W 1.81 W 0.82 W | 4.57 W 1.93 W 0.9 W | 4.56 W 1.74 W 0.84 W | | |
| ENERGY STAR® test method) Normal Operation (Sort idle) Normal Operation (Long idle) | 4.52 W 1.81 W 0.82 W 0.18 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENE is for a typically configure | 4.57 W 1.93 W 0.9 W 0.22 W ed is for an ENERGY STAR® coked with the ENERGY STAR® IAGENCY STAR® COMPLIANT CONFIGURY | 4.56 W 1.74 W | | |
| ENERGY STAR® test method) Normal Operation (Sort idle) Normal Operation (Long idle) Sleep Off Heat Dissipation* | 4.52 W 1.81 W 0.82 W 0.18 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENE is for a typically configure | 4.57 W 1.93 W 0.9 W 0.22 W ed is for an ENERGY STAR® co ked with the ENERGY STAR® I Agency (EPA) ENERGY STAR RGY STAR® compliant configu | 4.56 W 1.74 W 0.84 W 0.18 W mpliant product if offered within the model Logo are compliant with the applicable U.S. specifications for computers. If a model urations, then energy efficiency data listed | | |
| ENERGY STAR® test method) Normal Operation (Sort idle) Normal Operation (Long idle) Sleep Off | 4.52 W 1.81 W 0.82 W 0.18 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENE is for a typically configure supply, and a Microsoft Wi | 4.57 W 1.93 W 0.9 W 0.22 W ed is for an ENERGY STAR® cooked with the ENERGY STAR® I Agency (EPA) ENERGY STAR RGY STAR® I Chromebook device featurindows® operating system. | 4.56 W 1.74 W 0.84 W 0.18 W mpliant product if offered within the model Logo are compliant with the applicable U.S. specifications for computers. If a model urations, then energy efficiency data listed and a hard disk drive, a high efficiency power | | |



Sleep

3.1 BTU/hr

2.8 BTU/hr

2.9 BTU/hr

Technical Specifications

| Off | 0 6 0711/ | be | 0.0.01 | 11/h» | | 0 C DTU/b* |
|---------------------------------|---|-------------|------------------|---------------|------------------------|-------------------------|
| UIT | 0.6 BTU/ | nr | 0.8 BT | U/Nr | | 0.6 BTU/hr |
| | *NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour. | | | | | |
| Declared Noise Emissions | Sound Power Sound Press | | | essure | | |
| (in accordance with | (1 | _wad, bels) | | | (L _{pAm} , de | cibels) |
| ISO 7779 and ISO 9296) | | | | | | |
| Typically Configured — Idle | | 2.4 | | | 24. | 6 |
| Fixed Disk – Random writes | | 2.4 | | | 24. | 6 |
| Optical Drive — Sequential | | N/A | | | N/A | Ą |
| reads | | | | | | |
| Longevity and Upgrading | This product ca | n be upgra | ded, possibly e | ktending its | useful life by seve | eral years. Upgradeable |
| | features and/or | componer | nts contained ir | the | | |
| | Spare parts are available throughout the warranty period and or for up to "5" years after the end of production. | | | | | |
| Additional Information | This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. | | | | | |
| Packaging Materials | This product is 97.2% recycle-able when properly disposed of at end of life. External: PAPER/Corrugated 186 g | | | | | |
| | | PAPER/Cor | rugated | | | 40 g |
| | | PAPER/Mol | | | | 36 g |
| | | | olyethylene lov | ı densitu-l l |)PF | 7 g |
| | | | | | 0.0% recycled cont | |
| | | | | | • | |
| RoHS Compliance | The corrugated paper packaging materials contains at least 35.6% recycled content. HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam. We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products. We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve. To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement. | | | | | |



Technical Specifications

| Material Usage | This product does not contain any of the following substances in excess of regulatory limits (refer | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|
| | to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html | | | | | | | |
| |): | | | | | | | |
| | Asbestos | | | | | | | |
| | Certain Azo Colorants | | | | | | | |
| | Certain Brominated Flame Retardants – may not be used as flame retardants in plastics | | | | | | | |
| | Cadmium | | | | | | | |
| | Chlorinated Hydrocarbons | | | | | | | |
| | Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | Dibutyl phthalate (DBP) | | | | | | | |
| | Diisobutyl phthalate (DIBP) | | | | | | | |
| | Formaldehyde | | | | | | | |
| | Halogenated Diphenyl Methanes Lead carbonates and sulfates | | | | | | | |
| | | | | | | | | |
| | Lead and Lead compounds Mercuric Oxide Batteries | | | | | | | |
| | Nickel – finishes must not be used on the external surface designed to be frequently | | | | | | | |
| | Nicket – finishes must not be used on the external surface designed to be frequently handled or carried by the user. | | | | | | | |
| | Ozone Depleting Substances | | | | | | | |
| | Polybrominated Biphenyls (PBBs) | | | | | | | |
| | Polybrominated Biphenyl Ethers (PBBEs) | | | | | | | |
| | Polybrominated Biphenyl Oxides (PBBOs) | | | | | | | |
| | Polychlorinated Biphenyl (PCB) | | | | | | | |
| | Polychlorinated Terphenyls (PCT) | | | | | | | |
| | Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has | | | | | | | |
| | been voluntarily removed from most applications. | | | | | | | |
| | Radioactive Substances | | | | | | | |
| | Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO) | | | | | | | |
| Packaging Usage | HP follows these guidelines to decrease the environmental impact of product packaging: | | | | | | | |
| | Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. | | | | | | | |
| | Eliminate the use of ozone-depleting substances (ODS) in packaging materials. | | | | | | | |
| | Design packaging materials for ease of disassembly. | | | | | | | |
| | Maximize the use of post-consumer recycled content materials in packaging materials. | | | | | | | |
| | Use readily recyclable packaging materials such as paper and corrugated materials. | | | | | | | |
| | Reduce size and weight of packages to improve transportation fuel efficiency. | | | | | | | |
| | Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards. | | | | | | | |
| End-of-life Management | HP offers end-of-life HP product return and recycling programs in many geographic areas. To | | | | | | | |
| and Recycling | recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. | | | | | | | |

| | | The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers . These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment. |
|--|-----------|--|
| HP, Inc. Environmental Information | Corporate | For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf |
| footnotes | | Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic. |

COUNTRY OF ORIGIN

China



Options and Accessories (sold separately and availability may vary by country)

DOCKING (Sold Separately)

Docking station model #1 HP USB-C/A Universal Dock G2

Total number of supported displays

(incl. the Chromebook device display)

Max. resolutions supportedDual 4K @ 60Hz
Single 5K @ 60Hz

Dock Connectors 1xHDMI, 2xDP

Technical limitations Maximum resolution and display support is dependent on the maximum

capability of the Chromebook device.

The best resolution for dual or triple displays is 4K UHD@ 60Hz.

For use with the USB-A adapter that comes in the box the maximum number of displays supported is (2) 4k x 60 Hz on the Type-A Gen 1 connection from

the host.



Options and Accessories (sold separately and availability may vary by country)

| ' Category | Description | Part Number |
|----------------|--|-------------|
| Audio/Video | HP Wired USB-A Stereo Headset | 428K6AA |
| | HP Wired 3.5mm Stereo Headset | 428K7AA |
| | HP 365 BT Speaker | 567D3AA#ACJ |
| | 555 2.1 565 | 50.25 |
| Video | HP 325 FHD USB-A Webcam | 53X27AA |
| | HP 965 4K USB-A STR Webcam | 695J5AA |
| Cases | HP Always On 11.6 Black Case | 1D3D0AA |
| | HP Mobility 11.6 Laptop Case | 4U9G8AA |
| | HP Mobility 14 Laptop Case | 4U9G9AA |
| | HP Prelude G2 15.6 Backpack | 1E7D6AA |
| | HP Prelude G2 15.6 Top Load | 1E7D7AA |
| | HP Prelude Pro Recycled 15.6 Backpack | 1X644AA |
| | HP Prelude Pro Recycled 15.6 Top Load | 1X645AA |
| | HP Renew Business 14.1 Laptop Sleeve | 3E2U7AA |
| | HP Renew Business 14.1 Laptop Bag | 3E5F9AA |
| | HP Renew Business 15.6 Laptop Bag | 3E5F8AA |
| | HP Renew Business 17.3 Laptop Backpack | 3E2U5AA |
| | HP Renew Business 17.3 Laptop Bag | 3E2U6AA |
| | HP Renew Executive 16 Laptop Backpack | 6B8Y1AA |
| | HP Renew Executive 16 Laptop Bag | 6B8Y2AA |
| | HP Renew Executive 14.1 Laptop Sleeve | 6B8Y3AA |
| Docking | HP USB-C/A 120W G2 Universal Dock | 5TW13AA |
| Hub | HP 4K USB-C Multiport Hub | 6G842AA |
| | HP Universal USB-C Multiport Hub | 50H55AA |
| | HP USB-C Travel Dock G2 | 7PJ38AA |
| | HP USB-C to USB-A Hub | Z6A00AA |
| Adapter | HP USB-C to RJ45 Adapter G2 | 4Z527AA |
| | HP USB 3.0 to Gigabit RJ45 Adapter G2 | 4Z7Z7AA |
| | HP USB-C to DisplayPort Adapter | N9K78AA |
| | HP USB-C to HDMI 2.0 Adapter | 1WC36AA |
| | HP USB-C to USB 3.0 Adapter | N2Z63AA |
| | HP USB-C to VGA Adapter | N9K76AA |
| Keyboard/Combo | HP 325 BT Keyboard | 45U14AA#ABA |
| Mouse | HP 125 USB-A Wired Mouse | 265A9AA |
| | HP 128 USB Laser Wired Mouse | 265D9AA |
| | HP 155 USB-A Wired Mouse | 5B8B7AA#ACJ |
| | HP 235 Wireless 2.4GHz Slim Wireless Mouse | 4E407AA |
| | HP 320M USB-A Wired Mouse | AA08AV6 |



Options and Accessories (sold separately and availability may vary by country)

| | | <i>J</i> . | |
|-----------|--|---------------|-------|
| | HP Creator USB-A+Bluetooth 935 Wireless Mouse Black | 1D0K8 | заа |
| | HP USB Premium Wireless Mouse | 1JR31 | IAA |
| | HP USB-A+Bluetooth Multi-Device 635 Wireless Mouse Black | 1D0K2 | 2AA |
| | HP USB-A+Bluetooth Travel Bluetooth Mouse | 6SP30 | AAC |
| | HP 435 Bluetooth 5.0 + Wireless 2.4GHz Multi-Device Wireless Mouse | 6E6F0 | AAC |
| | HP 925 Ergonomic Bluetooth 5.0 + Wireless 2.4GHz Wireless Mouse | 6H1A5 | 5AA |
| Power | HP 45W USB-C LC AC Power Adapter | 1MZ01 | 1 A A |
| | HP 65W GaN USB-C Laptop Charger | 600Q7 | 7AA |
| | HP 65W USB-C Laptop Charger | 671R3 | 3AA |
| | HP 65W USB-C LC AC Power Adapter | 1P3K6 | 5AA |
| Commodity | HP Nano Keyed Cable Lock | 1AJ39 | ЭАА |
| | HP Nano Master Keyed Cable Lock | 1AJ40 | AAC |
| | HP SureKey Standard/Nano/Wedge Cable Lock | 6UW42 | 2AA |
| | HP Combination Nano Cable Lock | 63B28 | 3AA |
| | HP Essential Combination Nano Cable Lock | 63B3 1 | IAA |
| | | | |



HP Fortis x360 11 inch G3 J Chromebook

Summary of Changes

| Date of change: | Version History: | Updated | Description of change: |
|-------------------|------------------|---------|------------------------|
| February 23, 2023 | V1 to V2 | Updated | Overview images |
| February 28, 2023 | V2 to V3 | Updated | Wording updates |
| | V3 to V4 | | |
| | | | |
| | | | |

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Celeron, Pentium and Intel vPro are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. © 2023 Google LLC All rights reserved. Google, Chrome, Chromebook and Chromecast are trademarks of Google LLC.

