





# APC Smart-UPS X-Series External Battery Pack Rack/Tower 120V, 1200VAh, rackmount, 4U

SMX120BP

## Overview

Lead time Usually Ships within 2 Weeks

## Main

product or component type	Battery
Number of rack unit	4U
Battery type	Lead-acid battery
provided equipment	Installation guide Rack mounting brackets
Range of product	Smart-UPS Battery Systems

## **Batteries & Runtime**

Number of battery blocks per string	10	
device mounting	Enclosed battery cartridge	
Number of battery filled slots	0	
Number of battery free slots	0	
Number of battery replacement quantity	2	
Battery voltage	120 V	
Replacement battery	APCRBC143 ☐	
	APCRBC143US ☐	

## **Physical**

Colour	Black
Height	17.008 in (43.2 cm)
Width	7.008 in (17.8 cm)
Depth	19.02 in (48.3 cm)
net weight	134.28 lb(US) (60.91 kg)
mounting mode	Rack-mounted

## **Environmental**

Jul 14, 2024

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)	
Relative humidity	095 %	
Operating altitude	010000 ft	

Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)	
Storage Relative Humidity	095 %	
Storage altitude	0 50000 ft (0 000000000 15240 000000000 m)	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.0 in (33 cm)
Package 1 Width	23.07 in (58.6 cm)
Package 1 Length	24.9 in (63.3 cm)
Package 1 Weight	144.29 lb(US) (65.45 kg)

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

## Resource performance



Take-Back Program Available

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information