

Product data sheet

Specifications



APC Smart-UPS Ultra Lithium-Ion Battery Pack 1U

SRTL50RMBP1U-LI

Overview

Lead time Usually in Stock

Main

product or component type Battery

Number of rack unit 1U

Battery type Li-Ion (Lithium-Ion)

provided equipment Rack mounting brackets
Vertical mounting brackets

Batteries & Runtime

Battery voltage 50 V

Physical

Colour Silver grey

Height 1.7 in (43 mm)

Width 17.008 in (432 mm)

Depth 22.05 in (560 mm)

net weight 43.0 lb(US) (19.5 kg)

mounting mode Rack-mounted with kit
Tower-mounted with kit

Two post mountable 1

Environmental

Ambient air temperature for operation 32.0000000000...104.0000000000 °F (0...40 °C)

Operating altitude 0...10000 ft

Relative humidity 0...95 % non-condensing

Ambient air temperature for storage 5.0000000000...113.0000000000 °F (-15...45 °C)

Storage altitude 0...50000 ft (0.0000000000...15240.0000000000 m)

Storage Relative Humidity 0...95 % non-condensing

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height	7.8 in (19.8 cm)
Package 1 Width	22.2 in (56.4 cm)
Package 1 Length	30.08 in (76.4 cm)
Package 1 Weight	53.99 lb(US) (24.49 kg)

Contractual warranty

Warranty	5 years
-----------------	---------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 **Rohs Exemption Information** [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information