

i-tec USB 3.0 Charging HUB 16port + Power Adapter 90 W

i-tec USB 3.0 Charging HUB 16port with power adapter 90 W, 16x USB 3.0 charging port, ideal for laptop ultrabook tablet PC, Windows Mac Linux



PRODUCT DESCRIPTION

This HUB offers sixteen USB 3.0 ports with the Plug & Play function and with standard USB charging - the HUB automatically detects whether a device for USB charging is connected. As this HUB is equipped with sixteen USB 3.0 ports, it can charge up to sixteen devices at a time. The USB 3.0 interface is especially important for data transfers from USB 3.0 memory cards and flash drives, where its high transfer rate is most useful. An external power adapter is included in the package to guarantee stable HUB performance and charging from the USB ports, providing up to 10 W of charging power for each port.

The individual HUB ports can be switched on/off by the appropriate switch, saving you HUB consumption while increasing the charging input power on the ports you leave on.

This HUB does not require the installation of drivers. You will just connect it by the USB cable to your computer and immediately you can start using it. This HUB has a built-in overcurrent protection of your computer in case of short connection on the peripheries. The interface is compatible with USB 2.0 / 1.1.

The HUB is installed automatically from the system and does not require any drivers. Connect the AC adapter connector to the HUB and the AC adapter to a 230 V outlet. Then connect the HUB via the USB cable to a free USB port (USB 3.0, 2.0 or 1.1 standard) on your laptop/PC and follow the instructions on the screen. The HUB will be installed and displayed in the Device Manager as "General USB Hub" and "General USB SuperSpeed Hub".

Long product description: i-tec USB 3.0 Charging HUB 16port with power adapter 90 W, 16x USB 3.0 charging port, ideal for laptop ultrabook tablet PC, Windows Mac Linux

PRODUCT FEATURES

- 1x USB 3.0 port for connecting to the host device
- 16x USB 3.0 port
- Charging power of the USB ports up to 10 W
- 1x Power input (DC 12 V/7.5 A)
- On / Off switches for individual USB ports



LED indicators

• USB 3.0 cable from type A to type B (100 cm)

• Surge and overcurrent protection

• OS: Windows XP / Vista / 7 / 8 / 8.1 /10, macOS X, Linux, Chrome OS

• Product Dimensions: 226 x 53 x 24 mm

• Product Weight: 250 g

• Package Dimensions: 246 x 122 x 66 mm

• Package Weight: 884 g

SYSTEM REQUIREMENTS

Hardware Requirements:

• Device with an available USB-A port

Operating System:

• Windows XP / Vista / 7 / 8 / 8.1 /10, macOS X, Linux, Chrome OS

SPECIFICATION

Part Number	Product Description & EAN
U3CHARGEHUB16	i-tec USB 3.0 Charging HUB 16port + Power Adapter 90 W EAN: 8595611702969
U3CHARGEHUB16UK	i-tec USB 3.0 Charging HUB 16port + Power Adapter 90 W EAN: 8595611702983
Hardware	
Bus type	USB-3.0
Ports/Connectors	
USB 3.0 TYPE A	16
DC POWER ADAPTER JACK	1
System Requirements	
Hardware	Hardware Requirements: Device with an available USB-A port
Operating system	Windows XP / Vista / 7 / 8 / 8.1 / 10 macOS X Linux Chrome OS R51 or later
Power Supply	
Input Current	2A
Input Voltage	AC 100-240 V
Output Current	7.5 A
Output Voltage	DC 12 V
Power Output	1 port max 10 W, HUB max 90 W
Other features	
Colour	Space Grey
Housing Material	Aluminium



Product Dimensions	226 x 53 x 24 mm	
Product Weight	250 g	
Package Weight	884 g	
Packaging Dimensions (LxWxH)	246 x 122 x 66 mm	
Support		
Warranty period	2 years	
Technical support	lifetime	
Package contents		
Product		
USB 3.0 cable from type A to type B (100 cm)		
Power adapter (DC cable 150 cm, power cable 120 cm)		
Mauál		

For further information regarding setup or for answers to FAQ's, please visit our website i-tec.cz. Specifications are subject to change without notice.

Updated 15.8.2019