## A Hub That Does it All

Unlock new possibilities with the HP Universal USB-C Multiport hub, now supporting any USB-C $^{\odot 1}$  compatible PC. 7 ports, 1 power and data passthrough cable, and many peripherals to plug and play however you like. It also supports dual  $4K^2$  displays via HDMI 2.0 and 1 DisplayPort $^{\text{\tiny M}}$  1.2. This hub is all you need to stay connected.



\*Product image may differ from actual product

#### Universal USB-C\*. Every OS

One simple, single USB-C<sup>\$\oldsymbol{0}\$1</sup> cable plugs into your PC<sup>3</sup>, regardless of the brand or OS so you can use your hub seamlessly. This hub now supports Windows<sup>\$\oldsymbol{0}\$</sup>, macOS and Chrome OS<sup>\$\oldsymbol{0}\$</sup>.

#### All Kinds of Ports

7 multifunction ports provide a complete solution for just about any data, video, or network connection<sup>4</sup>.1 HDMI 2.0, 1
DisplayPort™ 1.2, 2 USB-A ports, 1 USB-C®1 port, 1 USB-C®1 passthrough port, and 1 ethernet port.

#### **Powers Dual 4K Displays**

This small but mighty hub supports<sup>5</sup> HDMI 2.0 and DisplayPort™ 1.2 connections for a higher quality resolution at 4K<sup>2</sup>.



### **Featuring**

#### Designed to Travel

Slim and sleek design is portable for you to take on the go.

#### **Connect & Power Your PC**

Keep your PC charged via the USB-C® passthrough while powering up or connecting data through the 7 total ports. 1,4,6



### **Specifications**







Product number	50H55UT
Supported platforms	Compatible with PCs with available USB Type-C® port integrate with USB Power Delivery and DisplayPort
Compatibility note	$Based  on  HP  internal  testing  on  select  non-HP  notebook  models  compatible  with  USB-C^*  industry  standards.$
Master carton upc code	10196188637200
Tariff number	8471801000
Port and connectors	1 USB Type-C® 5Gbps signaling rate 2 USB Type-A 5Gbps signaling rate 1 HDMI 2.0 1 DisplayPort™ 1.2 1 USB Type-C® pass through (up to 65 W USB Power Delivery) 1 RJ-45 (10/100/1000 Mbps)
Security management	Secure firmware update meets HP secure firmware requirements
Software included	HP One Click Installer (OCI) firmware upgrade
Power to system	Up to 65 W via USB Type-C* (requires 90 W power supply) <sup>3,4</sup>
Power delivery (PD) profiles	5V/5A; 9V/5A; 12V/5A; 15V/5A; 20V/5A; 10V/5A
Cable length	11.81 in;
Operating voltage	5-20 V
External monitor support	Up to 2 4K displays supported through HDMI 2.0 and DisplayPort™1.2 digital video outputs, depending on the capabilities of the host device. Single 4K display will operate @ 60 Hz, dual 4K display will operate @ 30 Hz <sup>1.2</sup>
Product color	Black
Supported operating systems	Windows 10; Windows 11; macOS; Chrome OS™
System Requirements, Minimum	USB Type-C® (USB Power Delivery, Alt Mode DisplayPort™)
Warranty	One-year limited warranty
What's in the box	HP Universal USB-C Multiport Hub; Product notice; Warranty
Country of origin	Made in China
Dimensions (W x D x H)	5.91 x 2.17 x 0.85 in
Weight	0.25 lb
Package dimensions (W x D x H)	9.52 x 2.56 x 1.77 in;
Package weight	0.39 lb;
Master carton quantity	16
Master carton dimensions (W x D x H)	11.65 x 7.75 x 9.88 in;
Master carton weight	6.85 lb;
Pallet weight	548.51 lb;
Sustainable impact specifications	Packaging is recyclable <sup>6</sup>
Operating temperature range	0 to 35°C; 0 to 95°F
Non-operating temperature - Celsius	-20 to 60°C
Operating humidity range	5 to 90% non-condensing



#### **Footnotes**

### **Messaging Footnotes**

- <sup>1</sup> USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are trademarks of USB Implementers Forum.
- <sup>2</sup> 4K content required to view full 4K images.
- <sup>3</sup> Based on HP internal testing on select non-HP notebook models compatible with USB-C\* industry standards. Firmware updates on Windows-based host systems only.
- <sup>4</sup> For USB-C® functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® port. Thunderbolt™ enabled notebooks will function at USB-C® speeds. Charging and port replication is supported on notebooks that have implemented USB-C® industry specifications.
- <sup>5</sup> Supports only 3840 x 2160 @30Hz, while host PC supports DisplayPort™ 1.4.
- <sup>6</sup> Passthrough charging requires a notebook or tablet with USB-C® AC adapter. This product does not include an AC adapter.
- <sup>7</sup>65 W max combined power output when using a 90 W charger and charging multiple devices.

### **Technical Specifications Footnotes**

- <sup>1</sup> 4K content required to view full 4K images.
- <sup>2</sup> Supports only 3840 x 2160 @30Hz and YCbCr422 or YCbCr420 color formats, while host PC supports DisplayPort™ 1.4.
- <sup>3</sup> For USB-C® functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® port. Thunderbolt™ enabled notebooks will function at USB-C® speeds. Charging and port replication is supported on notebooks that have implemented USB-C® industry specifications.
- <sup>4</sup> 65W max combined power output when using a 90W charger and charging multiple devices. Pass-through charging requires a notebook or tablet with USB-C\* AC adapter. This product does not include an AC adapter.
- <sup>5</sup> Actual power delivery profile also depends on USB-C<sup>®</sup> adapter's PD profiles.
- <sup>6</sup> Outside Box and corrugated cushions are recyclable. Any plastic cushions are made from >90% recycled plastic.

