Product data sheet

Specifications





APC Smart-UPS XL Battery Pack 48V, rackmount, 3U

SUA48RMXLBP3U

Overview

Lead time Usually in Stock

Main

Product or Component Type	Battery	
Number of rack unit	3U	
Number of cables	1	
Battery Type	Lead-Acid battery	
Provided equipment	User Manual	

Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0
RBC Quantity	2
Additional information	For use with SUA 2200/3000VA 3U models. Can be used with the 5U models with SUA039 extension cable.
Replacement battery	APCRBC105 ☐

Physical

color	Black	
Height	5.2 in (13.3 cm)	
Width	19.02 in (48.3 cm)	
Depth	26.0 in (66 cm)	
Net Weight	140.30 lb(US) (63.64 kg)	
Mounting preference	No preference	
Mounting Mode	Rack-mounted	
USB compatible	No	

Environmental

Ambient Air Temperature for Operation	32.0000000000104.0000000000 °F (040 °C)
Relative Humidity	095 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	5.0000000000113.0000000000 °F (-1545 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

Ordering and shipping details

GTIN	731304238591
Country of origin	РН

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.02 in (28 cm)
Package 1 Width	24.02 in (61 cm)
Package 1 Length	38.6 in (98 cm)
Package 1 Weight	158.7 lb(US) (72 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	8
Package 2 Height	50.8 in (129 cm)
Package 2 Width	39.4 in (100 cm)
Package 2 Length	47.2 in (120 cm)
Package 2 Weight	1267.200 lb(US) (574.792 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information