

PRODUCT REFERENCE GUIDE:

# MONITORS

Beauty is in the details.



## VA - Value Series: Rock-solid Dependability

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA3456-MHDJ	34"	3440 x 1440	IPS	400 cd/m <sup>2</sup>	4ms	-	-	32.2 x 16.27~20.21 x 7.9	3.5mm Audio Out, HDMI In(x2), DisplayPort
VA2718-SH	27"	1920 x 1080	IPS	300 cd/m <sup>2</sup>	5ms	-	Tilt	24.4 x 17.5 x 9.4	3.5mm Audio Out, VGA, HDMI 1.4 In
VA2719-2K-SMHD	27"	2560 x 1440	IPS	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VA2719-SMH	27"	1920 x 1080	IPS	300 cd/m <sup>2</sup>	14ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2746MH-LED	27"	1920 x 1080	TN	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2747-MH	27"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	5ms	-	-	24.2 x 17.8 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2756-MHD	27"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	24.1 x 16.9 x 9.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2759-SMH	27"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	24.5 x 17.6 x 9.3	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2405-H	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	4ms	Yes	Tilt	21.6 x 16.0 x 7.0	VGA, HDMI 1.4 In
VA2418-SH	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	5ms	-	-	21.6 x 15.9 x 8.6	3.5mm Audio Out, HDMI In, VGA

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2446MH-LED	24"	1920 x 1080	MVA	300 cd/m <sup>2</sup>	5ms	Yes	Tilt	22.3 x 15.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2452SM	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	22.2 x 16.6 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VA2452SM_H2	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	-	22.2 x 13.2 x 2.0	3.5mm Audio In, VGA, DVI-D, DisplayPort
VA2456-MHD	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	21.3 x 15.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2456-MHD_H2	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	5ms	Yes	-	21.3 x 12.8 x 1.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2459-SMH	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	21.3 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2232WM-LED	22"	1680 x 1050	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 16.4 x 7.7	3.5mm Audio In, VGA, DVI-D
VA2246MH-LED	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2252SM	22"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	Tilt	22.5 x 15.7 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VA2252SM_H2	22"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	6.5ms	Yes	-	22.5 x 12.2 x 2.0	3.5mm Audio In, VGA, DVI-D, DisplayPort
VA2256-MHD	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	19.3 x 14.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VA2256-MHD_H2	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	5ms	-	-	19.3 x 11.7 x 1.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2259-SMH	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	19.7 x 14.8 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2261H-2	22"	1920 x 1080	TN	200 cd/m <sup>2</sup>	5ms	Yes	-	19.9 x 15 x 7.1	3.5mm Audio Out, VGA, HDMI 1.4 In
VA2055SA	20"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	VGA
VA2055SM	20"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D
VA1903H	19"	1366 x 768	TN	200 cd/m <sup>2</sup>	5ms	Yes	Tilt	17.2 x 13.5 x 6.7	3.5mm Audio Out, VGA, HDMI 1.4 In
VA951S	19"	1280 x 1024	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	16.4 x 15.8 x 7.8	VGA, DVI-D
VA708A	17"	1280 x 1024	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	14.4 x 15.4 x 7.5	VGA

## VG - Graphics Series: Maximum Productivity

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
---------	-------------	------------	------	------------------	---------------	-----------------------	------------	----------------------------	--------------

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG3448	34"	3440 x 1440	MVA	300 cd/m²	5ms	Yes	Height, Swivel, Tilt	32.5 x 16.1 x 9.3	USB Type A(x4), USB 2.0 Type B, HDMI 1.4 In(x2), DisplayPort, Mini DisplayPort
VG3456	34"	3440 x 1440	MVA	300 cd/m²	5ms	Yes	Height, Swivel, Tilt	32.5 x 16.1~21.2 x 9.3	USB 2.0 Type A(x3), USB 2.0 Type B, USB 3.1 Type C, Ethernet LAN (RJ45), HDMI 1.4 In(x2), DisplayPort
VG2860MHL-4K	28"	3840 x 2160	TN	300 cd/m²	2ms	Yes	Pivot, Height, Swivel, Tilt	26.0 x 19.0 x 10.5	USB Type A(x4), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In(x2), DVI-D, DisplayPort, Mini DisplayPort
VG2748	27"	1920 x 1080	IPS	300 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 16.0 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2753	27"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 21.4 x 9.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2755	27"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, VGA, HDMI 1.4 In, DisplayPort
VG2755-2K	27"	2560 x 1440	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort
VG2756-2K	27"	2560 x 1440	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out
VG2756-4K	27"	3840 x 2160	IPS	350 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB Type A(x2), USB Type B, Ethernet LAN (RJ45), HDMI 2.0 In, DisplayPort
VG2439SMH	24"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VG2440	24"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.6 x 15.1~20.2 x 8.1	USB Type A, USB Type B(x3), 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VG2440V	24"	1920 x 1080	IPS	250 cd/m²	5ms	-	Pivot, Height, Swivel, Tilt	21.6 x 16.0~21.1 x 8.1	USB Type A(x3), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VG2448	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 15.2 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2448-PF	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 15.2 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2448_H2	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	-	21.7 x 12.8 x 2.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2449	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17x1 x 9.4	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2449_H2	24"	1920 x 1080	MVA	250 cd/m²	7ms	-	-	22.1 x 13.1 x 2.3	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2453	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.3 x 16.3 x 9.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG2455	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, VGA, HDMI 1.4 In, DisplayPort
VG2455-2K	24"	2560 x 1440	IPS	300 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB Type A(x3), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort
VG2456	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out
VG2239SMH	22"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VG2248	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	19.6 x 14.7 x 8.0	USB Type A(x4), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VG2248_H2	22"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	-	19.6 x 11.7 x 2.0	USB Type A, USB Type B(x4), VGA, HDMI 1.4 In, DisplayPort
VG2249	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2249_H2	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	-	20.2 x 12.0 x 2.1	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VG2253	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	19.7 x 16.3 x 9.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VG2039M-LED	20"	1600 x 900	TN	250 cd/m²	5ms	Yes	Height, Swivel, Tilt	18.5 x 15.2 x 9.9	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, DisplayPort
VG939SM	19"	1280 x 1024	IPS	250 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	16.4 x 14.8 x 8.0	USB Type A(x2), USB Type B, 3.5mm Audio In, VGA, DVI-D
VG1655	15.6"	1920 x 1080	IPS	250 cd/m²	6.5ms	-	Tilt	14.0 x 8.8 x 0.6	USB Type C(x2), Mini HDMI

## VP - Professional Series: The Art & Science of Color

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP3881	38"	3840 x 1600	IPS	300 cd/m²	7ms	Yes	Height, Swivel, Tilt	35.3 x 24.8 x 11.8	USB Type A(x3), USB Type B, USB Type C, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), DisplayPort
VP3481	34"	3440 x 1440	MVA	400 cd/m²	5ms	Yes	Height, Swivel, Tilt	31.9 x 24.0 x 11.8	USB Type A(x2), USB Type B, USB Type C, 1 (15W), 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VP3481A	34"	3440 x 1440	MVA	400 cd/m²	5ms	Yes	Height, Swivel, Tilt	31.9 x 18.9 x 11.8	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 2.0 In(x2), DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP3268-4K	32"	3840 x 2160	IPS	350 cd/m <sup>2</sup>	7ms	Yes	Pivot, Height, Swivel, Tilt	28.1 x 25.0 x 10.5	USB Type A(x4), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), DisplayPort, Mini DisplayPort
VP2768	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	14ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 8.5	USB Type A(x4), 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort
VP2768-4K	27"	3840 x 2160	IPS	350 cd/m <sup>2</sup>	7ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 21.3 x 8.5	USB Type A(x4), USB Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort, Mini DisplayPort
VP2768A	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	5ms	Yes	Height, Swivel, Tilt	24.1 x 16.1 x 8.5	USB Type A(x3), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VP2771	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	7ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB Type A(x3), USB Type B, USB Type C, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort, DisplayPort Out, Mini DisplayPort
VP2785-2K	27"	2560 x 1440	IPS	300 cd/m <sup>2</sup>	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB Type A(x2), USB Type B, USB Type C, 1 (15W), 3.5mm Audio Out, HDMI 1.4 In, DisplayPort, DisplayPort Out
VP2785-4K	27"	3840 x 2160	IPS	350 cd/m <sup>2</sup>	7ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB Type A(x3), USB Type B, USB Type C, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), DisplayPort, Mini DisplayPort
VP2458	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.7 x 8.5	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort
VP2468	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 20.5 x 8.5	USB Type A(x4), USB Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort, 3-pin plug (CEE22)
VP2468A	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	5ms	Yes	Height, Swivel, Tilt	21.2 x 16.6 x 8.5	USB Type A(x2), USB Type B, USB Type C, Ethernet LAN (RJ45), HDMI 1.4 In, DisplayPort, DisplayPort Out
VP2468_H2	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	Yes	-	21.2 x 12.2 x 1.9	USB Type A(x4), USB Type B, HDMI 1.4 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort

## VX - Entertainment Series: Stunning Resolution & Performance

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX4380-4K	43"	3840 x 2160	IPS	350 cd/m <sup>2</sup>	12ms	Yes	Tilt	38 x 25.7 x 9.5	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort, DisplayPort Out, Mini DisplayPort
VX3211-2K-MHD	32"	2560 x 1440	IPS	250 cd/m <sup>2</sup>	3ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX3211-4K-MHD	32"	3840 x 2160	MVA	300 cd/m²	3ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX3216-SCMH-W	32"	1920 x 1080	MVA	280 cd/m²	5ms	-	Tilt	28.0 x 19.8 x 6.9	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, HDMI 1.4 In
VX3218-PC-MHD	32"	1920 x 1080	MVA	300 cd/m²	6ms	Yes	Tilt	27.9 x 20.2 x 9.0	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX3268-2KPC-MHD	32"	2560 x 1440	MVA	250 cd/m²	3ms	Yes	Tilt	27.9 x 20.1 x 9.7	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX3268-PC-MHD	32"	1920 x 1080	MVA	250 cd/m²	3ms	Yes	Tilt	27.9 x 20.1 x 9.7	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX3276-2K-MHD	32"	2560 x 1440	IPS	250 cd/m²	4ms	-	Tilt	28.1 x 19.8 x 9.1	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort, Mini DisplayPort
VX3276-4K-MHD	32"	3840 x 2160	MVA	300 cd/m²	3ms	Yes	Tilt	28.1 x 19.9 x 9.1	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort, Mini DisplayPort
VX3276-MHD	32"	1920 x 1080	IPS	250 cd/m²	8ms	Yes	Tilt	28.1 x 19.8 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
VX2718-2KPC-MHD	27"	2560 x 1440	MVA	250 cd/m²	5ms	Yes	Tilt	24.0 x 18.7 x 8.8	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2718-P-MHD	27"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Tilt	24.2 x 18.0 x 8.9	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2718-PC-MHD	27"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Tilt	24.0 x 18.7 x 8.8	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2757-MHD	27"	1920 x 1080	TN	300 cd/m²	2ms	Yes	Tilt	25.2 x 19.3 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VX2758-2KP-MHD	27"	2560 x 1440	IPS	350 cd/m²	3ms/1ms MPRT	Yes	Tilt	24.2 x 17.7 x 7.4	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
VX2758-P-MHD	27"	1920 x 1080	TN	300 cd/m²	1ms/1ms MPRT	Yes	Tilt	24.2 x 17.7 x 7.4	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
VX2768-2KP-MHD	27"	2560 x 1440	IPS	350 cd/m²	3ms	Yes	Tilt	24.1 x 17.7 x 7.9	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2768-2KPC-MHD	27"	2560 x 1440	MVA	250 cd/m²	3ms	Yes	Tilt	24.0 x 17.8 x 8.6	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2768-PC-MHD	27"	1920 x 1080	MVA	250 cd/m²	3ms	Yes	Tilt	24.0 x 17.8 x 8.6	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2776-4K-MHD	27"	3840 x 2160	IPS	350 cd/m²	4ms	Yes	Tilt	24.3 x 17.8 x 7.2	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
VX2776-SMHD	27"	1920 x 1080	IPS	250 cd/m²	7ms	-	Tilt	24.5 x 18.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort
VX2785-2K-MHDU	27"	2560 x 1440	IPS	300 cd/m²	5ms	-	Swivel, Tilt	24.1 x 17.6 x 9.8	USB 3.2 Gen 1 Type C, 3.5mm Audio Out, HDMI 1.4 (with HDCP 1.4), DisplayPort
VX2452MH	24"	1920 x 1080	TN	300 cd/m²	2ms	Yes	Tilt	22.0 x 17.0 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2457-MHD	24"	1920 x 1080	TN	300 cd/m²	2ms	Yes	Tilt	23.2 x 16.6 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, 3-pin plug (CEE22)
VX2458-C-MHD	24"	1920 x 1080	MVA	280 cd/m²	3ms/1ms MPRT	-	Tilt	21.5 x 15.9 x 7.6	3.5mm Audio Out, DVI-D, HDMI 1.4 In, DisplayPort
VX2458-MHD	24"	1920 x 1080	TN	300 cd/m²	1ms	Yes	-	23.2 x 16.6 x 9.0	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
VX2476-SMHD	24"	1920 x 1080	IPS	250 cd/m²	7ms	-	Tilt	21.3 x 16.3 x 8.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX2478-SMHD	24"	2560 x 1440	IPS	300 cd/m <sup>2</sup>	4ms	Yes	Tilt	21.3 x 16.6 x 7.5	3.5mm Audio Out, HDMI 1.4 In, DisplayPort, Mini DisplayPort
VX2485-MHU	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	5ms	Yes	Swivel, Tilt	21.2 x 15.9 x 9.8	USB Type C, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VX2252MH	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	2ms	Yes	Tilt	20.1 x 15.8 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2257-MHD	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	2ms	Yes	Tilt	20.1 x 15.5 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, 3-pin plug (CEE22)
VX2276-SMHD	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	7ms	-	Tilt	19.6 x 15.5 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort

## XG - Gaming Series: For Enthusiasts, Diehards & Pros

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG350R-C	35"	3440 x 1440	MVA	300 cd/m <sup>2</sup>	3ms	Yes	Height, Swivel, Tilt	33.4 x 17.1 x 12.0	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG3220	32"	3840 x 2160	MVA	300 cd/m <sup>2</sup>	5ms	Yes	Pivot, Height, Swivel, Tilt	28.6 x 18.1 x 10.3	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270	27"	1920 x 1080	IPS	400 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.06~22.5 x 10.4	USB 3.1 Type A(x3), USB 3.1 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG2705	27"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	2ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 17.08~21.35 x 9.4	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
XG2705-2K	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	3ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 17.08~21.3 x 9.4	3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270Q	27"	2560 x 1440	IPS	400 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.06~22.5 x 10.4	USB 3.2 Gen 1 Type A(x3), USB 3.2 Gen 1 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270QC	27"	2560 x 1440	MVA	550 cd/m <sup>2</sup>	3ms	-	Height, Swivel, Tilt	24.1 x 18.97~23.69 x 14.0	USB 3.2 Gen 1 Type A(x3), USB 3.2 Gen 1 Type B, Micro USB, 3.5mm Audio Out, HDMI 2.0 In(x2), DisplayPort
XG270QG	27"	2560 x 1440	IPS	350 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.1~22.5 x 10.4	USB 3.1 Type A(x3), USB 3.1 Type B, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort
XG2530	25"	1920 x 1080	TN	400 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, DisplayPort
XG2560	25"	1920 x 1080	TN	400 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 16.1 x 10.2	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, DisplayPort
XG2402	24"	1920 x 1080	TN	350 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG2405	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	2ms	Yes	Pivot, Height, Swivel, Tilt	21.3 x 17.08~20.51 x 9.4	3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort
XG240R	24"	1920 x 1080	TN	350 cd/m <sup>2</sup>	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), DisplayPort

## TD - Touch Display Series: Intuitive Touch

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
TD2760	27"	1920 x 1080	MVA	230 cd/m <sup>2</sup>	6ms	Yes	Height, Tilt	26.0 x 17.5 x 9.4	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort, RS232
TD2421	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	22.5 x 15.4 x 9.5	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DVI-I
TD2423D	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	7ms	Yes	Tilt	22.5 x 13.7 x 4.0	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, DisplayPort
TD2430	24"	1920 x 1080	MVA	250 cd/m <sup>2</sup>	25ms	Yes	Tilt	22.6 x 13.9 x 1.9	USB Type A(x2), USB Type B, VGA, HDMI 1.4 In, DisplayPort
TD2455	24"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	6ms	Yes	Tilt	21.2 x 16.8 x 11.3	USB Type A(x2), USB Type B, USB Type C, HDMI 1.4 In, DisplayPort, DisplayPort Out
TD2210	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.3 x 9.5	USB Type A, USB Type B, VGA, DVI-I
TD2220	22"	1920 x 1080	TN	200 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.1 x 14.4 x 9.5	USB Type A(x2), 3.5mm Audio In, VGA, DVI-D
TD2223	22"	1920 x 1080	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	20.5 x 13.1 x 4.0	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, HDMI 1.4 In
TD2230	22"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	14ms	Yes	Tilt	19.3 x 11.8 x 5.1	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DisplayPort, DC 19V/2.37A
TD1711	17"	1280 x 1024	TN	250 cd/m <sup>2</sup>	5ms	Yes	Tilt	14.5 x 13.7 x 8.2	USB Type A(x2), USB Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 (with CEC), RS232 In
TD1655	15.6"	1920 x 1080	IPS	250 cd/m <sup>2</sup>	6.5ms	-	Tilt	14.0 x 8.8 x 0.6	USB Type C(x2), Mini HDMI