

Product data sheet

Specifications



APC NetShelter SX, Networking Rack Enclosure, 42U, White, 1991H x 750W x 1200D mm

AR3340W

Overview

Presentation NetShelter SX Networking Enclosure expands Schneider Electric's superior IT enclosure line with improved support for high density networking applications. Integrated high density cable managers and improved cable access roof provide support for large cable bundles. When combined with the Side Airflow Duct Kit, the Networking Enclosure ensures complete isolation of cold intake and hot exhaust air for large switches and SAN directors.

Lead time Usually in Stock

Main

Product or Component Type Rack enclosure

number of rack unit 42U

Provided equipment Baying hardware
Key(s)
Keyed-alike doors and side panels
Leveling feet
Mounting Hardware
Pre-installed casters
Side Panels
Vertical cable managers

Physical

Height 78.4 in (199.1 cm)

Width 29.5 in (75 cm)

Depth 47.2 in (120 cm)

Net Weight 335.70 lb(US) (152.27 kg)

Color White

Mounting preference No preference

Mounting Mode Not rack-mountable

Maximum Mounting Depth 37.75 in (95.89 cm)

minimum mounting depth 11.0000000000 in (27.94 cm)

rack width 19"

Marking 14 gauge EIA mounting rail
16 gauge front door
16 gauge post
18 gauge rear door
18 gauge roof
18 gauge side panels

Permanent permissible load 2250 lb(US) (1020.6 kg) dynamic
3750 lb(US) (1701.0 kg) static

Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Standards	UL 2416 UL 60950-1 EIA-310D
------------------	-----------------------------------

Ordering and shipping details

GTIN	731304308454
-------------	--------------

Country of origin	TH
--------------------------	----

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	83.4 in (211.8 cm)
-------------------------	--------------------

Package 1 Width	52.008 in (132.1 cm)
------------------------	----------------------

Package 1 Length	33.5 in (85.1 cm)
-------------------------	-------------------

Package 1 Weight	403.84 lb(US) (183.18 kg)
-------------------------	---------------------------

Contractual warranty

Warranty	5 year repair or replace
-----------------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Reach Free Of Svhc

 Toxic Heavy Metal Free

 Mercury Free

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
