

# PowerLite® 1266 Wireless WXGA 3LCD Projector



## Widescreen, wireless portable HD projector with WXGA resolution and MHL.

More accurate, vivid color, even in well-lit rooms -3,600 lumens of equal color and white brightness<sup>1</sup>

**WXGA resolution (1280 x 800)** — for HD-quality presentations; plus an array of connectivity options

**Wireless** — project from your laptop, tablet or smartphone<sup>2</sup> without plugging into the projector, so you can move freely

**Remarkable color accuracy** — up to 3x Higher Color Brightness<sup>3</sup> and up to 3x Wider Color Gamut<sup>4</sup> with Epson over DLP projectors

**Share HD video directly from smartphones, tablets or streaming devices** — supports MHL-enabled devices<sup>5</sup> for mirroring and charging<sup>6</sup>

Fast wireless setup for your mobile device — just scan the on-screen QR code using your phone or tablet

**Fast, easy setup with Epson** — get up and running in no time with easy image adjustments and convenient control

**Works with the latest laptops and media players** — supports HDMI®, the standard in connectivity, for digital video and audio in one cable

Portability you need for presentations on the  ${f go-}$  carrying case included









### PowerLite® 1266 Wireless WXGA 3LCD Projector

#### **Specifications**

Projection System 3LCD, 3-chip technology Projection Method Front/rear/ceiling mount Driving Method Poly-silicon TFT Active Matrix Pixel Number 1,024,000 dots (1280 x 800) x 3 Color Brightness¹ Color Light Output: 3,600 lumens White Brightness¹ White Light Output: 3,600 lumens Aspect Ratio 16:10 native, supports 4:3 and 16:9 Native Resolution 1280 x 800 (WXGA)

Resize Support 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (SXGA), 1280 x 800 (WXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1440 x 900 (WXGA+), 1400 x 1050 (SXGA+), 1600 x 900 (WXGA++), 1680 x 1050 (WSXGA+)

Lamp Type 210 W UHE Lamp Life<sup>8</sup>

Normal Mode: Up to 6,000 hours ECO Mode: Up to 10,000 hours

Throw Ratio Range 1.38 (Zoom:Wide), 1.68 (Zoom:Tele) Size (Projected Distance) 30" – 300" (0.9 – 9 m) Keystone Correction (Auto) Vertical: ± 30 degrees Keystone Correction (Manual) Horizontal: ± 30 degrees (Easy-Slide Horizontal Image Correction)

USB Plug 'n Play Projects audio and video, PC and Mac® compatible

Contrast Ratio Up to 15,000:1 Color Reproduction Over 1.07 billion colors

#### **Projection Lens**

Type Optical zoom (Manual)/Focus (Manual)

**F-number** 1.50 – 1.71 **Focal Length** 20.42 – 24.50 mm **Zoom Ratio** Optical zoom 1.0 – 1.2

#### Other

**Display Performance** NTSC: 480 lines; PAL: 576 lines (Depends on observation of the multi-burst pattern) **Input Signal** NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/

SECAM

Speaker 2 W (mono)

Operating Temperature 41  $^{\circ}$  to 95  $^{\circ}$ F (5  $^{\circ}$  to 35  $^{\circ}$ C) Power Supply Voltage 100 - 240 V  $\pm$ 10%, 50/60 Hz

Power Consumption Normal Mode: 315 W ECO Mode: 228 W Fan Noise Normal Mode: 37 dB ECO Mode: 28 dB

**Security** Password Protect function

#### Interfaces

1x HDMI (supports MHL®)
Computer/component video: 1x D-sub 15 pin
Composite video: 1x RCA (Yellow)
Audio in: 2x RCA (1 white/1 red)
1x USB connector Type A: PC-free USB and other
1x USB connector Type B: USB Plug 'n Play



#### Dimensions (W x D x H)

Including Feet 11.9" x 9.9" x 3.6" Excluding Feet 11.9" x 9.8" x 3.4" Weight 6.2 lb

#### Remote Control

**Features** Source search selection, power, volume, e-zoom, AV Mute, freeze, menu, page up and down, help, auto, mouse functions

Operating Angle

Right/left: ± 30 degrees Upper/lower: +15 degrees **Operating Distance** 19.7 ft (6 m)

#### Wireless (Wireless LAN)

#### **Supported Speeds**

IEEE 802.11b (2.4 GHz): 11 Mbps\* IEEE 802.11g (2.4 GHz): 54 Mbps\* IEEE 802.11n (2.4 GHz): 130 Mbps\*

\*Maximum speed and range is achievable when used with same enhanced mode technology. Actual data rates, features and performance may vary depending on your computer system, the environment and other factors.

Supported Mode Infrastructure, Access Point Frequency Type (Modulations) 802.11b/g/n (2.4 GHz) (DSSS/CCK, OFDM)

#### **Eco Features**

RoHS compliant Recyclable product<sup>9</sup>

Epson America, Inc. is a SmartWay® Transport Partner<sup>10</sup>

#### Support

#### **Epson Connection<sup>SM</sup>**

Pre-sales support: U.S. and Canada 800-463-7766

Internet website: www.epson.com

**Service Programs** 1-year projector limited warranty, Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day limited lamp warranty

#### What's in the Box

PowerLite 1266 projector, power cable, computer cable (VGA), USB cable, wireless LAN module, soft carrying case, projector remote control, batteries, User Manual CD, Quick Setup Sheet

#### **Ordering Information**

PowerLite 1266 Projector V11H845120 Genuine Epson Lamp (ELPLP96) V13H010L96 V13H134A32 Replacement Air Filter (ELPAF32) V12H001K69 Soft Carrying Case (ELPKS69) Universal Projector Ceiling Mount **ELPMBPJF** Duet™ Screen ELPSC80F ES3000 Screen (ELPSC26H) V12H002S3Y ES1000 Screen V12H002S4Y

1 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with ISO 21118. | 2 For wireless functionality, including via the Epson iProjection¹™ App, the projector must be configured on a network, either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable a wireless connection. Not all Epson projectors are able to be networked. The Epson iProjection App does not support all files and formats. See www.epson.com for details. | 3 Color brightness (color light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions. Topselling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016. | 4 Gamut volume in brightest mode, measured by a third-party lab in 3D in the CIE L\*a\*b\* coordinate space. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016. | 5 Includes one Mobile High-Definition Link® (MHL) HDMI port. | 6 Depending on your MHL device, charging may not be supported. | 7 Based on TFCinfo: U.S. Projector Brand Customer Perception and Preference Study, Multimedia Projectors 2017. | 8 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time. | 9 For convenient and reasonable recycling options, visit www.epson.com/recycle | 10 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency

See the latest innovations from Epson Business Solutions at www.epson.com/forbusiness.

Better Products for a Better Future eco.epson.com



Epson America, Inc.
3840 Kilrov Airport Way Long Beach

3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited
185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com

Specifications and terms are subject to change without notice. EPSON and PowerLite are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future and Epson Iprojection are trademarks of Seiko Epson Corporation. PrivateLine is a registered trademark, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2017 Epson America, Inc. Com-SS-Oct-13 CPD-53904 6/17

Cont	act:
------	------