Product data sheet

Specifications

UPS Network Management Card 2 w/ Environmental Monitoring, Out of Band Access and Modbus

AP9635

Product availability: Stock - Normally stocked in distribution facility

Overview

Lead time	Usually in Stock

Main

Provided Equipment	CD with software Temperature Sensor User Manual

Physical

Height	1.50 in (3.81 cm)
Width	4.8 in (12.1 cm)
Depth	4.3 in (10.8 cm)
Net Weight	0.31 lb(US) (0.14 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	EN 55022 Class A FCC Part 15 class A ICES-003
Product Certifications	AS/NZS 3548 (C-Tick) Class A GOST VCCI Class A

Environmental

Ambient Air Temperature for Operation	23.0000000000…113.0000000000 °F (-5…45 °C)
Operating altitude	0...10000 ft
Relative Humidity	0…95 % non-condensing
Ambient Air Temperature for Storage	5.0000000000…149.0000000000 °F (-15…65 °C)
Storage altitude	0…50000 ft (0.0000000000…15240.0000000000 m)
Storage Relative Humidity	0…95 %

Communications & Management

Authentication	Radius

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Discount Schedule	BMS1
GTIN	731304267768
Returnability	No
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	9.252 in (23.500 cm)
Package 1 Length	6.378 in (16.200 cm)
Package 1 Weight	20.670 oz (586.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	3
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	4.409 lb(US) (2.000 kg)

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Energy Efficient | Take-back | Transparency | RoHS/REACh

Resource performance

- Energy Efficient Product
- Take-Back Program Available

Well-being performance

- Lead Free
- Mercury Free
- Rohs Exemption Information — Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information