

# Product datasheet

Specifications



## Power Cord Kit (6 ea), Locking, C13 to C14, 1.8m, Red

AP8706S-WWX340

### Overview

Lead time Usually in Stock

### Main

Product or component type Power cord  
Input Connection Type IEC 60320 C14  
Cable length 1.8 m

### Physical

Colour Red  
Height 24 cm  
Width 7.5 cm  
Depth 5.5 cm  
Net weight 1.35 kg  
Mounting preference No preference  
Mounting mode Not rack-mountable

### Input

Max line current 10 A  
Input current limits 10 A

### Output

Max current draw 10 A  
Number of power socket outlets 1 IEC 60320 C13  
Power cable length 1.8 m

### Conformance

Product certifications CCC  
PSE  
VDE

### Environmental

Ambient air temperature for operation 0...70 °C  
Relative humidity 20...80 %  
Operating altitude 0...10000 ft

---

Ambient air temperature for storage	-25...75 °C
Storage Relative Humidity	20...80 %
Storage altitude	0.0000000000...15240.0000000000 m

---

## Packing Units

---

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24 cm
Package 1 Width	5.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	1.35 kg

---

## Contractual warranty

---

Warranty	2 years repair or replace
----------	---------------------------

---

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

Energy Efficient Product

---

Take-Back Program Available

---

## Well-being performance

Toxic Heavy Metal Free

---

Mercury Free

---

Rohs Exemption Information Yes

---

## Certifications & Standards

Reach Regulation REACH Declaration

---

Eu Rohs Directive Compliant  
EU RoHS Declaration

---

Environmental Disclosure Product Environmental Profile

---

Circularity Profile End of Life Information

---