

HP Line-up Map A3 Printers (LaserJet and PageWide)



February 2020 Edition

Single Function Printer (Mono)

Single Function Printer (Colour)



Technical specifications

	HP LaserJet Enterprise 700 M712dn Printer	HP LaserJet Enterprise M806 Printer series	HP Color LaserJet Pro CP5225 Printer series	HP PageWide Color 755dn Printer	HP Color LaserJet Enterprise M751dn Printer	HP Color LaserJet Enterprise M856dn Printer
Product description	Enable high-volume, black-and-white printing on paper sizes up to A3—and capacity up to 4,600 sheets. ¹ Control costs with energy-saving features and two-sided printing. Protect sensitive business data and centrally manage printing policies.	This HP LaserJet handles big print jobs fast, with an extra-large input capacity and versatile paper-handling options. Mobile printing is simple with wireless direct printing and touch-to-print technology. ^{4,5} Easy upgrades protect your investment.	Gain control of your printed documents and make an impact when communicating with HP's most affordable, versatile A3 colour printer that covers all your printing needs and from general office to oversized documents.	Business moves fast, and slowing down means falling behind. It's why HP built the next generation of HP PageWide—to power productivity with a smart, efficient printer that delivers a low cost per colour page, maximum uptime, and strong security.	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet printers—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security. ⁶	Print phenomenal colour while maximising uptime—now with original HP JetIntelligence toner technology. Expect consistently fast output, brilliant prints, and the world's strongest security. ⁶
Print						
Number of users	10-30 users	25+ users	5-15 users	5-15 users	5-15 users	25+ users
Functions	Print only	Print only	Print only	Print only	Print only	Print only
Speed (A3/A4) ¹	Black: Up to 20 ppm/Up to 41 ppm	Black: Up to 28 ppm/Up to 56 ppm	Black: Up to 10 ppm/Up to 20 ppm; Colour: Up to 10 ppm/Up to 20 ppm	Black: Up to 55 ppm (A4); Colour: Up to 55 ppm (A4)	Black: Up to 26 ppm/Up to 41 ppm; Colour: Up to 26 ppm/Up to 41 ppm	Black: Up to 26 ppm/Up to 56 ppm; Colour: Up to 26 ppm/Up to 56 ppm
First page out from ready (A4) ²	Black: As fast as 10.5 seconds	Black: As fast as 8.5 seconds	Black: As fast as 16 seconds; Colour: As fast as 17 seconds	Black: As fast as 8.2 seconds; Colour: As fast as 8.2 seconds	Black: As fast as 5.7 seconds; Colour: As fast as 6.3 seconds	Black: As fast as 5.9 seconds; Colour: As fast as 6.3 seconds
Resolution technologies	HP ProRes 1200, HP FastRes 1200, HP RET, 600 dpi, 300 dpi	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology	HP ImageREt 3600	HP PageWide Technology with pigmented inks	HP ImageREt 4800; Up to 1200x1200 dpi	Up to 1200 x 1200 dpi
Monthly duty cycle (Max)	Up to 100,000 pages	Up to 300,000 pages	Up to 75,000 pages	Up to 75,000 pages	Up to 150,000 pages	Up to 250,000 pages
Recommended monthly print volume (RMPV)	5,000 to 20,000 pages	10,000 to 50,000 pages	1,500 to 5,000 pages	2,500 to 15,000 pages	Up to 40,000 pages	Up to 50,000 pages
Duplex (two-sided printing)	Manual (driver support provided)	Automatic (standard)	CP5225n: Manual (driver support provided); CP5225dn: Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.4)	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.4)	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation	HP PCLXL (PCL6), PCL5, native PDF, HP postscript level 3 emulation, PCL, JPEG, PCLM	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4)	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint, Google Cloud Print
Input capacity	100-sheet multipurpose tray, 2x250-sheet input trays; Optional: 500-sheet input tray, 1x500-sheet paper feeder with cabinet and stand, 3x500-sheet paper feeder with stand, 3,500-sheet high-capacity input tray with stand	All models: Two 500-sheet input trays, 100-sheet multipurpose tray; M806dn: Plus optional 3,500-sheet high-capacity input tray; M806x+: Plus 3,500-sheet high-capacity input tray	100-sheet multipurpose tray, 250-sheet input tray; Optional: 500-sheet input tray 3	550-sheet input tray, 100-sheet multipurpose tray; Optional: 550-sheet tray, 550-sheet input tray and stand, 3x550-sheet input tray and stand, 4,000-sheet HCI input tray and stand	100-sheet multipurpose tray, 550-sheet input tray 2; Optional: 550-sheet input tray (add up to 2), 2x550-sheet Paper Tray and Stand, 2,700-sheet HCI Paper Tray and Stand	100-sheet multipurpose tray, 550-sheet input tray; Optional: 1x500-sheet tray (add up to 2), 2x550-sheet tray and stand, 2,700-sheet HCI tray and stand, LaserJet stand
Output capacity	250-sheet output bin	500-sheet face-down tray, 100-sheet face-up tray; Optional: 3,000-sheet stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker	250-sheet face-down output bin	300-sheet output bin	250-sheet output bin	500-sheet bin
Connectivity						
Interfaces	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000Base-T network; 1 High-Speed USB 2.0 Easy Access Walkup Port; Hardware Integration Pocket (HIP)	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB Host	CP5225: Hi-Speed USB 2.0 Host; CP5225n/dn: Plus, built-in Fast Ethernet 10/100Base-TX network	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000Base-TX network; 2nd-generation Hardware Integration Pocket
Operating systems	Microsoft® Windows®/Macintosh®/UNIX®/Linux®	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux
General features						
Memory (Std/Max)	512 MB/expandable to 1 GB through 1 industry-standard DIMM slot	1 GB/expandable to 1.5 GB through 1 GB industry-standard DIMM slot	192 MB/expandable to 448 MB	1536 MB/2560 MB	1.5 GB/3.5 GB ⁷	1.5 GB/3.5 GB ⁷
Processor speed	800 MHz	800 MHz	540 MHz	1.2 GHz	1.2 GHz	1.2 GHz
What's in the box	Printer; HP Black LaserJet Toner Cartridge (~10,000 pages); Getting Started Guide, CD containing drivers and electronic documentation; Power cord	All models: Printer; HP Black LaserJet Toner Cartridge (~34,500 pages); Hardware Install Guide, Support flyer, Warranty card; Printer documentation and driver on CD-ROM; Power cord	All models: Printer, Power cord, Getting Started Guide, CD with software and documentation, preinstalled black (~7,000 pages), cyan, magenta, and yellow HP Colour LaserJet print cartridges with HP ColorSphere toner (~7,300 pages each), 100-sheet multipurpose tray, 250-sheet input tray; CP5225n: Plus built-in Fast Ethernet 10/100 Base-T networking; CP5225dn: Plus built-in automatic two-sided printing	Printer; HP Setup Ink Cartridges; Installation Guide; Support flyer; documentation on CD-ROM; Power cord	Printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); Documentation (only CD); Guide (Getting Started Guide); Power cord	Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; Getting started guide; Power cord
Dimensions (w x d x h)	568 x 596 x 392 mm	M806dn: 1095 x 648 x 635 mm; M806x+: 1095 x 715 x 1040 mm	545 x 599 x 338 mm	604 x 652 x 467 mm	556 x 589 x 399 mm	556 x 610 x 520 mm
Weight	38.5 kg	M806dn: 76.1 kg; M806x+: 108.4 kg	40.9 kg	22.15 kg	45.1 kg	52.3 kg
Media size	Tray 1, 2: A3, A4, A5, B4 (JIS); B5 (JIS); Tray 3: A3, A4, A5, B4 (JIS); B5 (JIS)	All models: Tray 1: A3, A4, A5, RA3, B4, B5, 8k, 16k, postcards (JIS double), envelopes (DL, C5, B5); Tray 2, 3: A3, A4, A5, B4, B5; M806dn: Plus optional high-capacity input tray; A4; M806x+: Plus high-capacity input tray; A4	Tray 1: A3, A4, A5, A6, RA3, SRA3, B4, B5, 10x15 cm; envelopes (DL, C5, B5); Tray 2: A3, A4, A5, B4, B5; Optional tray 3: A3, A4, B4, B5	Tray 1: A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio, envelopes (B5, C5, C6); Custom: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 and optional 550-sheet trays: A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio; Custom: 210.1 x 148.1 to 297.2 x 431.8 mm; Optional 4,000-sheet HCI tray: A4	Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 8K (273 x 394), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS), Envelopes (B5, C5, C6, DL); Custom: 64 x 127 mm to 320 x 457.2 mm; Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Dpostcard (JIS); Custom: 148 x 148 mm to 297 x 431.8 mm; Optional Trays 3, 4, 5: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Dpostcard (JIS); Custom: 148 x 148 mm to 320 x 457.2 mm; Optional HCI: A4; Custom: 279.4 x 210 mm to 297 x 215.9	Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio (216 x 340 mm), 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), Postcard (JIS), DPostcard (JIS), envelopes (B5, C5, C6, DL); Custom: 64 x 127 to 320 x 457 mm; Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio (216 x 340 mm), 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), Dpostcard (JIS); Custom: 148 x 148 to 297 x 432 mm; Optional trays 3, 4, 5: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio (216 x 340 mm), 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), Dpostcard (JIS); Custom: 148 x 148 to 320 x 457 mm; Optional HCI: A4; Custom: 279 x 210 to 297 x 216 mm; Duplex: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio (216 x 340 mm), 8K, 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm)
Media weight	Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ²	All models: Tray 1: 60 to 220 g/m ² ; Tray 2, 3: 60 to 199 g/m ² ; M806dn: Plus optional high-capacity input tray; 60 to 199 g/m ² ; M806x+: Plus high-capacity input tray; 60 to 199 g/m ²	Tray 1: 60 to 220 g/m ² ; Tray 2, optional Tray 3: up to 120 g/m ² plain papers, up to 160 g/m ² coated papers	Tray 1: 60 to 220 g/m ² ; 300 g/m ² (photo paper only); Tray 2, optional trays 3-5, HCI: 60 to 220 g/m ²	Tray 1: 60 to 300 g/m ² (plain papers), up to 220 g/m ² (glossy/coated); Tray 2: 60 to 256 g/m ² (plain papers), up to 220 g/m ² (glossy/coated); Optional tray 3, 4, 5, HCI: 60 to 256 g/m ²	Tray 1: 60 to 300 g/m ² (plain papers), up to 220 g/m ² (glossy/coated); Tray 2: 60 to 256 g/m ² (plain papers), up to 220 g/m ² (glossy/coated); Optional trays 3, 4, 5, Optional HCI: 60 to 256 g/m ² ; Duplex: 60 to 216 g/m ²
Control panel	4-line LCD (colour text and graphics); job control buttons; LED status indicators; 10-button keypad; Hardware Integration Pocket; easy-access USB	10.9 cm colour LCD with resistive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); easy-access USB; Hardware Integration Pocket	2-line, 16-character backlit front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back), 2 LEDs (Attention, Ready)	10.9 cm pivoting colour touchscreen; Easy-access USB port	6.86 cm QVGA LCD (colour graphics) rotating (adjustable angle) display with 24-key pad; Easy-access USB port; Hardware Integration Pocket 2nd generation	10.9 cm colour graphic display with touchscreen; easy-access USB
Printer models	HP LaserJet Enterprise 700 M712dn (CF236A)	HP LaserJet Enterprise M806dn (CZ244A) HP LaserJet Enterprise M806x+ (CZ245A)	HP Color LaserJet Pro CP5225 Printer (CE710A) HP Color LaserJet Pro CP5225n Printer (CE711A) HP Color LaserJet Pro CP5225dn Printer (CE712A)	HP PageWide Color 755dn (4PZ47A)	HP Color LaserJet Enterprise M751dn Printer (T3U44A)	HP Color LaserJet Enterprise M856dn (T3U51A)
HP Care Packs	HP 3y NBD + DMR LaserJet M712 HW Support (U6Z05E) HP 4y or 5y NBD + DMR LaserJet M712 HW Support (U6Z06E/U6Z07E) HP 1y PW NBD + DMR LaserJet M712 HW Support (U6Z24PE) HP 2y PW NBD LaserJet M712 HW Support (U6Z21PE)	HP 3y NBD + DMR LaserJet M806 HW Support (U8C59E) HP 3y 4 hour 9x5 LaserJet M806 HW Support (U8C53E) HP 4y or 5y NBD + DMR LaserJet M806 HW Support (U8C60E/U8C61E) HP 1y PW NBD + DMR LaserJet M806 HW Support (U8C75PE)	HP 3y NBD + DMR CLJ CP5225 HW Support (UQ496E) HP 3y 4 hour 13x5 CLJ CP5225 HW Support (UQ497E) HP 4y or 5y NBD + DMR CLJ CP5225 HW Support (UT990E/UU868E) HP 1y PW NBD + DMR CLJ CP5225 HW Support (UQ491PE)	HP 3y NBD + DMR HW Support (UA4L4E) HP 5y NBD + DMR HW Support (UA4L6E) HP 1y PW NBD + DMR HW Support (UA4M3PE)	HP 3y NBD w/DMR CLJ M751 SVC (UB5C3E) HP 4y or 5y NBD w/DMR CLJ M751 SVC (UB5C4E/UB5C5E) HP 3y or 4y 4h 9x5 w/DMR CLJ M751 SVC (UB5C6E/UB5C7E) HP 1y PW NBD w/DMR CLJ M751 SVC (UB5D2PE)	HP 3y NBD w/DMR CLJ Ent M856 SVC (UC2U9E) HP 4y or 5y NBD w/DMR CLJ Ent M856 SVC (UC2V0E/UC2V1E) HP 3y 4h 9x5 w/DMR CLJ Ent M856 SVC (UC2V2E) HP 1y PW NBD w/DMR CLJ Ent M856 SVC (UC2W1PE)
Replacement print cartridges and long-life consumables	CF214A (Black) - 10,000 pages CF214X (Black) - 17,500 pages CF254A (220V Maintenance Kit) - 200,000 pages	CF325X (Black) - 34,500 pages C2H57A (220V Maintenance Kit) - 200,000 pages	CE740A (Black) - 7,000 pages CE741A (Cyan) - 7,300 pages CE742A (Yellow) - 7,300 pages CE743A (Magenta) - 7,300 pages	MOJ86A/MOJ02A (Black) - 10,000/20,000 pages MOJ74A/MOJ90A (Cyan) - 8,000/16,000 pages MOJ82A/MOJ98A (Yellow) - 8,000/16,000 pages MOJ78A/MOJ94A (Magenta) - 8,000/16,000 pages W1B43A (Printhead Wiper Kit) - 150,000 pages W1B44A (Service Fluid Container) - 150,000 pages W1B45A (Roller Kit) - 150,000 pages	W2000A/X (Black) - 7,000/33,000 pages W2001A/X (Cyan) - 6,000/28,000 pages W2002A/X (Yellow) - 6,000/28,000 pages W2003A/X (Magenta) - 6,000/28,000 pages 3WT87A (110V Fuser Kit) - 150,000 pages 3WT88A (220V Fuser Kit) - 150,000 pages 3WT89A (Image Transfer Kit) - 150,000 pages 3WT90A (Toner Collection Unit) - 90,000 pages	W2010A/X (Black) - 16,000/34,000 pages W2011A/X (Cyan) - 13,000/29,000 pages W2012A/X (Yellow) - 13,000/29,000 pages W2013A/X (Magenta) - 13,000/29,000 pages W2004A (Imaging Drum) - 65,000 pages 4YL16A (110V Fuser Kit) - 225,000 pages 4YL17A (220V Fuser Kit) - 225,000 pages 3WT89A (Image Transfer Belt Kit) - 150,000 pages 3WT90A (Toner Collection Unit) - 90,000 pages

HP Line-up Map A3 Printers (LaserJet and PageWide)

February 2020 Edition



Multifunction Printer (Mono)

Technical specifications



New!



	HP LaserJet Pro M435nw Multifunction Printer	HP LaserJet MFP M436 Printer series ⁸	HP LaserJet MFP M438/M442/M443 series	HP LaserJet Enterprise MFP M725 series	HP LaserJet Enterprise flow MFP M830z
Product description	Take office efficiency to the next level—print, scan, and copy quickly on paper sizes up to A3. Produce crisp, clear documents that impress. Command jobs with ease—tap the touchscreen to access convenient file storage and sharing options.	Count on reliable, affordable A3 MFP productivity to expand potential. Simplify workflows with efficient scan solutions and copying, and get networking plus remote monitoring. ⁹ Save resources and time with automatic paper-handling features. ¹⁰	Count on reliable, affordable A3 MFP productivity to expand potential. Simplify workflows with efficient scan solutions and copying, and get networking plus remote monitoring. ⁹ Save resources and time with automatic paper-handling features. ¹¹	Enable large-volume printing on a wide range of paper sizes—up to A3—with a 4,600-sheet maximum input capacity. ¹² Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.	This powerful MFP boosts productivity with flexible send options, versatile paper-handling tools, two-sided scanning, and professional finishing touches. Mobile printing is simple with wireless direct printing and touch-to-print technology. ^{14,15}
Print					
Number of users	3-10 users	3-10 users	3-10 users	10-30 users	25+ users
Functions	Print, copy, scan	Print, copy, scan	Print, copy, scan	Print, copy, scan, fax (M725f/z/+ only)	Print, copy, scan, fax
Speed (A3/A4) ¹	Black: Up to 15 ppm/Up to 31 ppm	Black: Up to 12 ppm/Up to 23 ppm	M438n: Black: Up to 12 ppm/Up to 22 ppm; M442dn: Black: Up to 13 ppm/Up to 24 ppm; M443nda: Black: Up to 13 ppm/Up to 25 ppm	Black: Up to 20 ppm/Up to 41 ppm	Black: Up to 28 ppm/Up to 56 ppm
First page out from ready (A4) ²	Black: As fast as 9 seconds	M436n/dn: Black: As fast as 8.8 seconds; M436nda: Black: As fast as 8.6 seconds	M438n: Black: As fast as 8.3 seconds; M442dn/M443nda: Black: As fast as 7.7 seconds	Black: As fast as 10 seconds	Black: As fast as 9.5 seconds
Resolution technologies	HP FastRes 1200, HP ProRes 1200	Dragon Proprietary	Up to 1200 x 1200 dpi	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x 300 dpi
Monthly duty cycle (Max)	Up to 65,000 pages	Up to 50,000 pages	Up to 50,000 pages	Up to 200,000 pages	Up to 300,000 pages
Recommended monthly print volume (RMPV)	4,000 to 8,000 pages	2,000 to 5,000 pages	2,000 to 5,000 pages	5,000 to 20,000 pages	15,000 to 50,000 pages
Duplex (two-sided printing)	Manual (driver support provided)	M436n: Manual; M436dn/nda: Automatic (standard)	M438n: Manual; M442dn/M443nda: Automatic (default ¹³)	Automatic (standard)	Automatic (standard)
Printer language	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, direct PDF printing (v 1.3) with at least 128 MB memory enabled, XHTML-Print v 0.95, HP PDL (Printer Job Language), PML (Printer Management Language)	PCL5E, PCL 6	PCL 6, PS	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.4)
Input capacity	100-sheet multipurpose tray, 250-sheet input tray, Optional 500-sheet input tray, optional automatic duplexer for two-sided printing	M436n/dn: 100-sheet multipurpose tray 1, 250-sheet input tray 2; Optional (as service parts): 250-sheet input tray 3, 100-sheet reversing ADF; M436nda: Plus 100-sheet reversing ADF	All models: 100-sheet multipurpose tray 1, 250-sheet input tray 2; M442dn: Optional (as service parts): 250-sheet input tray 3, 100-sheet reversing ADF; M436nda: Plus 100-sheet reversing ADF; Optional (as a service part): 250-sheet input tray 3	All models: 100-sheet multipurpose tray, two 250-sheet input trays; M725f: Plus 1x500-sheet feeder, and 1x500-sheet feeder and stand; M725z: Plus 3x500-sheet feeder and stand; M725z+: Plus 3,500-sheet high-capacity input tray and stand	Two 500-sheet input trays, 100-sheet multipurpose tray, 3,500-sheet high-capacity input tray
Output capacity	250-sheet output bin	250-sheet output bin	250-sheet output bin	M725dn/M725f: 250-sheet output bin; M725z/z+: 250-sheet output bin, 500-sheet output bin	Up to 3,500 sheets (with optional stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker)
Copy					
Resolution	Up to 300 x 300 dpi	Glass: Scan 600 x 600, Printing 600 x 600; Document feeder: Scan 600 x 600, Printing 600 x 600	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Speed (A4)	Black: Up to 31 cpm	Black: Up to 23 cpm	M438n: Black: Up to 12 cpm/Up to 22 cpm; M442dn: Black: Up to 13 cpm/Up to 24 cpm; M443nda: Black: Up to 13 cpm/Up to 25 cpm	Black: Up to 41 cpm	Black: Up to 56 cpm
First copy out	Black: As fast as 9 seconds	Black: As fast as 7.4 seconds	M438n: Black: As fast as 7.7 seconds; M442dn/M443nda: Black: As fast as 7.1 seconds	Black: As fast as 10.5 seconds	Black: As fast as 9.5 seconds
Reduce/enlarge	25 to 400%	25 to 400%	25 to 400%	25 to 400%	25 to 400%
Maximum copies	Up to 99	Up to 999	Up to 999	Up to 9,999	Up to 999
Scan					
Type (Flatbed/ADF)	Flatbed	D-CIS	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF
Resolution	Up to 1200 x 1200 dpi (mono/colour, flatbed)	Up to 600 x 600 dpi	Up to 600 x 600 dpi (hardware); Up to 4800 x 4800 dpi (enhanced)	Up to 600 x 600 dpi	Up to 300 x 600 dpi (ADF); Up to 600 x 600 dpi (flatbed)
Glass size	297 x 420 mm	297 x 432 mm	297 x 432 mm	297 x 420 mm	297 x 432 mm
ADF capacity	Not applicable	100 sheets	100 sheets	100 sheets	200 sheets (20 lb; 22 mm)
Fax					
Speed	Not applicable	Not applicable	Not applicable	M725dn: Optional faxing accessory; M725f/z/z+: 33.6 kbps	33.6 kbps
Memory	Not applicable	Not applicable	Not applicable	M725f/z/z+: Up to 100 pages	Up to 500 pages
Fax settings	Not applicable	Not applicable	Not applicable	M725f/z/z+: Send and receive fax via PC; Option to connect to LanFax via optional DSS software	Send and receive fax via PC
Connectivity					
Interfaces	1 Hi-Speed USB 2.0 Device; 1 Hi-Speed USB 2.0 Host; Fast Ethernet 10/100Base-TX network; Wireless 802.11b/g/n	High speed USB 2.0	Hi-Speed USB 2.0, Built-in Ethernet 10/100Base-TX network port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB Host	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; Gigabit Ethernet 10/100/1000T network; Foreign Interface; Hardware Integration Pocket; 2 Internal USB Host
Operating systems	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Linux	Microsoft Windows/Macintosh/UNIX/Linux	Microsoft Windows/Macintosh/UNIX/Linux
General features					
Memory (Std/Max)	256 MB	128 MB	M438n: 256 MB; M442dn/M443nda: 512 MB	1 GB/expandable to 1.5 GB through 512 MB industry-standard DIMM	1.5 GB/expandable to 2 GB
Processor speed	750 MHz	600 MHz	600 MHz	800 MHz	800 MHz
What's in the box	Printer; HP Black LaserJet Cartridge (~12,000 pages); Printer documentation and software on CDs (Windows/Mac OS installation CD & Readiris CD including OCR software); Installation Guide; Support flyer; Warranty card; Power cord; USB cable	All models: Printer; HP Original Black LaserJet Introductory Toner Cartridge (~4,000 page yield); HP Original LaserJet Imaging Drum (~80,000 page yield); Printer documentation and Software on CD-ROM; Quick Install Guide; Power cord; USB cable	All models: Printer; HP Original Black LaserJet Introductory Toner Cartridge (~4,000 page yield); HP Original LaserJet Imaging Drum (~80,000 page yield); Power cord; USB cable	All models: Printer; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide, Support flyer, Warranty Guide; Printer documentation and software on CD-ROM; Power cord; M725f/z/z+: Plus Telecom cable	Printer, Black print cartridge; keyboard overlay; CD(s) with software and documentation; Getting Started Guide; power cord; choice of output paper handling device. Printer must be ordered with one of four paper output accessories
Dimensions (w x d x h)	530 x 455 x 418 mm	M436n/dn: 560 x 540 x 413 mm; M436nda: 560 x 583 x 505 mm	M438n/M442dn: 560 x 540 x 417 mm; M443nda: 560 x 583 x 505 mm	M725dn: 614 x 649 x 609 mm; M725f: 745 x 681 x 1160 mm; M725z/M725z+: 745 x 681 x 1192 mm	1650 x 715 x 1100 mm
Weight	22 kg	M436n: 25 kg; M436dn: 25.4 kg; M436nda: 30 kg	M438n: 25 kg; M442dn: 25.4 kg; M443nda: 30 kg	M725dn: 54.11 kg; M725f: 87.1 kg; M725z: 92.35 kg; M725z+: 102.42 kg	204 kg (with stapler hole punch), 223 kg (with booklet maker)
Media size	A4, A3, B4 (JIS), B5 (JIS), A5, 16K	A3, A4, A5, B4, B5, Oficio 216 x 340, 8K, 16K	A3, A4, A5, B4 (JIS), B5 (JIS), 8K, 16K, Oficio 216 x 340 mm	A3, A4, A5, B4 (JIS), B5 (JIS)	Tray 1: A3, A4, A5, RA3, B4, B5, 8K, 16K, postcards (JIS double), envelopes (DL, C5, B5); Tray 2, 3: A3, A4, A5, B4, B5; High-capacity input tray: A4
Media weight	Tray 1: 60 to 199 g/m ² ; Tray 2, 3: 60 to 120 g/m ²	Tray 1: 60 to 163 g/m ² ; Tray 2: 60 to 110 g/m ² ; Optional Tray 3: 60 to 110 g/m ² ; Optional ADF: 60 to 195 g/m ²	Tray 1: 60 to 163 g/m ² ; Tray 2: 60 to 110 g/m ² ; Optional ADF (standard on M443nda): 60 to 128 g/m ²	Tray 1: 60 to 199 g/m ² ; Trays 2-5: 60 to 120 g/m ²	Tray 1: 60 to 220 g/m ² ; Tray 2, 3: 60 to 199 g/m ² ; High-capacity input tray: 60 to 199 g/m ²
Control panel	7.62 cm; 320 x 240 pixel backlit graphical display; touchscreen; buttons (Home, Cancel, Help, Right/Left Arrows, Back); LED indicator lights (Ready, Error, Wireless)	4-Line LCD, 4 Quick-launch buttons	4-Line LCD, 10-key pad, 4 Quick-launch buttons	20.3 cm colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); easy-access USB; Hardware Integration Pocket	20.3 cm colour LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated Capacitive Home button (for quick return to the Home menu); Easy-access USB; Hardware Integration Pocket
Printer models	HP LaserJet Pro M435nw MFP (A3E42A)	HP LaserJet MFP M436n (W7U01A) HP LaserJet MFP M436dn (ZKY38A) HP LaserJet MFP M436nda (W7U02A)	HP LaserJet MFP M438n (8AF43A) HP LaserJet MFP M442dn (8AF71A) HP LaserJet MFP M443nda (8AF72A)	HP LaserJet Enterprise 700 MFP M725dn (CF066A) HP LaserJet Enterprise 700 MFP M725f (CF067A) HP LaserJet Enterprise 700 MFP M725z (CF068A) HP LaserJet Enterprise 700 MFP M725z+ (CF069A)	HP LaserJet Enterprise flow M830z MFP (CF367A)
HP Care Packs	HP 3y NBD LJ Pro M521 MFP/M435 MFP HW Support (U6Z59E) HP 1y PW NBD LJ Pro M521 MFP/M435 MFP HW Support (U6Z70PE)	HP 3y NBD + DMR LJ M436 MFP HW Support (U9JT4E) HP 4y or 5y NBD + DMR LJ M436 MFP HW Support (U9JT5E/U9JT6E) HP 1y PW NBD + DMR LJ M436 MFP HW Support (U9JU3PE) HP Installation Service (U9JT2E)	HP 3y NBD + DMR LJ M436 MFP HW Support (U9JT4E) HP 4y or 5y NBD + DMR LJ M436 MFP HW Support (U9JT5E/U9JT6E) HP 1y PW NBD + DMR LJ M436 MFP HW Support (U9JU3PE) HP Installation Service (U9JT2E)	HP 3y NBD + DMR LJ M725 MFP HW Support (U7A14E) HP 4y or 5y NBD + DMR LJ M725 MFP HW Support (U7A15E/U7A16E) HP 3y 4 hour 13x5 LJ M725 MFP HW Support (U7A09E) HP 1y PW NBD + DMR LJ M725 MFP HW Support (U7Y76PE)	HP 3y NBD + DMR LJ M830 MFP HW Support (U8C89E) HP 4y or 5y NBD + DMR LJ M830 MFP HW Support (U8C90E/U8C91E) HP 3y 4 hour 9x5 LJ M830 MFP HW Support (U8C83E) HP 1y PW NBD + DMR LJ M830 MFP HW Support (U8D08PE)
Replacement print cartridges and long-life consumables	CZ192A (Black) - 12,000 pages	CF256A (Black) - 7,400 pages CF256X (Black) - 13,700 pages CF257A (Black Drum) - 80,000 pages	W1335A (Black) - 7,400 pages W1335X (Black) - 13,700 pages CF257A (Black Drum) - 80,000 pages	CF214A (Black) - 10,000 pages CF214X (Black) - 17,500 pages CF254A (220V Maintenance Kit) - 200,000 pages L2718A (ADF Maintenance Kit) - 150,000 pages	CF325X (Black) - 40,000 pages C2H57A (220V Maintenance Kit) - 200,000 pages C1P70A (ADF Maintenance Kit) - 100,000 pages

