

Product data sheet

Specifications



APC Smart-UPS RT Battery Pack 192V, rackmount, 3U, wo rail kit

SRTG192XLBP4

Overview

Lead time Usually in Stock

Main

Product or Component Type Battery

Number of rack unit 3U

Battery Type Lead-Acid battery

Provided Equipment Installation guide
Warranty card

Range of Product Smart-UPS Battery Systems

Batteries & Runtime

Device mounting Stand alone battery stack
Rack mount

Included Battery Modules 4

Battery Slots Empty 0

RBC Quantity 2

Battery Voltage 192V

Replacement battery [APCRBC174](#)

Physical

Color Black

Height 5.1 in (13 cm)

Width 17.3 in (44 cm)

Depth 26.9 in (68.3 cm)

Net Weight 200.6 lb(US) (91 kg)

Mounting Mode Rack-mounted

USB compatible No

Environmental

Ambient Air Temperature for Operation 32.0000000000...104.0000000000 °F (0...40 °C)

Relative Humidity 0...95 % non-condensing

Operating altitude 0...6600 ft

Storage Relative Humidity 0...95 % non-condensing

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|------------------|--|
| Storage altitude | 0...50000 ft (0.0000000000...15240.0000000000 m) |
|------------------|--|

Ordering and shipping details

| | |
|------|--------------|
| GTIN | 731304426264 |
|------|--------------|

| | |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

| | |
|------------------|-------------------|
| Package 1 Height | 13.2 in (33.5 cm) |
|------------------|-------------------|

| | |
|-----------------|-----------------|
| Package 1 Width | 30.7 in (78 cm) |
|-----------------|-----------------|

| | |
|------------------|-----------------|
| Package 1 Length | 22.8 in (58 cm) |
|------------------|-----------------|

| | |
|------------------|-------------------------|
| Package 1 Weight | 223.8 lb(US) (101.5 kg) |
|------------------|-------------------------|

Contractual warranty

| | |
|----------|---------|
| Warranty | 2 years |
|----------|---------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

RoHS Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Compliant with Exemptions

China RoHS Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)