

Product datasheet

Specifications



Power Cord, C19 to C14, 2.0m

AP9878

Overview

Lead time Usually in Stock

Main

Product or component type	Power cord
Input Connection Type	IEC 60320 C14
Cable length	2.0 m
Number of cables	1

Physical

Colour	Black
Net weight	0.28 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Max line current 10 A

Output

Max current draw	10 A
Number of power socket outlets	1 IEC 60320 C19

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	30.5 cm
Package 1 Width	10.2 cm
Package 1 Length	10.2 cm
Package 1 Weight	0.359 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	23.5 cm
Package 2 Width	33.5 cm
Package 2 Length	53 cm

Package 2 Weight	4.3 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	10
Package 3 Height	143.99 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	4.3 kg

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)