Poly Blackwire 3225 Stereo USB-C Headset +3.5mm Plug +USB-C/A Adapter (Bulk)

Freedom to work your way

The Blackwire 3200 Series provides a quality audio experience in a headset that's built for enterprise needs. With a sleek design and flexible microphone boom for a customizable fit, what's not to love?

Poly signature audio quality

Experience the high-quality audio you expect from Poly with a headset that offers PC wideband, a noise-canceling mic, and hi-fi stereo sound options. Dynamic EQ optimizes call quality and automatically adjusts the settings for listening to multimedia.

Advanced connectivity

Ideal for managing calls on your PC, mobile phone, or tablet combined with the comfort and durability of a corded headset for greater flexibility.

Long-lasting comfort and portability

Relax while you talk knowing your headset is secure- lightweight metal headband offers durability plus a custom fit. Leatherette ear cushions fold flat for easy portability.

Datasheet



Poly Blackwire 3225 Stereo USB-C Headset +3.5mm Plug +USB-C/A Adapter (Bulk)

Featuring

Enhanced call quality

Dynamic EQ optimizes the quality of your voice on calls, and automatically adjusts the EQ settings when you want high-quality sound for listening to music or for multimedia playback.

Connectivity options

Enhanced connectivity for your devices: USB Type-C® cord with tethered USB-A adapter for PC and 3.5 mm for mobile or tablet connectivity.

Wearing style

Hi-fi stereo wearing style for those who want a richer, more immersive experience.

Comfort and design

A lightweight metal headband offers durability and a comfortable custom fit.

Simple call management

Use the intuitive inline controls to answer/end calls, control volume, and mute to simplify call management. Conveniently placed indicator lights provide helpful but unobtrusive user call, mute, and volume status.

Optimized for communications platforms

An IT manager's dream, this headset was created for communication and is optimized and certified to work with top virtual meeting providers.

Datasheet



Poly Blackwire 3225 Stereo USB-C Headset +3.5mm Plug +USB-C/A Adapter (Bulk)

Specifications

Compatible with

Compatible operating systems: Windows 11; Windows 10; macOS; Android™; iOS

Connectivity and communications

Connection type: 3.5 mm audio; USB Type-A; Wired USB Type-C®

Ear cushions: Artificial leather (surface material)

Headphone type: On-ear (stereo)

User interface features

Button user controls: Call answer/end; Call ignore/on hold; Redial; Mute; Volume +/-

Audio

Audio features:

Noise and echo reduction

Dynamic EQ optimized

Noise cancellation (NC)

Acoustic protection technology: SoundGuard¹

Microphone type: Omnidirectional

Microphone bandwidth: 100 Hz to 10 kHz

Speaker bandwidth: 200 Hz to 6.8 kHZ (speech mode); 20 Hz to 20 kHZ (media mode)

Speaker size: 28 mm Signal-to-noise ratio: >24 dB

Frequency response (microphone): 100 Hz to 10 kHz

Sensitivity (microphone): 10 dB SLR **Sensitivity (speaker):** 6 dB RLR

Other features

Special features: UC certified

Power supply

Impedance: 32 ohm

Certifications

Certified collaboration software: Skype for Business; Avaya; Cisco Jabber

Ecolabels: TCO Certified

Management

Management software:

Poly Lens

Poly Lens app (desktop)

Minimum system requirements

USB Type-A port; 3.5 mm audio; USB Type-C® port

Weight and dimensions

Product Primary Color: Black

Weight (metric): 119 g (with cable); 92 g (without cable) Product Dimensions (metric): 155 x 32 x 178 mm Package dimensions (metric): 185 x 56 x 207 mm

Package weight: ;300 g Master carton quantity: 50

Master carton dimension (metric): 42.8 x 54.5 x 27 cm

Master carton weight (metric): 2.64 kg

Cartons per layer: 4 Pallet (layers): 3 Cartons per pallet: 12 Products per layer: 200 Products per pallet: 600 Pallet weight: ;357 kg Package Weight (metric): 300 g

 $\textbf{Cable length (metric):}\ 129.5\ cm\ (in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module);\ 227\ cm\ (total\ metric);\ 129.5\ cm\ (in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ in\ line\ module\ to\ headset);\ 90\ cm\ (USB\ to\ headset);\ 90\ cm\ line\ mod\ headset);\ 90\ cm\ (USB\ to\ headset);\ 90\ cm\ (USB\ t$

USB to headset)

Product number: 8X229A6

Product name: Poly Blackwire 3225 Stereo USB-C Headset +3.5mm Plug +USB-C/A Adapter (Bulk)

Warranty

Poly standard two-year limited warranty

Country of origin

Country of origin: Made in China or Mexico

What is in the box

Headset USB Type-C® cable

Userguide

USB Type-C® to USB Type-A adapter

Technical Specifications Footnotes

¹ Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Copyright 2001 PD Development Company, LP. The information contained herein is adjust to charge without notice. The only warranties for IP products and services are set for in the express warranty sistements accompanying such products and services. Noting livers in this data be constituting on additional warranty. IP shall not be labele for technical or editoral errors constituting and additional warranty. IP shall not be labele for technical or editoral errors or orisions contained herein

Datasheet

