



HP Color LaserJet Pro 3202dw

High-Speed. Vivid Colour. Pro Performance.

Utformad för arbetsgrupper som behöver professionell prestanda med snabba dubbelsidiga färgutskrifter av hög kvalitet, laserproduktivitet och prisbelönt tillförlitlighet i en utrymmesbesparande design.¹¹



Dynamic security enabled printer. Contains technology that may prevent cartridges with non-HP chips or circuitry from working now or in the future. More at: <http://www.hp.com/learn/ds>



Fast two-sided printing



Time saving



Printer security settings



Environmental globe

Professional color and speed

- Experience high-speed automatic two-sided colour printing at 25 pages per minute.¹
- Bring your business to life with next-generation TerraJet Toner designed for more true-to-life, vibrant colours.⁸
- Streamline your workspace and help boost your team's efficiency with this compact laser printer.

Peace-of-mind with award-winning reliability¹¹

- Performance you can count on page after page with award-winning reliability.¹¹
- Keep your business connected with reliable Wi-Fi® that automatically reconnects to stay online.²
- Rely on low maintenance printing to avoid downtime and stay focused on your business.

Pro level security to help protect your business

- Safeguard your business with proactive, embedded security ready out of the box and tamper-resistant toner.¹²
- Skrivarsäkerhet på professionell nivå med förkonfigurerade inställningar innebär att den är redo att sättas i arbete.
- Strengthen and simplify compliance. HP Security Manager upgrade applies policies across your printer network.¹⁰

Compact and energy efficient design

- Designed in a compact size with energy saving auto-on/auto-off technology to optimise printer energy use.
- HP TerraJet-toner med specialsammansättning som utvecklats för låg energiförbrukning vid utskrift.⁷
- Begränsa pappersförbrukningen. Förinställd dubbelsidig inställning skriver ut på bägge sidor av varje ark.
- Easily recycle your used Original HP Toner Cartridges for free through the HP Planet Partners program.⁹

Produktrundtur

HP Color LaserJet Pro 3202dw

1. Fast, automatic two-sided printing
2. Dual-band Wi-Fi®, Wi-Fi® Direct, High-Speed USB ports, Ethernet
3. Print speed up to 26/25 ppm (Letter/A4)
4. 250-sheet input tray with 1-sheet MP tray
5. Timesaving Shortcuts
6. Hybrid Control Panel with easy, guided setup
7. Auto-jam recovery
8. Wolf Pro Security



Tillbehör, förbrukningsartiklar och support

Förbrukningsartiklar	W2190A HP 219A svart LaserJet-originaltonerkassett (Ca 1300 sidor svart)
	W2190X HP 219X svart LaserJet-originaltonerkassett med hög kapacitet (Ca 3200 sidor svart)
	W2191A HP 219A cyan LaserJet-originaltonerkassett (Ca 1200 sidor cyan)
	W2191X HP 219X cyan LaserJet-originaltonerkassett med hög kapacitet (Ca 2500 sidor cyan)
	W2192A HP 219A gul LaserJet-originaltonerkassett (Ca 1200 sidor gult)
	W2192X HP 219X gul LaserJet-originaltonerkassett med hög kapacitet (Ca 2500 sidor gult)
	W2193A HP 219A magenta LaserJet-originaltonerkassett (Ca 1200 sidor magenta)
	W2193X HP 219X magenta LaserJet-originaltonerkassett med hög kapacitet (Ca 2500 sidor magenta)
Tillbehör	
Service och support	UH761E - HP 3 years Standard exchange for HP Color LaserJet Pro 3201-3203, 3288 Printer Series
	UH757E - HP 3 years Next Business Day exchange for HP Color LaserJet Pro 3201-3203, 3288 Printer Series
	UH764E - HP 3 years Return to Depot for HP Color LaserJet Pro 3201-3203, 3288 Printer Series
	(UH761E - available in all EMEA countries except Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey, UH757E - available in Austria, Belgium, Czech Rep, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK, UH764E - available in Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey)

Tekniska specifikationer

Modell	HP Color LaserJet Pro 3202dw
Produktnummer	499R0F
Funktioner	Print
Kontrollpanel	2" MGD display; 4 buttons (Back, Home, Cancel and OK); 1 directional pad (Up, Down, Left and Right)
Skriv ut	
Utskriftsteknik	Laser
Utskriftshastighet ⁶	Svart (A4, normal): Up to 25 ppm Färg (A4, normal): Up to 25 ppm ; Svart (A4, dubbelsidig): Up to 15 ipm Färg (A4, dubbelsidig): Up to 15 ipm
Första sidan ut ⁸	Svart (A4, startklar): As fast as 10.9 sec Färg (A4, startklar): As fast as 11.0 sec ; Svart (A4, viloläge): As fast as 11.0 sec Färg (A4, viloläge): As fast as 11.1 sec
Utskriftsupplösning	Svart (bästa): Up to 600 x 600 dpi Färg (bästa): Up to 600 x 600 dpi
Kapacitet per månad	Up to 40,000 pages A4; Rekommenderad sidvolym per månad⁹: 150 to 2,500
Standardutskriftsspråk	HP PCL6, PostScript, HP PCL5, PDF, URF, PWG-Raster, PCLM, JPEG
Teckensnitt och typsnitt	111 Scalable TrueType Fonts
Utskriftsområde	Utskriftsmarginaler Högst upp: 5 mm, Underkant: 5 mm, Vänster: 5 mm, Höger: 5 mm; Maximalt utskriftsområde : 216 x 356 mm
Dubbelsidig utskrift	Automatic
Processorhastighet	1.2 GHz
Anslutning	
Standard	1 Gigabit Ethernet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11ac (dual band); Auto-crossover Ethernet
Kapacitet för mobil utskrift	HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing
Stöd för nätverksprotokoll	TCP/IP v4, TCP/IP v6, DHCP, DNS.
Nätverksfunktioner	Built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Minne	Standard: 256 MB ; Maximal: 256 MB
Mediekapacitet	
Antal pappersäck	Standard: 2 ; Maximal: 2
Medietyper	Paper (bond, brochure, colored, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Mediastorlek	Anpassad (metrisk): 76 x 127 mm to 216 x 356 mm Stöds (metrisk): 102 x 127 mm to 216 x 356 mm

Modell	HP Color LaserJet Pro 3202dw
Produktnummer	499R0F
Mediekapacitet	Standard inmatning: 250 sheets Main Input Tray; 1 sheet Priority Feed Tray Standard utmatning: 100 sheets Output Tray
Medievikt	60 to 163 g/m ² Paper; Up to 176 g/m ² with postcards; Up to 200g/m ² Glossy Papers
Inmatningskapacitet	Fack 1: 1 sheet for all media type Fack 2: Sheets: Up to 250; Transparencies: Up to 10mm; Envelope: Up to 10 Maximal: Up to 251 sheets
Utmatningskapacitet	Standard: Up to 100 sheets @ 75gsm (or Up to 15mm stack) Kuvert: Up to 10 envelopes OH-film: Up to 10 mm stack Maximal: Up to 100 sheets @ 75gsm (or Up to 15mm stack)
Kompatibla operativsystem ¹¹	Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Linux
Kompatibla nätverksoperativsystem	Windows 11; Windows 10; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Linux
Lägsta systemkrav	Windows: Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection Mac: Apple® macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required
Medföljande program	HP Printer Software downloadable from https://www.hpsmart.com/download
Säkerhetshantering	Device Unique Password, Enable/Disable USB Ports, EWS Session Timeout, Access Control for Device Features, Remote Scan Enable/Disable
Skrivarhantering	HP Web Jetadmin
Mått och vikt	
Skrivarens mått (B x D x H) ⁴	Lägsta 390 x 419.12 x 254.19 mm; Maximal: 390 x 472 x 266 mm
Skrivarens vikt ¹³	13.8 kg
Driftsmiljö	Temperatur: 15 to 30°C Luftfuktighet: 30 to 70% RH
Lagringsvillkor	Temperatur: -20 to 60°C
Akustik ⁵	Ljudeffekt: 6.2 B(A) Ljudtryck: 51 dB(A)
Strömförsörjning ¹	Krav: 220-volt input voltage: 220 – 240V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz; 110-volt input voltage: 110 – 127V (±10%) @ 50Hz ± 3 Hz, 60Hz ± 3 Hz (Not dual voltage, product varies by part number with # Option code identifier); Energiförbrukning: 415 watts (Printing), 6.1 watts (Ready), 0.63 watts (Sleep), 0.05 watts (Auto-Off), 0.05 watts (Manual-Off); Typisk elförbrukning (TEC)¹⁰: 0.272 kWh/week (Energy Star); Nättaggregatstyp: Internal (Built-in) power supply
Energibesparingsteknik	HP Auto-On/Auto-Off Technology
Certifikat	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Indonesia, Singapore, Philippines, etc. Elektromagnetisk emission standard: EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other Telecom approvals as required by individual countries Blue Angel Blue Angel-anpassad Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies Telekomöverensstämmelse: Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.2.4; EN 300 328: V2.2.2 / EN301 893 V2.1.1/ EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart B, Class B / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC62311:2020; EN62311:2008; Other Telecom approvals as required by individual countries
Specifikationer för hållbar inverkan	Contains post-consumer recycled plastic
Ursprungsland	Made in Vietnam
Medföljer ²	499R0F HP Color LaserJet Pro 3202dw; Strömkabel; Tonerkassett; Användarhandbok; Flygblad
Garanti	One-year limited warranty. For more information please visit us at https://www.support.hp.com ¹² . 3-year HP commercial warranty at no extra cost (register within first 60 days at https://www.hp.com/eu/3yearwarranty).

Fotnoter

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: <https://www.hpsmart.com>
- ⁵ HP Web Jetadmin is available for download at no additional charge at <https://www.hp.com/go/webjetadmin>
- ⁷ HP calculations based on normalized Energy Star® TEC data of HP LaserJet Pro and Enterprise series with HP TerraJet Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/energysaving>
- ⁸ Standard print mode for HP Color LaserJet Pro series with HP TerraJet Toner Cartridges compared to predecessors. See <https://www.hp.com/TerraJet/colors>
- ⁹ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see <https://www.hp.com/recycle>
- ¹⁰ HP Security Manager must be purchased separately. For details, see <https://www.hp.com/go/securitymanager>
- ¹¹ Buyers Lab (BLI) 2022-2024 Most Reliable A4 Brand Award based on devices tested by Keypoint Intelligence from 2017 to 2021. See <https://www.keypointintelligence.com/view-award?region=&id=135871174680>
- ¹² HP office-class printing systems are select Managed and Enterprise devices with FutureSmart firmware 4.5 and up, Pro devices, LaserJet models 200 and up, with respective Original HP Toner, PageWide and Ink Cartridges. Does not include HP integrated printhead cartridges. Digital supply-chain tracking, hardware, chips and packaging security features vary locally by SKU. See <https://www.hp.com/cartridgesecurity>
- ¹³ Based on 2023 Q2 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2023 Q2 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

Avsägelse angående tekniska specifikationer

- ¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- ² For yield information on the cartridge(s) included with your printer, see <https://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ³ Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <https://www.hp.com/go/toneryield>
- ⁴ End to End Dimensions when printer is set up and on standby
- ⁵ Configuration tested: base model, simplex printing, A4 paper at an average of 25 ppm
- ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁷ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Measured using ISO/IEC 17629. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁹ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ¹⁰ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ¹¹ Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see <https://www.developers.hp.com/hp-linux-imaging-and-printing>)
- ¹² Warranty and support options vary by product, country, and local legal requirements
- ¹³ Product Weight Inclusive of Starter Supplies

