HP Color LaserJet Enterprise MFP M776 series



Brilliant color prints, JetIntelligence technology and the world's most secure printing ¹

Expect brilliant color prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing ¹ and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



HP Color LaserJet Enterprise Flow MFP M776z



HP Color LaserJet Enterprise MFP M776dn



HP Color LaserJet Enterprise Flow MFP M776zs

Work stands out with exceptional color performance

- Special print mode for a wider color range and extra vividness for documents and marketing
- Look professional with vibrant, high-quality color prints that can stand the test of time
- Get professional quality and performance with Original HP Toner cartridges and drums with
- Produce full-bleed A3 marketing materials by printing on SRA 3 paper and trimming down to size.

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code—digitally

Simplify and speed up workflows

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.3
- Enter data more guickly and accurately using the pull-out keyboard.³
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

Minimal interruptions. Maximum productivity.

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to meet the needs of your business with a wide range of paper-handling
- Print as fast as 45/46 pages per minute, (letter/A4)² to create a smoother workflow with less interruptions.

Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ For z and zs model only

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. 200-sheet inner finisher output bin
- 3. 500-sheet output bin
- 4. Convenience stapler²
- 5. Stapler/stacker inner finisher²
- 6. Pull-out keyboard (Flow models only)
- 7. Front door (access to JetIntelligence toner cartridges and imaging drums)
- 8. 550-sheet tray 2 supports media sizes up to 11.7 x 17 inches (297 x 432 mm)
- 9. Dual-band Wi-Fi® and Wi-Fi Direct with Bluetooth® Low Energy³
- 10. 200-sheet ADF with single-pass, two-sided scanning handles media sizes up to 11.7×34 inches (297 x 864 mm)
- 11. 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display
- 12. Easy-access USB port⁴
- 13. Upper-right door (access to print path)
- 14. Right door (access to the fuser)
- 15. Automatic two-sided printing
- 16. 100-sheet multipurpose tray 1 supports media sizes up to 12 x 18 inches (305 x 457 $\,$ mm) and SRA3
- 17. 2x550-sheet tray with stand supports media sizes up to 12 x 18 inches (305 x 457 mm) and SRA3
- 18. 2 Hi-Speed USB 2.0 Host ports
- 19. Gigabit/Fast Ethernet 10/100/1000Base-TX network port
- 20. Hi-Speed USB 2.0 device port
- 21. Fax port5



Series at a glance







Model	HP Color LaserJet Enterprise Flow MFP M776z	HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs
Product number	3WT91A	T3U55A	T3U56A
Functions	Print, copy, scan, fax	Print, copy, scan; optional fax	Print, copy, scan, fax
Print speed (letter/A4, black and color) ⁶	Up to 45/46 pages per minute (ppm)		
Scan speed (letter and A4, black and color) ⁷	Simplex: Up to 120 ppm Duplex: Up to 240 ipm	Simplex: Up to 90 ppm Duplex: Up to 180 images per minute (ipm)	Simplex: Up to 120 ppm Duplex: Up to 240 ipm
Automatic two-sided printing (default ⁸)	√		
100-sheet multipurpose tray 1 and 550 sheet tray 2	√		
1x550-sheet paper tray	√	Optional (add up to one) ⁹	Not applicable
2x550-sheet paper tray and stand	√	Optional (add up to one stand only)	√
2,700-sheet HCl paper tray and stand	Not applicable	Optional (add up to one stand only)	Not applicable
HP LaserJet stand	Not applicable	Optional (add up to one stand only)	Not applicable
Stapler/Stacker inner finisher	Not applicable		√
Convenience stapler	Not applicable		√
Input capacity (standard/maximum ¹⁰)	Up to 2,300/2,300 sheets	Up to 650/3,900 sheets	Up to 1,750/1,750 sheets
Advanced workflow features like pull-out keyboard, HP EveryPage, and OCR	√	Not applicable	√
Recommended monthly page volume ¹¹	Up to 40,000 pages		
Cartridge yield ¹² (A/X)	Black: ~16,000/34,000 pages; Color: ~13,000/29,000 pages		
HP High-Performance Secure Hard Disk	√		
Dual-band Wi-Fi® and Wi-Fi Direct with Bluetooth® Low Energy ³	√	Optional	√
NFC touch-to-print ¹³	Optional	Optional (all models)	Optional

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Color Laser Jet Enterprise MFP M776 series comes with a second-generation HIP.

^{1.} Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Color Laser let Enterprise MFP M776s eries comes with a second-generation HIP.
2 Convenience stapler and Stapler/Stacker inner finisher accessory are only available on the HP Color Laser let Enterprise Flow MFP M776z model.
3 Dual-band Wh-FP and MH-FI Direct with Bluetooth* Low Energy is embedded on the HP Color Laser let Enterprise Flow MFP M776z/s models and can be added to the HP Color Laser let Enterprise Flow MFP M776z/s models.
3 Dual-band Wh-FP and MH-FI Direct with Bluetooth* Low Energy is embedded on the HP Color Laser let Enterprise Flow MFP M776z/s models and can be added to the HP Color Laser let Enterprise MFP M776dn model with purchase of the HP Jet Laser let Professor (SJN69A). Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Wi-FI is a registered trademark of Wi-FI Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at purchase, 100 pc. Completion of the HP Color Laser Let Enterprise MFP M776dn model with purchase of the HP Jet Laser Let Direct Laser let Direct Laser Let Laser Let Laser Let Direct Laser Let Laser Laser Let Laser Let Laser Let Laser Let Laser Let Laser Let Laser L

are not included with printer; please purchase separately.

13 NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













Accessories 2EH31A 2TD64A 35H11A 3JN69A 4QL32A 8FP31A B5L28A B5L21A CC543B E5K48A	HP MFP Analog Fax Accessory 700 HP Accessibility Kit HP HID Mobile Access Mifare DES Fire Keystroking Reader HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Legic Secure USB Reader HP Jetdirect LAN Accessory HP Internal USB Ports HP Foreign Interface Harness HP SmartCard NIPRNet Solution for US Government HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
F8B30A X3D03A Y7C05A	HP SmartCard SIPRNet Solution for US Government HP USB Universal Card Reader HP HIP2 Keystroke Reader

Supplies	
3WT89A	HP LaserJet 3WT89A Transfer Kit
3WT90A	HP LaserJet 3WT90A Toner Collection Unit 1 Black (~90,000 pages)
4YL16A	HP LaserJet 110V Fuser Kit
4YL17A	HP LaserJet 220V Fuser Kit
J8J95A	HP 300 ADF Roller Replacement Kit
W2004A	HP 660A Original LaserJet Imaging Drum
W2010A	HP 659A Black Original LaserJet Toner Cartridge 1 Black (~16,000 pages)
W2010X	HP 659X High Yield Black Original LaserJet Toner Cartridge 1 Black (~34,000 pages)
W2011A	HP 659A Cyan Original Laser Jet Toner Cartridge 1 Cyan (~13,000 pages)
W2011X	HP 659X High Yield Cyan Original LaserJet Toner Cartridge 1 Cyan (~29,000 pages)
W2012A	HP 659A Yellow Original LaserJet Toner Cartridge 1 Yellow (~13,000 pages)
W2012X	HP 659X High Yield Yellow Original LaserJet Toner Cartridge 1 Yellow (~29,000 pages)
W2013A	HP 659A Magenta Original LaserJet Toner Cartridge 1 Magenta (~13,000 pages)
W2013X	HP 659X High Yield Magenta Original Laser let Toner Cartridge 1 Magenta (~29,000 pages)

Services

UC2W9E - HP 3 year Next Business Day w/DMR Service for Color LaserJet MFP M776

UC2XOE - HP 4 year Next Business Day w/DMR Service for Color LaserJet MFP M776

UC2X1E - HP 5 year Next Business Day w/DMR Service for Color LaserJet MFP M776

UC2X2E - HP 3 year 4-hour 9x5 w/DMR Service for Color LaserJet MFP M776

UC2X3E - HP 4 year 4-hour 9x5 w/DMR Service for Color LaserJet MFP M776

UC2X4E - HP 5 year 4-hour 9x5 w/DMR Service for Color LaserJet MFP M776

UC2X8E - HP 3 year Parts Exchange Service for Color LaserJet MFP M776

UC2X9E - HP 4 year Parts Exchange Service for Color LaserJet MFP M776

UC2Y0E - HP 5 year Parts Exchange Service for Color LaserJet MFP M776

UC2Y1PE - HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet MFP M776

UC2Y3PE - HP 1 year Post Warranty 4-hour 9x5 w/DMR Service for Color LaserJet MFP M776

UC2Y7PE - HP 1 yr Post Wty Parts Exchange Service for Color LaserJet MFP M776

U9JT3E - HP Installation Service with network configuration for Department Printer

HP Color LaserJet Enterprise MFP M776 series

Model	HP Color LaserJet Enterprise Flow MFP M776z	HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs		
Product number	3WT91A	T3U55A	T3U56A		
AIO functions	Print, copy, scan and fax	Print, copy, scan and optional fax	Print, copy, scan and fax		
Print					
Print speed ^{10,12,11}	First page out Letter: As fast as 6.5 sec Black; As fast as 6.8 sec Color; First page out A4: As fast as 6.5 sec Black; As fast as 6.8 sec Color; Letter: Up to 45 ppm Black; Up to 45 ppm Color; A4: Up to 45 ppm Black; Up to 46 ppm Color; Print speed (Landscape, A5): Up to 35 ppm Black; Up to 35 ppm Color		First page out Letter: As fast as 6.7 sec Black; As fast as 7.1 sec Color; First page out 44: As fast as 6.7 sec Black; As fast as 7.1 sec Color; Letter: Up to 45 ppm Black; Up to 45 ppm Glock; Up to 45 ppm Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Glor; 2-sided A4: Up to 45 ipm Black; Up to 45 ipm Color; Print speed (Landscape, A5): Up to 35 ppm Black; Up to 35 ppm Color		
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi Color (best): Up to 1200 x 1200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi				
Print technology	Laser; Print resolution technology: HP ImageREt 4800, Enhanced (600 x 600	dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi), Pantone Calibrate	ed		
Print cartridges number	4 toner cartridges (1 each for black, cyan, magenta, yellow); 4 drum units (1 e				
Standard print languages		ipt level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™, Google Cloud	Print		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver: Driver				
Printer management	Configuration Utility, Driver Deployment Utility, Managed Printing Administrat		inter Marianistrator resource Kit for the Oniversal Chine Briver. Briver		
Scan	- -				
Scan type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) Flatbed; Contac	tt Image Sensor (CIS) ADF; Twain version: Version 2.1			
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi				
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (A) (CR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Luricod TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Luricode TEXT (OCR), RTF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR)		
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB;	Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP)	applications; HP Scan or user application via TWAIN		
Scan Size	ADF: 11.7 x 34 in Maximum; 2.75 x 5 in Minimum; Flatbed: 11.7 x 17 in				
Scan speed ¹⁵	Up to 120 ppm (b&w),up to 120 ppm (color) Letter; Up to 120 ppm (b&w),up to 120 ppm (color) A4; Duplex: Up to 240 ipm (b&w),up to 240 ipm (color) Letter; Up to 240 ipm (b&w),up to 240 ipm (color)	Up to 90 ppm (b&w),up to 90 ppm (color) Letter; Up to 90 ppm (b&w),up to 90 ppm (color) A4; Duplex : Up to 180 ipm (b&w),up to 180 ipm (color) Letter; Up to 180 ipm (b&w),up to 180 ipm (color) A4	Up to 120 ppm (b&w),up to 120 ppm (color) Letter; Up to 120 ppm (b&w),up to 120 ppm (color) A4; Duplex : Up to 240 ipm (b&w),up to 240 ipm (color) Letter; Up to 240 ipm (b&w),up to 240 ipm (color) A4		
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detext clore; Edge Frase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto orage, Auto-Lone; Hi-compression PDF; JPG; MTIF; PDF; PDFA; TIFF; XPS; HP scan supports; JPG, RAW(IBMP), PDF, Searchable PDF, PDF/A, TIFF, PNG, RTF, IXT	Optimize text/picture; Image adjustments: Job build: Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Frase: Job notification; Blank page suppression; HP Quick Sets; Hi-compression PDF; JPG, MTIFF; PDF; PDFA; TIFF; XPS; HP scan supports: JPG, RAW(BMIP), PDF, Searchable PDF, PDFA, TIFF, PNG, RTF, TXT	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Frase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone; Hi-compression PDF; JPG; MTIFE; PDF; PDFAC, TIFF; XPS; HP scan supports; JPG, RAWIBMP), PDF; Searchable PDF, PDFA, TIFF, XPS; HP scan supports; JPG, RAWIBMP), PDF; Searchable PDF, PDFA, TIFF, PMS, RTF, TXT		
Bit depth / Grayscale levels	24-bit; Internal: 48-bit / 256				
Digital sending standard features	Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP, Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Bage; OCR	Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to E-mail: Scan-to-Sharepoint; Saue-to-Network Folder; Saue-to-USB drive; Send to Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orion To Sense; Auto Crop To Sense; Auto Straighten; Auto Crop To Sege; OCR		
Сору					
Copy Speed ⁸	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color	o 46 cpm Color; First copy out Letter : As fast as 5.6 sec Black; As fast as 7.7 sec ded Letter : Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: A5 fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Color; 2-sided A4: Up to 46		
	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si		Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 45		
Copy speed ⁸	Color; First copy out A4 : As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color		Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 45		
Copy speed ⁸	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi		Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 45		
Copy speed ⁸ Copy resolution Maximum Number of Copies	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400%	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 45		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out 4A: 56 sta 6.5 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out 4A: 56 sta 6.5 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes)	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter. As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color by Black; Up to 46 ipm Color booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letten6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dp; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letten6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book;	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: A5 fast as 6.7 sec Black; A6 fast as 8.8 sec Color; First copy out A4: A5 fast as 6.7 sec Black; A6 fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color booklet, Job build, edge-to-edge, Job storage, ID Copy, Book Copy, A-to-B Copy Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving: Fax forwarding: Scale to fit; Fax address book;		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to 33.6 kbps / Letten6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax hore Taken for fax reduction supported. Wes, Fax power fax delayed sending: No; Distinctive ring detection supported. No; Fax forwarding supported: No; Fax forwarding supported: No; Fax forwarding supported: No; Fax power fax, Vax telephone mode supported: No; Distinctive may speed delling supported: No; Fax power fax; No; Lax telephone mode supported: No; Distinctive may speed delling numbers: Up to 1000 numbers; No therface supported: Yes, up to 30 numbers may be blocked; Maximum speed delling numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Septome handset	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard); 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Up to 500 pages; Auto fax reduction supported: Ves; Auto- redialing Ves; Fax delayed sending; No: Distinctive ring detection supported: No; Fax forwarding supported: No; Tax telephone mode supported: No; Un to arriver supported: No; Tax telephone mode supported: No; In to arriver supported: Ves; put to 300 numbers; Pc Interface supported: Ves; oftware not included; Remote entrieval capability supported: No; Tox forward on bandset		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Fax Features	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to 33.6 kbps / Letten6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax hore Taken for fax reduction supported. Wes, Fax power fax delayed sending: No; Distinctive ring detection supported. No; Fax forwarding supported: No; Fax forwarding supported: No; Fax forwarding supported: No; Fax power fax, Vax telephone mode supported: No; Distinctive may speed delling supported: No; Fax power fax; No; Lax telephone mode supported: No; Distinctive may speed delling numbers: Up to 1000 numbers; No therface supported: Yes, up to 30 numbers may be blocked; Maximum speed delling numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Septome handset	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4 : Up to 46 ipm	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out A4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard); 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Up to 500 pages; Auto fax reduction supported: Ves; Auto- redialing Ves; Fax delayed sending; No: Distinctive ring detection supported: No; Fax forwarding supported: No; Tax telephone mode supported: No; Un to arriver supported: No; Tax telephone mode supported: No; In to arriver supported: Ves; put to 300 numbers; Pc Interface supported: Ves; oftware not included; Remote entrieval capability supported: No; Tox forward on bandset		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Fax Features Connectivity	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard); 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet Fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto- redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported; Yes; Fax phone TAM interface supported: No; Pax polling supported; No; Fax telephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dalling numbers; Up 1000 numbers; PC interface supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dalling numbers; Up 1000 numbers; PC interface supported: No; Software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Description of the properties of the pr	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm round cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out A terrs. As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-side to you that A: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to 33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TaM interface supported: No; Fax home Tam Star Edgenome mode supported: Yes, Unit Damer supported: Yes, Up to 300 numbers may be blocked; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, Gax Software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Wes Colored: No; Telephone handset supported: No; Wes Colored: No; Telephone handset supported: No; Wes Colored: No; Wes Colored: No; Wes Colored: No; Wes Colored: No; Telephone handset supported: No; Wes Colored: No; Wes		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Connectivity Standard connectivity Network capabilities	Color; First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAM/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto- redialing: Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax fowarding supported: Yes; Fax phone TAM interface supported: No; Fax belayed sending; No; Distinctive ring detection supported: Yes; Auto- redialing: Yes; Fax delayed sending; No; Distinctive ring detection supported: Yes; Auto- redialing: Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax polling supported: No; Fax belephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers; PC interface supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Tax telephone mode supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Tax telephone modes supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Tax telephone modes supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Tax telephone modes supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Junk barrier supported: No; Distinctive ring detection supported: No; Junk Barrier supported: No; Distinctive ring detection supported: No; Junk Barrier supported: No; Distinctive ring detection suppo	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm round cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup 1 Hi-Speed host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2) Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 106ase-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; Pseed cstandard; 80.22.1a/bl/giv wireless	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out 4.8 fast as 6.7 sec Black; As fast as 8.8 sec Color; Pist copy out 4.8 fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 500 ox 500 dpi; Black (Standard); 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAM/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Autoredialing; Yes; Fax polar Canding; Scale to fit; Fax Bling; Yes; Fax chording supported: Yes; Fax phone TAM/Interface supported: Yes; Fax phone speed dialing; Yes; Fax phone proted: Yes; Fax phone speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Connectivity Standard connectivity Network capabilities Mireless capability	Color: First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% "two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letter;6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Up to 500 pages; Auto fax reduction supported: No; Fax forwarding supported No; Fax forwarding supported: No; Fax forwarding supported: No; Fax forwarding supported: No; Fax forwarding supported: No; Fax plding supported: No; Tex plding suppo	round cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2) Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 802.312 (EED) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional), second Ethernet port (optional) Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000 NFC/Wireless Accessory 30.00 Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 31.069A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server 18031A	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out At the "A fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; Parts copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color Dooklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to 33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto-redaling; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes, Tax telephone mode supported: Yes, Junt barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers; Up to 1000 numbers; PC interface supported: Yes, Software not included; Remote retrieval capability supported: No; Telephone handset supported: Yes, 1000 to 1000 pages; PC interface supported: Yes, Software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Telephone		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Connectivity Standard connectivity Network capabilities Wireless capability Mobile printing capability	Color: First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto- redaling; Yes; Fax delayed sending; No; Districtive ring detection supported; No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax telephone mode supported: No, Junk barrier supported: Yes, up to 30 numbers: up to 1000 numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2), Wireless 802.11 nr/BLz Yes, via HP Jetdirect Ethernet embedded print sever (standard) which supports: 018ase-T, 1008ase-T, 802.3 az (EES) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/fb/g/n wireless networking (standard), second Ethernet port (optional) HP Jetdirect 3900m Print Server J803 S X Net Cinuctionality available with HP Jetdirect 2900m BLE.NPC/Wireless Accessory 3.NP69A HP Perint: Apple Air Print™; Mopria™ Certified; Google Cloud Print™ Standard: S.0 GB; Maximum: 7.0 GB	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup uSB 2.0 host port; 1 inches port; 1 walkup uSB 2.0 host port; 1 inches port; 1 inche	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out Letter: As fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out 44.7 sfast as 6.7 sec Black; As fast as 8.8 sec Color; Pist copy out 44.7 sfast as 6.7 sec Black; As fast as 8.8 sec Color; Pist copy out 44.7 sfast as 6.7 sec Black; As fast as 8.8 sec Color; Pist copy out 44.7 sfast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 500 as 6.7 sec Black; Black Copy, Black Copy, A-to-B Copy Black (Dest): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAM/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Fax belayed sending; No; Distinctive ring detection supported: No; Distinctive ring send alling numbers: Up to 1000 numbers: Up to		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Connectivity Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory ⁹ Processor speed	Color: First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% We see the decopying, scalability, image adjustments (darkness, contrast, backg different media sizes) Up to 33.6 kbps / Letten6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax, Fax interior, Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax, Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax, Fax delayed sending: No; Distinctive ring detection supported. No; Fax between the fax fax delayed sending: No; Distinctive ring detection supported. No; Fax between the fax fax delayed sending: No; Distinctive ring detection supported. No; Fax to 100 mambers may be blocked; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2), Wireless 802.11 n/BLE Ves, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Ts, 10C-Ts, 10C	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Tound cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup 1 Hardware integration Pocket 2nd generation (HIP2) Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-1; 10DBase-17, 802.312 (EEE) support on Fast Ethernat dig Links-Ps, 10DBase-17, 802.312 (EEE) support on Fast Ethernat dig Links-Ps, 10DBase-17, 802.312 (EEE) support on Fast Ethernat dig Links-Ps, 10DBase-17, 802.312 (EEE) support on Fast Ethernat dig Links-Ps, 10DBase-18, 802.1112 (Palm) wireless networking (optional), second Ethernet port (optional) Optional, eneals Station and Wi-Fi Direct (potional) Detail wireless Station and Wi-Fi Direct (potional) Detail wireless Station and Wi-Fi Direct (potional) Public Wireless Station (Palm) wireless (Palm)	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out At the "A fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; Parts copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color Dooklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to 33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto-redaling; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes, Tax telephone mode supported: Yes, Junt barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers; Up to 1000 numbers; PC interface supported: Yes, Software not included; Remote retrieval capability supported: No; Telephone handset supported: Yes, 1000 to 1000 pages; PC interface supported: Yes, Software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Telephone		
Copy speed ⁸ Copy resolution Maximum Number of Copies Copier resize Copier settings Fax Fax speed Fax resolution Fax smart software features Connectivity Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory ⁹	Color: First copy out A4: As fast as 5.6 sec Black; As fast as 7.7 sec Color; 2-si Black; Up to 46 ipm Color Color (text and graphics): Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Two-sided copying, scalability, image adjustments (darkness, contrast, backg (different media sizes) Up to:33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto- redaling; Yes; Fax delayed sending; No; Districtive ring detection supported; No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax telephone mode supported: No, Junk barrier supported: Yes, up to 30 numbers: up to 1000 numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2), Wireless 802.11 nr/BLz Yes, via HP Jetdirect Ethernet embedded print sever (standard) which supports: 018ase-T, 1008ase-T, 802.3 az (EES) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/fb/g/n wireless networking (standard), second Ethernet port (optional) HP Jetdirect 3900m Print Server J803 S X Net Cinuctionality available with HP Jetdirect 2900m BLE.NPC/Wireless Accessory 3.NP69A HP Perint: Apple Air Print™; Mopria™ Certified; Google Cloud Print™ Standard: S.0 GB; Maximum: 7.0 GB	ded Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Tound cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation I Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2) Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-TX, 100Base-TX, 802.11a/b/g/wireless networking (optional), second Ethernet port (optional) Optional, enabled with purchase of a wire fluestionality available with HP Detdirect Follow Fructionality available with HP Detdirect Follow Fructionality available with HP Jetdirect Fol	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 46 cpm Black; Up to 46 cpm Color; First copy out At the "A fast as 6.7 sec Black; As fast as 8.8 sec Color; First copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; Parts copy out At 4: As fast as 6.7 sec Black; As fast as 8.8 sec Color; 2-sided Letter: Up to 45 ipm Black; Up to 45 ipm Color; 2-sided A4: Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color; 2-sided A4: Up to 46 ipm Black; Up to 46 ipm Color Dooklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy Up to 33.6 kbps / Letter:6 sec per page Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule Fax memory; Up to 500 pages; Auto fax reduction supported: Yes; Auto-redaling; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes, Tax telephone mode supported: Yes, Junt barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers; Up to 1000 numbers; PC interface supported: Yes, Software not included; Remote retrieval capability supported: No; Telephone handset supported: Yes, 1000 to 1000 pages; PC interface supported: Yes, Software not included; Remote retrieval capability supported: No; Telephone handset supported: No; Telephone		

HP Color LaserJet Enterprise MFP M776 series

Model	HP Color LaserJet Enterprise Flow MFP M776z	HP Color LaserJet Enterprise MFP M776dn	HP Color LaserJet Enterprise Flow MFP M776zs		
Product number	3WT91A	T3U55A	T3U56A		
Paper handling			-		
Input	Standard: 100-sheet multi-purpose tray, 2x 550 sheet paper trays, 2x550 sheet paper tray and stand; Up to 2300 sheets (MP Tray: up to 100 sheets; Tray 2: up to 550 sheets; 550-sheet paper tray: up to 550 sheets; 2x550-sheet paper tray: up to 550 sheets; 2x550-sheet paper tray: up to 100 sheets); Up to 10 envelopes; Maximum: Up to 2300 sheets	Standard: 100-sheet multi-purpose tray, 1x 550 sheet paper tray; Up to 650 sheets (MP Tray: up to 100 sheets; Tray 2: up to 550 sheets); Up to 10 envelopes; Maximum: Up to 3900 sheets	Standard: 100-sheet multi-purpose tray, 1x 550 sheet paper tray, 2x550 sheet paper tray and stand; Up to 1750 sheets (MP Tray: up to 100 sheets Tray 2: up to 550 sheets; 2x550 input tray and stand: up to 1100 sheets); Up to 10 envelopes; Maximum: Up to 1750 sheets		
Output	Standard: 500 sheet output tray; Up to 500 Sheets Standard; Transparencies: Up to 50 sheets	Standard: 500 sheet output tray; Up to 500 sheets Standard; Transparencies: Up to 50 sheets	Standard: 700 sheets: 500 sheet output tray and 200 sheet Inline 2 bin stapler/stacker (also includes convenience stapler); Up to 700 sheets Standard; Transparencies: Up to 50 sheets		
Duplex Options	Automatic (standard)				
Auto document feeder capacity	Standard, 200 sheets; Duplex ADF scanning: Yes				
Envelope feeder	No No				
Standard paper trays	Standard: 5; Maximum: 5	Standard: 2; Maximum: 5	Standard: 4; Maximum: 4		
Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, lab	els, glossy film, cardstock, transparencies			
Media weight	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, 1x550 and 2x550 tray and stand: 16 to 68 lb	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, Optional 1x550 and 2x550 tray and stand: 16 to 68 lb, Optional 2700-sheet HCl paper tray and stand: 16 to 68 lb	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, 2x550 tray and stand: 16 to 68 lb		
Media sizes	100-sheet multipurpose Tray 1: Statement, 3×5 index card, 4×6 index card, 5×7 index card, 5×8 index card, Letter, Letter-R, Legal, Executive, 11×17 in; 8.5×13 , 12×18 , Envelopes: $\$9$, $\$10$, Monarch; $\$50$ -sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5×13 , 11×17 in; 15×50 and 2×550 tray and stand: Letter, Letter-R, Legal, Executive, 8.5×13 , 11×17 in, 12×18	100-sheet multipurpose Tray 1: Statement, 3×5 index card, 4×6 index card, 5×7 index card, 5×8 index card, Letter, Letter-R, Legal, Executive, 11×17 in; 8×7 in; $1,2\times18$, Envelopes: $9,9$ in 10, Monarch; 550 -sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5×13 , 11×17 in; Optional 1x550 and 2x550 tray and stand: Letter, Letter-R, Legal, Executive, 8.5×13 , 11×17 in, 12×18 ; Optional 2700-sheet HCl paper tray and stand: Letter	100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 1 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in; 2x550 tray and stand: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in, 12 x 18		
Media Sizes Custom	100 - sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; 1x550 and 2x550 tray and stand: 5.8×5.8 to 12.6×18 in	100 - sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; Optional 1 x550 and 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in; Optional 2700-sheet HCl paper tray and stand: 11 x 8.27 to 11.7 x 8.5 in	100 - sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550 - sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in		
Dimensions (W x D x H) ⁴	23.03 \times 28.03 \times 45.67 in; 58.5 \times 71.2 \times 116.0 cm; Maximum: 44.88 \times 35.51 \times 45.67 in; 1140 \times 902 \times 1160 mm	23.03 x 26.10 x 27.95 in; 58.5 x 66.3 x 71.0 cm; Maximum : 36.26 x 26.10 x 27.95 in; 921 x 663 x 710 mm	27.76 x 28.03 x 45.47 in; 70.5 x 71.2 x 115.5 cm; Maximum: 45.28 x 35.5 x 45.47 in; 1150 x 902 x 1155 mm		
Weight ⁵	254.6 lb; 115.5 kg	156.3 lb; 70.9 kg	289.2 lb; 126.79 kg		
What's in the box ³	HP Color Laser Jet Enterprise Flow MFP M776z printer; HP Black Original Laser Jet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~13,000 pages each), and 4 HP Original Laser Jet Imaging Drums (~65,000 pages each color); Getting started Guide; 1 Power cord	HP Color Laser Jet Enterprise MFP M776dn printer; HP Black Original Laser Jet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~13,000 pages each), and 4 HP Original Laser Jet Imaging Drums (~65,000 pages each color); Getting started Guide; 1 Power cord	HP Color Laser Jet Enterprise Flow MFP M776zs printer; HP Black Original Laser Jet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~13,000 pages each), and 4 HP Origina Laser Jet Imaging Drums (~65,000 pages each color); Getting started Guid 1 Power cord		
Replacement cartridges ⁷	W2010A HP 659A Black Laser Jet Toner Cartridge (~16,000 pages); W2011A HP 659A Cyan Laser Jet Toner Cartridge (~13,000 pages); W2012A HP 659A Yellow Laser Jet Toner Cartridge (~13,000 pages); W2010X HP 659X Black Laser Jet Toner Cartridge (~29,000 pages); W2010X HP 659X Black Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Wallow Laser Jet Toner Cartridge (~29,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X HP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X MP 659X Magent Laser Jet Toner Cartridge (~30,000 pages); W2010X MP 659X MP 659				
Orderable supplies	HP LaserJet Toner Collection Unit 3WT90A, HP LaserJet 110V Fuser Kit 4YL16A, HP LaserJet 220V Fuser Kit 4YL17A, HP LaserJet Image Transfer Belt Kit 3WT89A		HP Laser Jet Toner Collection Unit 3WT90A, HP Laser Jet 110V Fuser Kit 4YL16A, HP Laser Jet 220V Fuser Kit 4YL17A, HP Laser Jet Image Transfer Belt Kit 3WT89A, HP Staple Refill Cartridge J8J96A		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support option and support options in your region. (Warranty Code 4G; Warranty ID A001)	s vary by product, country and local legal requirements. Contact your Contract	tual Vendor or go to hp.com/support to learn about HP award winning service		
Energy star certified	Yes				
Energy efficiency compliance ²	CECP; Blue Angel; EPEAT® Gold registered; ENERGY STAR® certified	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified	CECP; Blue Angel; EPEAT® Silver registered; EPEAT® Gold registered; ENERGY STAR® certified		
Control panel		rotating (adjustable angle); job control buttons; LED Home button; Hardware I	Integration Pocket; easy access USB		
Display	9.0-inch functional touchscreen with 8.0 in (20.3 cm), (1024x768) LCD (colo				
Software included	No software solutions are included in the Box only on http://hp.com, http://				
Fonts and typefaces	105 internal True Type fonts scalable in HP PCL, Barcode font variants (Code 39, 12 of 5, UPC/ENA, Code 128, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfont				
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 7; Windows Vista; Windows Client OS; Android; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina				
Compatible network operating systems	Windows 11; Windows Server; Linux; Citrix; UNIX				
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com				
Power ¹⁴	Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz), 60 Hz (+/- 3 Hz), 60 Hz), 60 Hz (+/- 3 Hz), 60	olt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Option code identifier). Not dual voltage, power supply varies by part number option code identifier). Not dual voltage, power supply varies by part number a Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 10%), 50 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240 VAC (+/- 3 Hz), 60 Hz Hz); 220-volt input voltage; 220 to 240			
Acoustics	Acoustic power emissions: 6.7 B(A) (printing at 46 ppm) Acoustic power emissions: 6.7 B(A) (printing at 46 ppm) Acoustic power emissions: 6.9 B(A) (printing at 46 ppm)				
Operating environment	Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 80% RH; Re				
Security management	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in				
Country of origin	Made in Mexico (Americas), Made in Japan (Europe)				

Data sheet I HP Color LaserJet Enterprise MFP M776 series

- Optional 500 GB TAA Version Secure Hard Disk Drive 5EL03A
- ² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 ³ Standard cartridges included; yields 16,000 black and 13,000 color composite (C/M/Y) pages. Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- With no accessories and multi-purpose tray closed
- 5 With print cartridges
- Fower requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

 Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24735 excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration software application and document complexity.

 The Configuration Page memory size report does not change even with 1 GB or 2 GB DIMM installed. This is current expected behavior.

 Measured using ISO/IEC 24734 excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration software application driver and document complexity.

- 11 Measured using ISO 24734 Feature Test AS Landscape Feed. Speed may vary based on content PC media orientation and media type.

 12 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration software application driver and document complexity.

 13 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs
- to satisfy the demands of connected individuals or groups.

 14 BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.
- 15 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution network conditions computer performance and application software.
 16 HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

To learn more, visit hp.com

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

