



4XEM's 5-in-1 HDMI, RJ-45, USB 3.0, USB-C Dock

4XEM Part- 4XUSBCHUB08



4XEM's 5-in-1 Docking Station is a premier way to expand your single monitor or laptop display. Fitted with an HDMI port this dock will boost your video resolution to 4K quality. This Dock also comes with a RJ-45 Ethernet port able to hardwire your device for faster Internet connection. Lastly, the dock comes with USB 3.0 and USB-C ports that allow for compatibility will a large variety of USB enabled devices, allowing you to charge and transfer data with those devices. Plug in and upgrade your device's network to include various other devices to perform multiple jobs all at once.

**Problem it solves:** 4XEM's Docking Stations expand your single display monitor or laptop to increase video resolution and overall capabilities. The RJ-45 Ethernet port allows this port to add the bonus capability of increasing Internet connection.

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **Features**

- 2 USB 3.0 (USB-A) ports
- HDMI port
- Supports 4K video resolution
- RJ-45 Gigabit Ethernet port
- USB-C charging port
- PC Compatibility: MacBook 2015/16, MacBook Pro 2017/16, iMac2017/iMac Pro2017, Dell Inspiron/ xps15/13/12, ASUS U4000/ZenAlOmachine, HP Spectre/x360, New Chromebook Pixel, MI Air/ Surface Book, Lenovo Yoga 900/910/920
- Mobile Compatibility: HUAWEI Mate 10, HUAWEI P10, Samsung S8/S8+/S9/S9+, Samsung Note 8, Microsoft Lumia 950XL

## **Application**

- Home
- Office
- Networks
- Charging
- Transferring

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



## **DATA SHEET**

Warranty Information 3 Years Warranty

Hardware 4K Support Yes Fast-Charge Port(s) No Displays Supported

**USB 3.0** Interface USB-C Bus Type **Industry Standards HDMI 1.4** 

Power Delivery - PD 2.0 Chipset ID Parade Technologies - PS176

> VIA Labs - VL102 VIA Labs - VL817 Realtek - RTL8153B

Connector(s) Host Connector USB Type-C

> Host Connector Type Fixed Attached Cable Connector Type(s)/Rate(s) 1x HDMI 1.3 (10.2 Gbps) 2x USB 3.0 Type-A (5 Gbps) 1x RJ-45 (10/100/1000Mbps)

1x USB Type-C (used for PD only)

Maximum Digital Resolutions Performance 3840 x 2160 @ 30Hz

Software OS Compatibility Windows® 10 Mac OS® 11

Power Power Source **Bus Powered** 

> Power Delivery PD Pass-Through - Max 100W

**Physical Characteristics** Weight of Product 1.62 oz [46 g] Color Grey, Black

Aluminum, Plastic, PVC Material Cable Length 5.31 in [135.0 mm]

Product Height 0.43 in [11.0 mm] (0.56 in [14.3 mm] @ RJ-45 port)

Product Width 1.28 in [32.6 mm]

**Product Length** 4.06 in [103.0 mm] (incl cable - 10.99 in [279.2 mm])

Environmental Operating Temperature 0°C to 55°C (32°F to 131°F)

-10°C to 70°C (14°F to 158°F) Storage Temperature Humidity 40~50% RH

Shipping (Package) Weight Packaging Information 2.19 oz [62 g] Package Height

6.74 in [171.2 mm] Package Width 3.00 in [76.2 mm] Package Length 0.67 in [17.0 mm]

What's in the Box Included in Package 1x USB-C Hub

A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support DP alt mode and Power Delivery 2.0) Notes

A 4K-capable display is required to achieve 3840 x 2160p resolution (4K is also known as 4K x 2K) Uses 2 data lanes for DP alt mode @ HBR2 for video output and 2 data lanes for other functions

## 4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep** 1-866-999-4936 Ext.104 tschaus@4xem.com



<sup>\*</sup> Product appearance and specifications are subject to change without notice.

<sup>\*</sup> Same day shipping is only available for orders shipping within the United States