

Technical Specifications

HP E14 G4 Portable Monitor



Left

1. OSD control buttons
2. USB Type C® Port

Technical Specifications

HP E14 G4 Portable Monitor



Right

1. Power button
2. USB Type C® Port

Technical Specifications

Models: 1B065A8/1B065AA

Panel Specifications	Display Size (Diagonal)	14-in
	Panel Technology	IPS
	Refresh Rate	60Hz
	Panel Bit Depth	8-bit
	Aspect Ratio	16:9
	Brightness (Typical)	400 cd/m ²
	Contrast Ratio (Static)	800:1
	Contrast Ratio Minimum (Static)	600:1
	Dynamic Contrast Ratio	5,000,000:1
	Flicker Free	Yes
	Pixel Pitch	0.1611 x 0.1611 mm
	Pixels Per Inch (PPI)	157
	Backlight Lamp Life (to half brightness - in hours)	15k minimum
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	24%
	Response Time - Typical	5ms GtG (with overdrive)
	Horizontal Viewing Angle (typical CR>10)	160(min); 178(typ)
	Vertical Viewing Angle (typical CR>10)	160(min); 178(typ)
	Panel Active Area (w x h)	309.31 x 173.99 mm

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color Gamut Coverage	NTSC	72%
-----------------------------	-------------	-----

Monitor Specifications	Bezel	3-sided Micro Edge
	Color	Sliver Stand
	Height Adjustment Range	No height adjust
	Warranty	3/3/0
	Low Blue Light Mode	Yes (TÜV certified)
	Native Resolution¹	Full HD (1920 x 1080)
	¹ . Apply to high resolution and/or high frame rate displays only. CONFIRM WITH EPM whether disclaimer applies.	
	Maximum Resolution	1920x1080 60Hz
	Preset Graphic Modes/Supported Resolutions	640 x 480 @ 60Hz 720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 1024 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @60Hz 1920 x1080 @60Hz
	Minimum Vertical Scan Rate	59 Hz
	Maximum Vertical Scan Rate	60 Hz
	Minimum Horizontal Scan Rate	30.0 kHz
	Maximum Horizontal Scan Rate	80.0 kHz
	Maximum Pixel Clock	140.0 MHz
	User Programmable Modes	10

Technical Specifications

	User-Assignable Function Buttons	Yes, 4 buttons
	Audio	No Audio
	Languages	10 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese and S-Chinese)
Connector Types	USB Type-C® Video Input	2 USB Type-C® with DisplayPort® 1.2 Alt mode
Power & Operating Specs	Power Supply	External (From NB PD Power)
	Power Source	PD Power 5v
	Power Consumption - Maximum	7.5 W
	Energy Saving/Standby Mode	0.3 W
	Power Consumption - Typical	6 W
	Power Passthrough	up to 65 W
		NOTE: requires external power from NB external power supply attached
Operating Conditions	Operating Temperature - Celsius	5 to 35°C
	Operating Temperature - Fahrenheit	41 to 95°C
	Non-operating Temperature - Celsius	-20° – 60°C
	Non-operating Temperature - Fahrenheit	29° – 140°F
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-operating Humidity	5 – 95%
	Operating Altitude	0 – 5,000 m (16,400 ft.)
	Non-operating Altitude	0 – 12.192 m (40,000 ft.)
Environmental Features and Certifications	Mercury-free LED display backlighting	Yes, Mercury-free LED backlighting
	Arsenic-Free Display Glass	Yes
	Low Halogen	Yes
	Agency Approvals and Certifications	WW application CE,CB,KC/KCC/NOM/ICES/TUV-GS/ISO 9241-307/ EAC/UL/cTuvs/ISC/CCC/Energy Star 8/ ISC/VCCI/FCC/BSMI/Vietnam MEPS/WEEE /BIS/Cambodia/Taiwan Green mark/UAE
	Microsoft WHQL Certification	Yes
	ENERGY STAR® Certified	Yes
	EPEAT® Registered	Yes
	Regions need to verify by country	Yes
	SmartWay Transport Partnership - NA only	Yes (NA sku)
Plastics	Recyclable Packaging (Box, packing materials)	100% fiber packaging, cardboard
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	Metric 32.14 x 1.52x 21 cm
	Product Dimensions (Packed) (W x D x H)	Imperial 12.65X0.60X8.27 in
	Display Head Dimensions (Unpacked without stand) (W x D x H)	40.50 x 6.10 x 28.40 cm
	Base Area Footprint (w x d mm)	25.43 x 17.24 x 10.59 in
	Bezel Measurements	53.94 x 32.33 x 4.85 cm
		15.94 x 2.40 x 11.18 in
		321.37 x 82 mm
		12.65 x 3.23 in
		Top 5.58mm, side 5.58mm, bottom 29.53mm
		Top 0.22, side 0.22, bottom 1.16 in

Technical Specifications

	Product Weight (Unpacked with stand)	0.64 kg	1.41 lb
	Product Weight (Packed)	1.54kg	3.40 lb
EU Energy Efficiency Class (EC1062)	On-mode Power Consumption (EC 1062/2010)	18 W	
	Annual Power Consumption (EC 1062/2010)	26 kWh	
	Energy Efficiency Class (EC 1062/2010)	A+	
	Visible Screen Size	14-inch / 35.56 cm Diagonal	
What's in the box?	Monitor USB Type-C® cable QSP Sleeve		
User Guide and Warranty Languages	User Guide Languages	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.	
	Warranty Languages	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.	

Summary of Changes

Date of change:	Version History:		Description of change:
	v1 to v2		

Copyright © 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.