

# VIEWSONIC 27" 4K COLORPRO MONITOR WITH 90W USB-C ADOBE RGB AND DCI-P3 COLOR GAMUT | VP2786A-4K

## Key Features

- **PANTONE VALIDATED DISPLAY:** Certified to deliver true Pantone color accuracy for creative professionals.
- **PRECISE COLOR COVERAGE:** 100% Adobe RGB and 98% DCI-P3 ensure exact, lifelike color reproduction.
- **AMAZING COLOR ACCURACY:** Factory calibrated to Delta E<2 for professional photo, video, and design work.
- **EXCELLENT SCREEN UNIFORMITY:** Built-in uniformity function ensures consistent color and brightness edge-to-edge.
- **SINGLE-CABLE SIMPLICITY:** USB-C transfers data, audio, video, and 90W charging with one cable.




27  
DISPLAY



IPS  
PANEL



3840 X 2160  
RESOLUTION



4K UHD (3840 x 2160) RESOLUTION

## Product Description

The ViewSonic® ColorPro™ VP2786A-4K is a 27" professional monitor that delivers outstanding visual performance and exceptional color accuracy. With 3840 x 2160 Ultra HD resolution, true 10-bit color, and color coverage of 100% Adobe RGB and 98% DCI-P3, the VP2786A-4K showcases your work with incredible color fidelity. Certifications from Fogra and G7 ensure high-quality print performance, making it ideal for color-critical workflows. USB-C connectivity simplifies your workspace by delivering audio, video, data, and up to 90W of power over a single universal cable. To ensure precise, uniform color, each monitor is factory calibrated to achieve an impressive Delta E<2 value. With its sleek design, advanced technology, and intuitive user interface, the VP2786A-4K meets the demands of professional content creators.

# Specifications

---


|                                    | More Information                             |
|------------------------------------|--|
| <b>UPC</b>                         | 766907029734                                 |
| <b>Screen Size</b>                 | 27   |
| <b>Viewable Area (in.)</b>         | 27   |
| <b>Panel Type</b>                  | IPS  |
| <b>Display Resolution</b>          | 3840 x 2160                                  |
| <b>Display Resolution</b>          | 4K (3840x2160)                               |
| <b>Static Contrast Ratio</b>       | 1,300:1                                      |
| <b>Dynamic Contrast Ratio</b>      | 20,000,000:1                                 |
| <b>Light Source</b>                | LED  |
| <b>Brightness</b>                  | 350 cd/m2                                    |
| <b>Colors</b>                      | 1.07B  |
| <b>Color Space Support</b>         | 10 bit true                                  |
| <b>Aspect Ratio</b>                | 16:9   |
| <b>Response Time (Typical GTG)</b> | 5ms  |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical               |
| <b>Backlight Life (Hours)</b>      | 30,000                                       |
| <b>Panel Surface</b>               | Anti-Glare type, Hard-coating (3H), Haze 25% |
| <b>PC Resolution (max)</b>         | 3840 X 2160                                  |
| <b>Mac® Resolution (max)</b>       | 3840 X 2160                                  |
| <b>USB Type A</b>                  | 4  |
| <b>USB Type B</b>                  | 1  |
| <b>USB Type C</b>                  | 90W x 1                                      |
| <b>Mini USB</b>                    | 1  |
| <b>3.5mm Audio Out</b>             | 1  |
| <b>HDMI 2.0 In</b>                 | 2  |
| <b>DisplayPort</b>                 | 1  |
| <b>Internal Speakers</b>           | 3W (x2)                                      |
| <b>Eco Mode (Conserve)</b>         | 67   |
| <b>Eco Mode (optimized)</b>        | 77   |
| <b>Consumption (typical)</b>       | 89   |
| <b>Consumption (max)</b>           | 92   |
| <b>Voltage</b>                     | 100-240 VAC, 50-60Hz                         |
| <b>Stand-by</b>                    | 0.5  |

|                                     |   |
|-------------------------------------|---|
| <b>Power Supply</b>                 | Internal  |
| <b>Cable Organization</b>           | No  |
| <b>Kensington Lock Slot</b>         | 1   |
| <b>Physical Controls</b>            | Joystick key: Up, Right, Down, Left, Center; Power                                  |
| <b>On Screen Display</b>            | Input Select, Color Model, ViewMode, Audio Adjust, Setup Menu                       |
| <b>Temperature</b>                  | 32-104° F (0 - 40° C)   |
| <b>Humidity (non-condensing)</b>    | 20-90%  |
| <b>VESA Compatible</b>              | 100 x 100 mm  |
| <b>Frequency Horizontal</b>         | 15 ~ 204 KHz  |
| <b>Frequency Vertical</b>           | 24 ~ 120 Hz   |
| <b>Height Adjust</b>                | 130 mm / 5.1 in   |
| <b>Swivel</b>                       | 120°  |
| <b>Pivot (Right/Left)</b>           | 90° / 90°   |
| <b>Tilt (Forward/Back)</b>          | 3° / 21°  |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy      |
| <b>Net (lbs)</b>                    | 18.4  |
| <b>Net Without Stand (lbs)</b>      | 10.8  |
| <b>Gross (lbs)</b>                  | 29  |
| <b>Net (kg)</b>                     | 8.3   |
| <b>Net Without Stand (kg)</b>       | 4.9   |
| <b>Gross (kg)</b>                   | 13.2  |
| <b>Packaging (in.)</b>              | 27.2 " (W) x 19.9 " (H) x 8.9 " (D)   |
| <b>Physical (in.)</b>               | 24.1 " (W) x 17.68~22.41 " (H) x 9.1 " (D)  |
| <b>Physical Without Stand (in.)</b> | 24.1 " (W) x 14.1 " (H) x 2.2 " (D)   |
| <b>Packaging (mm)</b>               | 692 mm (W) x 505 mm (H) x 225 mm (D)  |
| <b>Physical (mm)</b>                | 613 mm (W) x 449.11~569.11 mm (H) x 232 mm (D)                                      |
| <b>Physical Without Stand (mm)</b>  | 613 mm (W) x 358 mm (H) x 55 mm (D)   |
| <b>Package Contents</b>             | LCD Display, Power Cable, USB-C Cable, HDMI cable, USB-A/B Cable, Quick Start Guide |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                  |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                           |

UPC: 766907029734



**COLOR AT YOUR COMMAND**  
Amplify your creativity with amazing color accuracy



**LESS CLUTTER. MORE EFFICIENCY.**  
One cable solution



**COLOR YOU CAN TRUST**  
Fogra and G7 Certified

**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)