

# Product datasheet

Specifications



## Power Cord, C13 to C20, 2.0m

AP9879

### Overview

Lead time Usually in Stock

### Main

|                           |               |
|---------------------------|---------------|
| Product or component type | Power cord    |
| Input Connection Type     | IEC 60320 C20 |
| Cable length              | 2.0 m         |
| Number of cables          | 1             |

### Physical

|                     |                    |
|---------------------|--------------------|
| Colour              | Black              |
| Net weight          | 0.36 kg            |
| Mounting preference | No preference      |
| Mounting mode       | Not rack-mountable |

### Input

Max line current 10 A

### Output

|                                |                 |
|--------------------------------|-----------------|
| Max current draw               | 10 A            |
| Number of power socket outlets | 1 IEC 60320 C13 |

### Conformance

Product certifications UL listed

### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 30.5 cm  |
| Package 1 Width              | 10.2 cm  |
| Package 1 Length             | 10.2 cm  |
| Package 1 Weight             | 0.459 kg |
| Unit Type of Package 2       | CAR      |
| Number of Units in Package 2 | 10       |

|                              |           |
|------------------------------|-----------|
| Package 2 Height             | 23 cm     |
| Package 2 Width              | 33 cm     |
| Package 2 Length             | 52.5 cm   |
| Package 2 Weight             | 5.5 kg    |
| Unit Type of Package 3       | PAL       |
| Number of Units in Package 3 | 10        |
| Package 3 Height             | 143.99 cm |
| Package 3 Width              | 100 cm    |
| Package 3 Length             | 120 cm    |
| Package 3 Weight             | 5.5 kg    |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | CN |
|-------------------|----|

## Contractual warranty

|          |                           |
|----------|---------------------------|
| Warranty | 2 years repair or replace |
|----------|---------------------------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back   Transparency   RoHS/REACH

## Resource performance

 Take-Back Program Available

## Well-being performance

 Lead Free

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)