

Product data sheet

Specifications



APC Smart-UPS XL Battery Pack 48V, rackmount, 3U

SUA48RMXLBP3U

Overview

Lead time Usually in Stock

Main

product or component type	Battery
Number of rack unit	3U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	User manual

Batteries & Runtime

Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	2
Additional information	For use with SUA 2200/3000VA 3U models. Can be used with the 5U models with SUA039 extension cable.
Replacement battery	APCRBC105

Physical

Colour	Black
Height	5.2 in (13.3 cm)
Width	19.02 in (48.3 cm)
Depth	26.0 in (66 cm)
net weight	140.30 lb(US) (63.64 kg)
Mounting preference	No preference
mounting mode	Rack-mounted
USB compatible	No

Environmental

Ambient air temperature for operation	32.0000000000...104.0000000000 °F (0...40 °C)
Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	5.0000000000...113.0000000000 °F (-15...45 °C)

Storage Relative Humidity	0...95 %
----------------------------------	----------

Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)
-------------------------	--------------------------------------------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	11.02 in (28 cm)
-------------------------	------------------

Package 1 Width	24.02 in (61 cm)
------------------------	------------------

Package 1 Length	38.6 in (98 cm)
-------------------------	-----------------

Package 1 Weight	158.7 lb(US) (72 kg)
-------------------------	----------------------

Unit Type of Package 2	PAL
-------------------------------	-----

Number of Units in Package 2	8
-------------------------------------	---

Package 2 Height	50.8 in (129 cm)
-------------------------	------------------

Package 2 Width	39.4 in (100 cm)
------------------------	------------------

Package 2 Length	47.2 in (120 cm)
-------------------------	------------------

Package 2 Weight	1267.200 lb(US) (574.792 kg)
-------------------------	------------------------------

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)