





APC Smart-UPS On-Line SRT Battery Pack for 2.2kVA Extended runtime model 72V

SRT72BP

Overview

Lead time Usually in Stock

Main

product or component type	Battery
Battery type	Lead-acid battery
provided equipment	Documentation CD Installation guide

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	72 V
Number of battery replacement quantity	2
Replacement battery	APCRBC141 ☐

Physical

Colour	Black	
Height	17.008 in (43.2 cm)	
Width	3.3 in (8.5 cm)	
Depth	23.4 in (59.4 cm)	
net weight	74.7 lb(US) (33.9 kg)	
mounting mode	Rack-mounted with kit	

Environmental

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	9.4 in (23.9 cm)	
Package 1 Width	32.7 in (83.1 cm)	
Package 1 Length	23.6 in (59.9 cm)	
Package 1 Weight	83.3 lb(US) (37.8 kg)	

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information