

## Power Cord, C19 to NEMA 5-20P - Heavy-Duty, 20A, 125V, 12 AWG, 6 ft. (1.8 m), Black

MODEL NUMBER: P049-006



Heavy-duty extension cord transforms a C20 plug into a NEMA 5-20P plug and extends an existing connection up to 6 ft.

### Features

#### Heavy-Duty Extension Cable Connects Devices That Require a Heavy-Gauge Connection

This heavy-duty extension cord features 12 AWG wire suitable for high power connections, making it a reliable solution for large server applications that require a higher-rated, heavier-gauge cable. This C19 to 5-20P cord can be used to connect a high-output device to a wall outlet or a PDU or UPS with 5-20R outlets. It is also a recommended replacement or upgrade of a standard power cord provided by the device's manufacturer. The six-foot (1.8-meter) length allows you flexibility in placing equipment with respect to the power outlet.

### Highlights

- 6 ft. length allows flexibility in placing devices in relationship to AC outlet
- Heavy-duty cable replaces or upgrades standard power cord provided by manufacturer
- Thick 12 AWG wire gauge manages high power levels required for larger equipment

### Applications

- Connect devices to a power outlet up to 6 ft. away in your office or workspace
- Transform a C20 plug into a NEMA 5-20P plug with no electrician needed
- Extend an existing power connection up to 6 ft. to more easily place a device or reach a power source in a rack
- Update or replace the standard power cord provided by a device's original manufacturer

### Package Includes

P049-006 C19 to 5-20P Heavy-Duty Extension Cord, 6 ft. (1.8 m), Black

## Specifications

| OVERVIEW                    |                                          |
|-----------------------------|------------------------------------------|
| UPC Code                    | 037332266323                             |
| Device Compatibility        | Server; Router; Network Switch; UPS; PDU |
| Country/Region              | North America                            |
| INPUT                       |                                          |
| Maximum Input Amps          | 20                                       |
| Voltage Compatibility (VAC) | 125                                      |
| CONNECTIONS                 |                                          |
| Side A - Connector 1        | NEMA 5-20P                               |
| Side B - Connector 1        | IEC-320-C19                              |



Powering Business Worldwide

TRIPP LITE  
SERIES

| PHYSICAL                            |                             |
|-------------------------------------|-----------------------------|
| Plug Color                          | Black                       |
| Cable Jacket Color                  | Black                       |
| Cable Jacket Material               | PVC                         |
| Cable Jacket Rating                 | VW-1                        |
| Power Cord Jacket Type              | SJT                         |
| Cable Outer Diameter (OD)           | 11mm                        |
| Number of Conductors                | 3                           |
| Wire Gauge (AWG)                    | 12                          |
| Wire Gauge (OD - mm <sup>2</sup> )  | 3.31                        |
| Cable Length (ft.)                  | 6                           |
| Cable Length (m)                    | 1.83                        |
| Cable Length (in.)                  | 72                          |
| Shipping Dimensions (hwd / in.)     | 10.98 x 7.01 x 0.50         |
| Shipping Weight (kg)                | 0.45                        |
| ENVIRONMENTAL                       |                             |
| Operating Temperature Range         | -4° to 140°F (-20° to 60°C) |
| Storage Temperature Range           | -4° to 140°F (-20° to 60°C) |
| Operating Humidity Range            | 10% to 65% RH               |
| Storage Humidity Range              | 10% to 65% RH               |
| FEATURES & SPECIFICATIONS           |                             |
| Antibacterial                       | No                          |
| Angled Plug                         | No                          |
| High Voltage                        | No                          |
| Locking Plug                        | No                          |
| Coiled Power Cord                   | No                          |
| STANDARDS & COMPLIANCE              |                             |
| Product Certifications              | cUL Listed; UL Listed       |
| Product Compliance                  | RoHS                        |
| WARRANTY & SUPPORT                  |                             |
| Product Warranty Period (Worldwide) | Lifetime limited warranty   |



*Powering Business Worldwide*

TRIPP LITE  
SERIES

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.