

Overview

HP Desktop Mini PC Accessories

Mounting/Security

HP Desktop Mini Rack Mount Tray Kit	G1K21AA
HP Desktop Mini Security/Dual VESA Sleeve	G1K22AA
HP Desktop Mini Security/Dual VESA Sleeve v2	2JA32AA
Desktop Mini LockBox (G1/G2 models only)	P1N78AA
HP Desktop Mini Port Cover Kit (G1/G2 models only)	P3R65AA
HP Desktop Mini G3 Port Cover Kit	1ZE52AA
HP Desktop Mini VESA Power Supply Holder Kit	1RL87AA
HP (Bulk 10) Desktop Mini VESA Quick Deploy Adhesive Kit	1RL88A6

Optical Drive

HP Desktop Mini DVD DVD-Writer ODD Expansion Module	K9Q83AA
---	---------

Input / Output / HDD

HP Desktop Mini 500GB HDD/ I/O Expansion Module	K9Q82AA
HP Desktop Mini I/O Expansion Module	K9Q84AA

Power

HP Desktop 65w Mini Power Supply Kit	L2X04AA
HP Desktop 90w Mini Power Supply Kit	L4R65AA

Other compatible accessory options

Cables and Adapters

HP Dual Output USB Graph Adapter	C5U89AA
HP USB Graphics Adapter	NL571AA
HP DP to HDMI 1.4 Adapter	K2K92AA
DisplayPort TO DVI-D Adapter (single link) Cable	FH973AA
DisplayPort TO VGA Adapter Cable	AS615AA

Stands and Chassis

HP Quick Release (VESA mount)	EM870AA
HP Single Monitor Arm	BT861AA
HP ProDisplay Companion Stand	J7V21AA
HP Integrated WorkCenter - Desktop Mini	G1V61AA
HP DM Chassis Tower Stand	G1K23AA

Security

HP UltraSlim Keyed Cable Lock	H4D73AA
-------------------------------	---------

Technical Specifications

Mounting

HP Desktop Mini Rack Mount Tray Kit

Put your HP Desktop Mini PCs to work behind the scenes with HP Desktop Mini Rack Mount Tray Kit, which holds up to eight PCs and fit into the HP 100kg Sliding Shelf.¹

Dimensions (H x W x D)	123.5 x 201.8 x 286.9mm (4.9 x 7.9 x 11.3in) 7U for installation space leaving 2in for airflow Compatible with industry-standard size rack shelf
Weight	953g (33.62oz) 1,906g for full kit (67.23 oz for full kit)
Exterior color	Jack Black – Dual unit holder Silver – Fixed mounting tray
Maximum capacity	Holds up to eight PCs and fit into the HP 100kg Sliding Shelf. ¹
Rack configuration	2 Kits populate one entire shelf
Option kit contents	4 Dual Unit Holders, 2 Fixed Mounting Trays, Installation guide, Warranty, Dependent upon rack shelf being used, customer may have option to secure mounting trays to shelves using hardware that must be purchased separately
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini, ThinkCentre m53 Tiny Desktop, ThinkCentre m73 Tiny Desktop, ThinkCentre m83 Tiny Desktop, ThinkCentre m93 Tiny Desktop, HP ProDesk 400 G2 Desktop Mini, HP ProDesk 600 G2 Desktop Mini.

1. Each Kit holds eight HP Desktop Mini PCs. Up to two Kits will fit into the HP 100kg Sliding Shelf, sold separately. To leave room for cabling, all eight slots may not be available in each kit.

HP Desktop Mini Security/Dual VESA Sleeve

Wrap your HP Desktop Mini PC in the HP Desktop Mini Security/Dual VESA Sleeve to securely mount your PC behind monitor or display, wall mount, or attached to almost any flat surface, position your solution on a wall, under a desk, on a display arm, and lock it down with the optional HP Ultra-Slim Cable Lock.

Dimensions (H x W x D)	45.8 x 181 x 161mm (1.8 x 7.1 x 6.3in)
Weight	390g (13.76oz)
Exterior color	Jack Black
VESA pattern	100 mm VESA standard
Possible configurations	Behind monitor or display, attached to almost any flat surface, position your solution on a wall, under a desk, or on a display arm
Option kit contents	Security/Dual VESA Sleeve, 1 security bracket to use with HP EliteDesk 800/705 Desktop Mini, HP ProDesk 600/400 Desktop Mini, 1 Security bracket to use with HP 260 Desktop Mini, 4 8mm ladder screws, Installation guide, Warranty, 7mm Spacer, 20mm screws
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini

Technical Specifications

HP Desktop Mini Security/Dual VESA Sleeve v2

Wrap your HP Desktop Mini PC in the HP Desktop Mini Security/Dual VESA Sleeve v2 to securely mount it—with or without an Expansion Module¹—behind your display, position the solution on a wall, and lock it down with the integrated security bracket and optional HP Ultra-Slim Cable Lock.

Dimensions (H x W x D)	45.8 x 181 x 161mm (1.8 x 7.1 x 6.3in)
Weight	Unpackaged: 0.4112 kg (0.90 lb)
Exterior color	Jack Black
VESA pattern	100 mm VESA standard
Possible configurations	Behind monitor or display, attached to almost any flat surface, position your solution on a wall, under a desk, or on a display arm
Option kit contents	1 Security/Dual VESA Sleeve; 4 ladder screws; Installation guide; Warranty
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini

Desktop Mini LockBox

Fortify your HP Desktop Mini in a range of settings with the HP Desktop Mini LockBox, HP's most secure enclosure for your PC, power brick, and cable connections.

Dimensions (H x W x D)	57.2 x 272 x 268 mm (2.3 x 10.7 x 10.6 in)
Weight	2163.6 g (4.77 lb)
Exterior color	Jack Black
VESA pattern	100 mm VESA standard and 75mm VESA standard
Possible configurations	<ul style="list-style-type: none"> Securely enclosing the desktop and power brick, attach the box to almost any flat surface, position your solution on a wall, or under a desk. Includes space within lock box for desktop mini, power brick and all cable connections. Also locks with physical padlock/ and or HP UltraSlim Cable Lock.
Optional Wifi Enablement	If a customer desires to use an internal wireless card, they must install a Mini PC with the preinstalled WLAN card and external antennas installed via factory services
Option kit contents	Desktop Mini LockBox (includes lid and front port protection plate), Screws for securing the lid and mounting the Mini in the LockBox, Installation guide, Warranty
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini G1 and G2, HP ProDesk 600 Desktop Mini G1 and G2, HP EliteDesk 705 Desktop Mini G1 and G2, HP EliteDesk 800 Desktop Mini G1 and G2 *Customer must provide mounting hardware

Desktop Mini Port Cover Kit

Dimensions (H x W x D)	31.75 x 101.6 x 177.8 mm (1.25 x 4 x 7 in)
Weight	113 g (.25 lb)
Exterior Color	Jack Black
Possible configurations	Can be used in vertical and horizontal DM orientations
Compatibility	The HP Desktop Mini Port Cover Kit is compatible with the HP 260 G2 DM (Mini); HP ProDesk 400 G2 DM (Mini); HP ProDesk 600 G2 Desktop Mini; HP EliteDesk 705 G2 Desktop Mini; HP EliteDesk 705 G3 Desktop Mini; HP EliteDesk 800 G2 35W Desktop Mini; HP EliteDesk 800 G2 65W Desktop Mini; HP Collaboration PC G2

Technical Specifications

Note: Not designed to be used with an expansion module

HP Desktop Mini G3 Port Cover Kit

Help prevent unauthorized access to the rear ports of your HP Desktop Mini with HP Desktop Mini G3 Port Cover Kit.

Dimensions (H x W x D)	35 x 177 x 100 mm (1.38 x 6.97 x 3.94 in)
Weight	98 g (.22 lb)
Exterior Color	Jack Black
Possible configurations	Can be used in vertical and horizontal DM orientations
Compatibility	HP ProDesk 400 G3 Desktop Mini; HP ProDesk 600 G3 Desktop Mini; HP EliteDesk 800 G3 Desktop Mini
Option kit contents	1 Port cover; Installation guide; Warranty

Note: Not designed to be used with an expansion module

Technical Specifications

HP DM VESA Power Supply Holder Kit*

Simplify cable management when mounting your HP Desktop Mini with the HP DM VESA Power Supply Holder Kit, which attaches to your HP Desktop Mini Security/Dual VESA Sleeve v2 (2JA32AA) to reduce cable clutter from the PC's power supply cable and brick.

Dimensions (H x W x D)	138 x 156 x 77 mm (5.4 x 6.1 x 3 in)
Weight	110 kg (3.88 oz)
Exterior color	Jack Black
Possible configurations	Must be used attached to 2JA32AA HP Desktop Mini Security/Dual VESA Sleeve v2*.
Option kit contents	1 power supply holder bracket; Installation guide; Warranty
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini

*only works with HP Desktop Mini Security/Dual VESA Sleeve v2 - 2JA32AA

HP (Bulk 10) Desktop Mini VESA Quick Deploy Adhesive Kit*

Use the HP (Bulk 10) DM VESA Quick Deploy Adhs Kit to quickly and securely mount your HP Desktop Mini and HP Desktop Mini Security/Dual VESA Sleeve v2 (2JA32AA) vertically to an aluminum, glass, or pine wood surface, no screws or tools required.

Dimensions (H x W x D)	38 x 156 x 77 mm (1.5 x 6.1 x 3 in)
Weight (1 pc.)	20 g (.71 oz)
Exterior color	Jack Black
Possible configurations	Must be used attached to 2JA32AA HP Desktop Mini Security/Dual VESA Sleeve v2*. Mount vertically to an aluminum, glass, or pine wood surface, no screws or tools required.
Option kit contents	10 Double-sided adhesive pads; Installation guide; Warranty
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini

*only works with HP Desktop Mini Security/Dual VESA Sleeve v2 - 2JA32AA

Optical Drive

HP Desktop Mini DVD ODD Expansion Module

Add a DVD Super-Multi Writer to your HP Desktop Mini PC with HP Desktop Mini DVD ODD Expansion Module.

Dimensions (H x W x D)	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)
Weight	712g (25.12oz)
Color	Jack Black
Disc capacity	Up to 8.5 GB DVD double-layer or 4.7 GB standard single-layer
Write / Read speeds	

DVD+R	Up to 8X
DVD+RW	Up to 8X
DVD+R DL	Up to 6X
DVD-R DL	Up to 6X
DVD-R	Up to 8X
DVD-RW	Up to 6X
CD-R	Up to 24X

Technical Specifications

	CD-RW	Up to 24X
Host Interface	USB 3.0 Type B female connector	
Connectors Single output	USB 3.0 Type B	
Access times (typical reads, including setting)	Random	DVD-ROM: 160 ms (typical), CD-ROM: 140 ms (typical)
	Full Stroke	DVD-ROM: 280 ms (typical), CD-ROM: 280 ms (typical)
Power	Source	USB 3.0 Type B female connector
	DC Power Requirement	5 VDC ± 5%-100 mV ripple p-p
	DC Current	5 VDC - 1000 mA typical, 1600 mA maximum
Environmental (all conditions non-condensing)	Temperature (operating)	41° to 122° F (5° to 50° C)
	Relative Humidity (operating)	10% to 80%
	Maximum Wet Bulb Temperature (operating)	86° F (30° C)
VESA mount	Yes, 100mm	
Option kit contents	3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type AB USB to Type A cable, , 1 80mm USB 3.0 Type AB USB to Type A cable, Installation guide, Warranty	
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini	

* These modules can be mounted to the DM directly and to another module with screws in the kit that allow the module to slide into place. All modules can be used with the PC that is wrapped in the Security/Dual VESA Sleeve, and all can be mounted onto a standard VESA mount (100mm sizing). Both options can be secured in place with a tamper-resistant screw. They are powered by a single USB connection cable. The HP 260 and ProDesk 400 can support 2 expansion modules at a time using 2 USB Type A ports on the back of the unit.

Input / Output / HDD

HP Desktop Mini 500GB HDD/ I/O Expansion Module

Add an extra hard drive to your HP Desktop Mini PC and enable compatibility with your existing and legacy peripherals with the HP Desktop Mini 500GB HDD/I/O Module.

Dimensions (H x W x D)	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)
Weight	729g (27.71oz)
Color	Jack Black
Host Interface	USB 3.0 Type B female connector
Ports included on module	PS/2, Serial, USB 3.0 Type AB connector on the ODD, HDD/ I/O, and I/O modules*
	*NOTE: PC will recognize PS/2 and Serial as a USB to serial connection and is not intended use with peripherals that require native serial connectivity.
Power	USB 3.0 Type B
VESA mount	Yes, 100mm
Connectors	Signal output: USB 3.0 Type A
Capacity	500,107,862,016 bytes

Technical Specifications

Interface	Serial ATA (6.0 Gb/s)	
Synchronous Transfer Rate (Maximum)	Up to 6 Gb/s	
Cache	16 MB	
Seek Time (typical reads, includes controller overhead, including settling)	Single Track	2 ms
	Average	11 ms
	Full-Stroke	21 ms
Rotational Speed	7200 rpm	
Logical Blocks	625,142,448	
System Requirements Software	Windows 8.1, Driver located on HP.com for HP EliteDesk 800 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP ProDesk 600 Desktop Mini	
Option kit contents	Expansion module, 3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type B USB to Type BA cable, , 1 80mm USB 3.0 Type B USB to Type A cable, Installation guide, Warranty	
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini	

HP Desktop Mini I/O Expansion Module

Keep working with your existing peripherals and add legacy ports to your HP Desktop Mini PC with the HP Desktop Mini I/O Module.

Dimensions (H x W x D)	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)	
Weight	623g (21.98oz)	
Color	Jack Black	
Host Interface	USB 3.0 Type B female connector	
Ports included on module	PS/2, Serial, USB 3.0 Type AB connector on the ODD, HDD/ I/O, and I/O modules, 2 USB 2.0 ports	
	* NOTE: PC will recognize PS/2 and Serial as a USB to serial connection and is not intended use with peripherals that require native serial connectivity.	
Host Interface		
Power	USB 3.0 Type B	
Operating Temperature	0-35°C (32-95°F)	
Storage Temperature	-20~60°C (4~140°F)	
System Requirements Software	Windows 8.1, Driver located on HP.com for HP EliteDesk 800 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP ProDesk 600 Desktop Mini	
VESA mount	Yes, 100 mm	
Option kit contents	Expansion module, 3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type AB USB to Type A cable, , 1 80mm USB 3.0 Type B USB to Type A cable, Installation guide, Warranty	
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini	

Technical Specifications

Power

HP Desktop 65w Mini Power Supply Kit

Dimensions (H x L x W) 2.2 x 1.2 x 4.5 in (30mm x 113.5mm x 55mm)

External Power Adapter

Total cord length 6 ft.

Standard Efficiency 65W
89% efficient

Operating Voltage Range 90 - 264 VAC

Rated Voltage Range 100 - 240 VAC

Rated Line Frequency 50/60 Hz

Current Leakage (NFPA 99: 2102) Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.

Option kit contents Power supply, Power cable, Warranty

Compatibility The HP Desktop Mini 65w Power Supply Kit is compatible with the HP 260 G1 DM (mini); HP 260 G2 DM (Mini); HP ProDesk 400 G2 DM (Mini); HP ProDesk 400 G3 DM (Mini); HP ProDesk 600 G2 Desktop Mini; HP ProDesk 600 G3 Desktop Mini; HP EliteDesk 705 G2 Desktop Mini; HP EliteDesk 705 G3 Desktop Mini; HP EliteDesk 800 G2 35W Desktop Mini; HP EliteDesk 800 G3 TWR; HP EliteDesk 800 G3 SFF; HP EliteDesk 800 G3 35W Desktop Mini; HP Collaboration PC G2; HP Elite Slice; HP Elite Slice for Meeting Rooms

*specific parts need to be localized

HP Desktop 90w Mini Power Supply Kit

Dimensions (H x L x W) 2.2 x 1.2 x 4.5 in (31.1mm x 133mm x 58mm)

External Power Adapter

Total cord length 6 ft.

Standard Efficiency 65W active PFC
89% efficient

Operating Voltage Range 90 - 264 VAC

Rated Voltage Range 100 - 240 VAC

Rated Line Frequency 50/60 Hz

Current Leakage (NFPA 99: 2102) Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.

Option kit contents Power supply, Power cable, Warranty

Compatibility HP EliteDesk 705 Desktop Mini

Technical Specifications

*specific parts need to be localized

Cables and Adapters

DisplayPort TO VGA Adapter Cable

Compatibility

The HP DisplayPort To VGA Adapter is compatible with the HP 285 (Pro) G2 MT; HP ProDesk 400 G2 SFF; HP ProDesk 400 G2.5 SFF; HP ProDesk 400 G2 MT; HP ProDesk 405 G2 MT; HP ProDesk 400 G3 SFF; HP ProDesk 400 G3 MT; HP ProDesk 400 G4 SFF; HP ProDesk 400 G4 MT; HP ProDesk 490 G3 MT; HP ProDesk 400 G2 DM (Mini); HP ProDesk 400 G3 DM (Mini); HP ProOne 400 G2 AIO Touch; HP ProOne 400 G2 AIO Non-Touch; HP ProOne 400 G3 AIO Touch; HP ProOne 400 G3 AIO Non-Touch; HP ProDesk 600 G2 MTW; HP ProDesk 600 G2 SFF; HP ProDesk 600 G2 Desktop Mini; HP ProDesk 600 G3 MTW; HP ProDesk 600 G3 SFF; HP ProDesk 600 G3 Desktop Mini; HP ProOne 600 G2 AIO 21.5" Touch; HP ProOne 600 G2 AIO 21.5" Non-Touch; HP ProOne 600 G3 AIO 21.5" Non-Touch; HP EliteDesk 705 G2 MT; HP EliteDesk 705 G3 MT; HP EliteDesk 705 G2 SFF; HP EliteDesk 705 G3 SFF; HP EliteOne 705 G2 AIO 23" Touch; HP EliteOne 705 G2 AIO 23" Non-Touch; HP EliteDesk 705 G2 Desktop Mini; HP EliteDesk 705 G3 Desktop Mini; HP EliteDesk 800 G2 TWR; HP EliteDesk 800 G2 SFF; HP EliteDesk 800 G2 35W Desktop Mini; HP EliteDesk 800 G2 65W Desktop Mini; HP EliteDesk 800 G3 TWR; HP EliteDesk 800 G3 SFF; HP EliteDesk 800 G3 35W Desktop Mini; HP EliteDesk 800 G3 65W Desktop Mini; HP Collaboration PC G2; HP EliteOne 800 G2 AIO 23" Touch; HP EliteOne 800 G2 AIO 23" Non-Touch; HP EliteOne 800 G3 AIO 23.8" NT; HP EliteOne 800 G3 AIO 23.8" Touch; HP EliteOne 1000 G1 AiO; HP Elite Slice; HP Elite Slice for Meeting Rooms; HP RP5 Retail System, Model 5810

Service and support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

Copyright © 2017 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Summary of Changes

Date of change:	Version History:		Description of change:
January 9, 2015	V1	Created	Created the document
February 17, 2015	From v1 to v2	Added	Added the other accessories chart
February 24, 2015	From v2 to v3	Changes	Added new options in the first page Added a note at the end of “ HP Desktop Mini 500GB HDD/ I/O Expansion Module”
July 1, 2015	From v3 to v4	Added	Added 7mm Spacer, 20mm screws under HP Desktop Mini Security/Dual VESA Sleeve
August 20, 2015	From v4 to v5	Change	Change “Mounting” to “Mounting/Security” on the 1 st page
		Added	Added “Desktop Mini LockBox” and it’s specs under “Mounting”
August 31, 2015	From v5 to v6	Changed	Desktop Mini LockBox weight
December 1, 2015	From v6 to v7	Added	“Desktop Mini Port Cover Kit” and it’s specs under Mounting
December 3, 2015	From v7 to v8	Added	Specs for the Desktop Mini Port Cover Kit
March 15, 2016	From v8 to v9		Updated compatibility
December 5, 2016	From v9 to v10	Updated	SuperMulti references deleted
July 11, 2017	From v10 to v11	Added	HP Desktop Mini G3 Port Cover Kit, HP Desktop Mini VESA Power Supply Holder Kit, HP (Bulk 10) Desktop Mini VESA Quick Deploy Adhesive Kit
August 02, 2017	From v11 to v12	Updated	Mounting/Security section updated: Desktop Mini LockBox (G1/G2 only) P1N78AA; HP Desktop Mini Port Cover Kit (G1/G2 only) P3R65AA
September 29, 2017	From v12 to v13	Updated	HP Desktop Mini 65w Mini Power Supply Kit specs updated
October 30, 2017	From v13 to v14	Updated	Power Section updated
November 1, 2017	From v14 to v15	Update	HP Desktop Mini 65w Power Supply Kit compatibility updated
November 8, 2017	From v15 to v16	Added	HP DisplayPort To VGA Adapter with its compatibility spec
November 9, 2017	From v16 to v17	Update	HP Desktop Mini Port Cover Kit compatibility updated