

Product datasheet

Specifications



APC Symmetra RM XR Frame w/2 SYBT2 Scalable to 4 220-240V

SYRMXR2B4I

EAN Code: 0731304740322

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually in Stock

Main

Product or component type	Battery accessory
Number of rack unit	4U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	Rack mounting brackets User manual
Range of product	Symmetra Battery Systems

Batteries & Runtime

Number of battery free slots	2
Number of battery filled slots	2
Device mounting	19 inch battery tray
Number of battery replacement quantity	2

Physical

Colour	Black
Height	178 mm
Width	483 mm
Depth	640 mm
Product weight	65.46 kg
Mounting mode	Not rack-mountable

Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 %
Ambient air temperature for storage	-55...60 °C
Storage altitude	0...15240 m

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Relative Humidity	0...95 %
---------------------------	----------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	34.3 cm
------------------	---------

Package 1 Width	81.3 cm
-----------------	---------

Package 1 Length	58.4 cm
------------------	---------

Package 1 Weight	75 kg
------------------	-------

Contractual warranty

Warranty	2 years repair or replace, optional on-site warranties available, optional extended warranties available
----------	--



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	228
----------------------------------	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
--	-----

Packaging without single use plastic	No
--------------------------------------	----

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

Removable battery	User replaceable
-------------------	------------------

Take-back	No
-----------	----

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins