

# SureLab SL-D500



The SL-D500 is a compact, lightweight and portable photo production printer, for 10x15cm simplex and duplex photos, calendars and cards.

The SL-D500 is ideal for photo retailers, copy shops, designers and artists, as well as events, hospitality and photo box markets. This compact and lightweight production printer is space-efficient, portable and stackable. It produces the same high-quality images as the SL-D1000(A) and is ideal for the production of 10x15cm simplex and duplex photos, calendars and cards.

#### Compact, lightweight and portable

The SL-D500 features a small footprint and is the lightest and most compact SureLab printer in the Epson range. This is particularly useful when the printer needs to be transported to an event or moved to a different location onsite.

#### Seamless integration

As the SL-D500 is compact and lightweight, up to three printers can be stacked to form a production tower to improve productivity. It can also work seamlessly alongside Epson DTG, signage and LFP printers.

#### Enhanced connectivity

This photo production printer includes USB, LAN and Wi-Fi connectivity for ease of use. Epson Cloud Solution PORT and Order Controller also support the SL-D500.

#### More sustainable solution

The SL-D500 has been designed to minimise the environmental impact: compact and lightweight, reduced energy consumption per print, and a heat-free system.

## KEY FEATURES

- **Compact and stackable design**  
Fits seamlessly into most work environments
- **Connectivity**  
USB, LAN and Wi-Fi
- **Integration**  
Works alongside other SureLabs, Epson DTG, signage and LFP printers
- **Reduced user intervention**  
70ml CISS ink system. 100 sheet ASF
- **Vibrant, high-quality images**  
10x15cm simplex and duplex photos, calendars and cards
- **Legal Statement**  
Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase

## PRODUCT SPECIFICATIONS

### PRINT TECHNOLOGY

Printing Method	Epson Micro Piezo drop-on-demand inkjet technology, High-performance print head technology designed for robust printing environments, Variable Sized Droplet Technology
Minimum Droplet Size	With Variable-Sized Droplet Technology
Print Speed - Standard [prints/h]	180 - 10 x 15 cm ( 4 x 6 ")
Max. Print speed	250 - 4x6" (10x15cm) Prints/h

### INK

Ink Technology	Ultrachrome® D6r-S
Ink Set	6 colours
Available Colours	Black, Cyan, Light Cyan, Light Magenta, Magenta, Yellow
Ink volume per colour	70 ml

### MEDIA

Media Handling	Auto Sheet Feeder (Simplex, Duplex)
Print Size (Duplex Feeder)	9 cm x 13 cm to 10 cm x 15 cm , 3.5 inches x 5 inches to 4 inches x 6 inches
Borderless printing on	102x152mm (4x6")

### GENERAL

Environmental Conditions - Temperature	Operating: 10 - 35 °C (except Matte), Storage: -20 - 40 °C
Environmental Conditions - Humidity	Operating 20 - 80 % (except Matte, no condensation), Storage 5 - 85 % (no condensation)
Power Consumption	Operating (approx.)18 W Ready Mode (approx.)4 W
Available Software	Printer Driver (standard bundling), System Application (standard bundling), Order Controller (optional), Epson Cloud Solution Port
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n
Noise Level	Operating (Sheet):46 dB (A)
Product dimensions	299 x 350 x 154 mm (Width x Depth x Height)
Product dimensions with tray	299 x 400 x 154 mm (Width x Depth x Height)
Installation Space (Footprint)	299 x 400 mm (Width x Depth); 0.12 m <sup>2</sup>
Product weight	7 kg without media and ink
Product Life	100,000 prints in 10 x 15 cm
Available Apps	Epson SmartPanel, Epson Connect Service, Mopria Print Service, Epson iPrint
Controlpanel	Color, Diagonal1 inch
Device Security	Kensington lock connection

### PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

### OTHER

Warranty	36 months Carry in Optional warranty extension available
----------	---

## PRODUCT SPECIFICATIONS

### PRINT TECHNOLOGY

Printing Method	Epson Micro Piezo drop-on-demand inkjet technology, High-performance print head technology designed for robust printing environments, Variable Sized Droplet Technology
Minimum Droplet Size	With Variable-Sized Droplet Technology
Print Speed - Standard [prints/h]	180 - 10 x 15 cm ( 4 x 6 ")
Max. Print speed	250 - 4x6" (10x15cm) Prints/h

### INK

Ink Technology	Ultrachrome® D6r-S
Ink Set	6 colours
Available Colours	Black, Cyan, Light Cyan, Light Magenta, Magenta, Yellow
Ink volume per colour	70 ml

### MEDIA

Media Handling	Auto Sheet Feeder (Simplex, Duplex)
Print Size (Duplex Feeder)	9 cm x 13 cm to 10 cm x 15 cm , 3.5 inches x 5 inches to 4 inches x 6 inches
Borderless printing on	102x152mm (4x6")

### GENERAL

Environmental Conditions - Temperature	Operating: 10 - 35 °C (except Matte), Storage: -20 - 40 °C
Environmental Conditions - Humidity	Operating 20 - 80 % (except Matte, no condensation), Storage 5 - 85 % (no condensation)
Power Consumption	Operating (approx.)18 W Ready Mode (approx.)4 W
Available Software	Printer Driver (standard bundling), System Application (standard bundling), Order Controller (optional), Epson Cloud Solution Port

---

**Interfaces**

Hi-Speed  
USB -  
compatible  
with USB 2.0  
specification,  
Ethernet  
interface  
(100 Base-  
TX / 10 Base-  
T), Wireless  
LAN IEEE  
802.11b/g/n

Noise Level	Operating (Sheet):46 dB (A)
Product dimensions	299 x 350 x 154 mm (Width x Depth x Height)
Product dimensions with tray	299 x 400 x 154 mm (Width x Depth x Height)
Installation Space (Footprint)	299 x 400 mm (Width x Depth); 0.12 m <sup>2</sup>
Product weight	7 kg without media and ink
Product Life	100,000 prints in 10 x 15 cm
Available Apps	Epson SmartPanel, Epson Connect Service, Mopria Print Service, Epson iPrint
Controlpanel	Color, Diagonal1 inch
Device Security	Kensington lock connection

**PRODUCT SAFETY**

Product Safety Warnings      Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.  
Always follow the information on the product label.

**OTHER**

Warranty	36 months Carry in Optional warranty extension available
----------	---

## LOGISTICS INFORMATION

SKU	C11CK56301BY
EAN code	8715946710051
Country of Origin	Philippines
Layer	2 Units
Layer Block	4 Units

## SureLab SL-D500

### WHAT'S IN THE BOX

- Power cable
- Printer
- CD Manual
- Driver and Utilities (CD)
- Setup guide
- Maintenance Tank

### SUPPLIES

- T54C Black SURELAB SL-D500
- T54C Light Magenta SURELAB SL-D500
- T54C Cyan SURELAB SL-D500
- T54C Magenta SURELAB SL-D500
- T54C Yellow SURELAB SL-D500
- T54C Light Cyan SURELAB SL-D500
- SureLab Photo Paper Gloss-DS(225) 10cmx15cm 800sheets
- SureLab Photo Paper Gloss-DS(190) 10cmx15cm 800sheets
- SureLab Photo Paper Luster-DS(225) 10cmx15cm 800sheets
- SureLab Photo Paper Luster-DS(190) 10cmx15cm 800sheets
- SureLab Photo Paper Gloss (250) 10cmx15cm 400sheets
- SureLab Photo Paper Luster (250) 10cmx15cm 400sheets
- SureLab Photo Paper Gloss (250) 9cmx13cm 400sheets
- SureLab Photo Paper Luster (250) 9cmx13cm 400sheets
- Roller Assembly Kit SL-D500



For more information please contact:

Home users: 0343 90 37766

Business users\*: 0871 42 37766

Republic of Ireland: 01 436 7742

Or visit us at <https://www.epson.co.uk/contactus>

\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

Last extracted: 2025-05-09

**EPSON®**