

Redefine long-term expectations

HP LaserJet Enterprise M507 series HP LaserJet Enterprise MFP M528 series





The world's most secure printing²



Enhanced productivity keeps business moving



Low cost, low energy use

The world's most secure printing²



HP printers have the industry's strongest security² because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.



Always on guard

Only HP Enterprise printers offer built-in security features that are always on guard.²

- With HP Sure Start, each device regularly checks its operating code and repairs itself from attempted hacks.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code digitally signed by HP.
- Run-time intrusion detection continually monitors activity to detect and stop attacks, then automatically reboots.
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware.

Thwart potential attacks by receiving instant notification of security issues, so immediate action can be taken. This device works with tools like Splunk, ArcSight, McAfee, and SIEMonster.



Opt for tighter security

Help protect the device with more than 200/250 (printers/MFPs) embedded security features.³ Protect information in transit over the network and stored on the device—keys, passwords, certificates, and more. Store data on the 256-bit encrypted HP High-Performance Secure Hard Disk (standard on the MFP M528f and Flow MFP M528c/z models only).⁴

Easily develop, deploy, and integrate HP and third-party solutions with the HP Open Extensibility Platform. Add features such as card readers⁵ and more through the Hardware Integration Pocket.⁶ Further safeguard data stored on the device, using the HP Trusted Platform Module.⁷

Help ensure the security of confidential information with the optional proximity card reader. Enter a PIN/password at the device to retrieve your print jobs.



Your whole fleet. At your control

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency. 8 Optional HP JetAdvantage Security Manager offers an effective, policy-based approach to help secure HP printing and imaging devices. 9 Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

HP JetAdvantage Secure Print ¹⁰ and HP Access Control (HPAC) help secure documents by requiring authentication to release print jobs. In addition, extend capabilities and easily customize with HPAC— integrate job accounting, manage rights, and establish quotas for things such as color use. ¹¹ Save IT time and make printing easy for the entire enterprise by using a single driver for all HP devices. ¹²



For more information

Fleet management

HP Web Jetadmin visit: hp.com/go/wja

Solution brief: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA5-2718ENW.pdf

 $Video: \underline{http://hp.briqhtcoveqallery.com/solutions/detail/video/4271055504001/\underline{}$

Solution brief: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-4781ENW.pdf

Security

HP JetAdvantage Security Solutions visit: hp.com/go/printsecurity

Solution overview: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-1295ENW.pdf

Video: http://hp.brightcovegallery.com/products/detail/video/4270905124001/

HP JetAdvantage Security Manager visit: <u>hp.com/qo/securitymanager</u>

Brochure: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-9275ENW.pdf

Video: http://hp.brightcovegallery.com/products/detail/video/4270837770001/

Enhanced productivity keeps business moving

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

Take waiting out of your work day

Don't wait for documents. With the M507 series, receive your first page in as few as 5.9 seconds from ready mode¹³ and 10 seconds from energy-efficient sleep mode.¹⁴ Print documents quickly—up to 45 pages per minute (ppm), letter.¹⁵







Accelerate workflow with single-pass, two-sided scanning up to 68/60 images per minute (ipm), letter (black/color) (Flow MFP M528 models only).¹⁶

Scan files directly to Microsoft® Office 365 and SharePoint®, plus email, USB, and network folders.¹⁷

Loaded for productivity

Let high-volume jobs handle themselves. This device has a substantial 2,300-sheet capacity, so you can spend less time loading and reloading paper. ¹⁸ For details, see paper-handling accessories on page 11.

A built-in convenience stapler helps you save time and look professional (MFP M528f and Flow MFP M528c/z models only). Staple and collate multiple sets of documents of up to 50 pages each. ¹⁹



Make everyday work more efficient. Equip employees to breeze through tasks using the 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display on the MFP M528 series or the 4.3-inch (10.9 cm) touchscreen on the M507x model.²⁰

Place your device where it suits your work team best—you almost won't notice it. This device fits in tight places to improve performance in almost any workspace.

Designed to conserve

Help keep productivity up and energy use down. This efficient printer is designed for exceptionally low energy consumption—thanks to its innovative design and specially formulated toner.







Help cut costs with HP Auto-On/Auto-Off Technology²¹ and HP Instant-on Technology²²—intelligence that readies your printer right when you need it and turns it off when you don't.

Low cost, low energy use



Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and that helps conserve energy with HP EcoSmart black toner.²³ Keep up with the demands of growing business with a printer you can rely on.



The toner cartridge you can trust

Stay productive with reliable HP EcoSmart black toner—engineered for high-speed printing and low energy consumption.²³

Help reduce your impact—EcoSmart black toner cartridges are a smart, environmentally responsible purchase.

Count on easy recycling through HP Planet Partners at no additional charge.²⁴



More quality pages than ever before

Get the most prints for your money—up to 20,000 pages with the Extra High Yield Black Original LaserJet Toner Cartridge. ²⁵ Specially redesigned Original HP Toner cartridges with JetIntelligence deliver professional-quality pages and peak printing performance.



Help protect your investment

Don't put your device—and print quality—at risk. Help ensure the consistent Original HP quality you paid for with innovative, anti-fraud technology. Enable office-wide adherence to printing policies with cartridge authentication technology.



(HP Extra High Yield Black Original LaserJet Toner Cartridge: ~20,000 pages²⁵)

Give workgroups the speed they need



Accelerate workflow, improve accuracy, and easily connect people throughout your organization with the MFP M528 series. Complete two-sided scan jobs quickly—up to 68 ipm for Flow models¹⁶—and avoid extra steps with a device designed for maximum productivity.



Easily scan and edit text

Capture text from documents with high accuracy. Easily scan documents, edit text, and save as a Microsoft Word or searchable PDF file with HP Scan and I.R.I.S. Readiris™ Pro OCR Software.

Walk up and print from or scan to a memory device using the easy-access USB port.²⁶



Fast scanning and input

Turn stacks of paper documents into digital files. Load up to 100 sheets into the automatic document feeder (ADF) for fast, unattended scanning—up to 14,000 pages per month (Flow models only).^{27,28}


Enter data more quickly and accurately using the pull-out keyboard, one of the features available on the Flow MFP M528c/z models.²⁹



Every page, every time

Capture every page easily—with confidence. HP EveryPage gives employees smooth paper-handling capabilities to detect potential errors or missed pages on the spot—for scan jobs of all kinds.²⁹

Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.



Stay connected with secure mobile printing



Improve work team agility while also protecting the company network. Ethernet and optional wireless networking help users stay connected and work securely—throughout the office.³⁰ Add wireless direct³¹ and NFC touch-to-print³² to print directly from your mobile device.



Print from a variety of mobile devices

Easily print documents, emails, PDFs, and more from smartphones and tablets running iOS, Android™, Windows® 8/10, and Google Chrome™ operating systems—generally no setup or apps required.³³

Add the option to print with just a touch of your NFC-enabled smartphone or tablet to the print device.³²



Print from virtually anywhere

Submit print jobs while on the go from any device, and release at any of HP Roam-enabled office printer—simply and securely.³⁴

Print jobs are submitted to the cloud and can then be securely retrieved from any enabled device in the office or home office. There's no need to worry about device-to-printer compatibility or connectivity.




Extend your printing reach

Keep your office connected. Easily access, print, and share printing resources with built-in Dual-band Wi-Fi with Bluetooth® Low Energy (M507x and Flow MFP M528z models only).³⁵

Use optional, 128-bit encrypted wireless direct printing to help keep data secure in transit and at rest—without accessing the company network—using smartphones, tablets, and notebook PCs (standard on the M507x and Flow MFP M528z models only).³¹

Get to know the HP LaserJet Enterprise M507 series

HP LaserJet Enterprise M507x shown



Series at a glance




HP LaserJet Enterprise M507 series – Configuration

Select one category of input accessory:




Get to know the HP LaserJet Enterprise MFP M528 series

HP LaserJet Enterprise Flow MFP M528z shown



Series at a glance



HP LaserJet Enterprise MFP M528 series – Configuration

Select one category of input accessory:



Paper-handling accessories

The HP LaserJet Enterprise M507 series and MFP M528 series may be configured with optional input accessories described in the table below. Other optional accessories are included in the Ordering information section on page 20.

The M507n/dn models and MFP M528 series come standard with a 100-sheet multipurpose tray and one 550-sheet tray that support media up to 8.5 x 14 inches (216 x 356 mm). These models can add up to three additional 550-sheet input trays and a cabinet.

The M507x model comes standard with a 100-sheet multipurpose tray and two 550-sheet trays that support media up to 8.5 x 14 inches (216 x 356 mm). This model can add up to two additional 550-sheet input trays and a cabinet.

All optional accessories support media up to 8.5×14 inches (216×356 mm).



Optional

Maximum device input with accessory¹⁸

HP LaserJet Enterprise M507 series technical specifications

| | HP LaserJet Enterprise M507n | HP LaserJet Enterprise M507dn | HP LaserJet Enterprise M507x | |
|---|--|--|---|--|
| Product number | 1PV86A | 1PV87A | 1PV88A | |
| Functions | Print (all models) | | | |
| Control panel/data entry | 2.7-in (6.9 cm) QVGA LCD (color graphics) display with 24-key pad 4.3-inch (10.9 cm) color touchsc rotating (adjustable angle) display | | | |
| Print speed (letter/A4) ¹⁵ | | | | |
| Single-sided | Up to 45/43 ppm (all models) | | | |
| Two-sided | Up to 36/34 ipm (all models) | | | |
| Print speed (A5, landscape) ³⁶ | Up to 65 ppm (all models) | | | |
| First page out (letter and A4) | From ready: ¹³ as fast as 5.9 seconds <i>(all models)</i> From sleep: ¹⁴ as fast as 10.0 seconds <i>(all models)</i> | | | |
| Print resolution | Up to 600 x 600 dpi (normal); Up to 1 | 200 x 1200 dpi (best) <i>(all models)</i> | | |
| Features | Print preview, print multiple pages pe | er sheet (2, 4, 6, 9, 16), collation, waterm | arks, store print jobs, easy-access USB ²⁶ | |
| | | Plus: Duplex printing (dn/x models) | | |
| Processor | 1.2 GHz (all models) | | | |
| Memory | Standard: 512 MB; Maximum: 1.5 GB | ⁸⁷ when accessory DIMM is installed <i>(all n</i> | nodels) | |
| Durability ratings | | | | |
| RMPV ³⁸ | 2,000 pages to as high as 7,500 page | es (all models) | | |
| Duty cycle ³⁹ | Up to 150,000 pages (all models) | | | |
| Media specifications | | | | |
| Input capacity | Up to 650/2,300 sheets (standard/maximum ¹⁸) Tray 1: up to 100 sheets Tray 2: up to 550 sheets | | Up to 1,200/2,300 sheets (standard/maximum ¹⁸) Tray 1: up to 100 sheets Tray 2: up to 550 sheets Tray 3: up to 550 sheets | |
| Output capacity | Up to 250 sheets (all models) | | | |
| Two-sided printing | Manual | Automatic (dn/x models) | | |
| Media sizes | Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, postcards (JIS single and dou envelopes (B5, C5, C6, DL); Custom media: 3 x 5 to 8.5 x 14 in (76 x 127 to 216 x 356 mm) | | | |
| | | ll, executive, statement, 5 x 7 in, 5 x 8 in, ostcards (JIS double); Custom media: 4.1 x | | |
| Media weights | Tray 1: 16 to 53 lb (60 to 200 g/m²) Tray 2+: 16 to 32 lb (60 to 120 g/m²) | | | |
| Media types | Paper (bond, color, letterhead, plain, pre-printed, pre-punched, recycled, rough), envelopes, labels, cardstock, transparencies, user-defined | | | |
| Print languages | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple® AirPrint 940 | | | |
| Fonts | symbol built-in), 1 internal Unicode fo | in HP PCL, 92 internal scalable fonts in H ont (Andale Mono World Type), 2 Internal 'ailable via third-party flash memory card | | |

| | HP LaserJet Enterprise M507n | HP LaserJet Enterprise M507dn | HP LaserJet Enterprise M507x | | |
|--|--|--|---|--|--|
| Connectivity | 2 Hi-Speed USB 2.0 Host; 1 Hi-S | peed Device USB 2.0; 1 Gigabit Ethernet <i>(all rr</i> | nodels) | | |
| | | Plus: Hardware Integration Pocket ⁶ | Plus: Hardware Integration Pocket, ⁶ Dual-band Wi-Fi with Bluetooth Low Energy ³⁵ | | |
| Mobile printing | Standard: Apple AirPrint, 40 HP ef | Print, 41 Mopria-certified, HP Roam-capable for | easy printing,³⁴ Google Cloud Print™ 2.0 | | |
| | | | Plus: Wireless direct printing ³¹ | | |
| | Optional: Wireless direct printing | g, ³¹ NFC touch-to-print ³² | Optional: NFC touch-to-print ³² | | |
| Network capabilities | Standard: via HP Jetdirect Etheri (EEE) support on Fast Ethernet a | net embedded print server supports: 10Base- and Gigabit links; IPsec | T, 100Base-Tx, 1000Base-T; 802.3az | | |
| | Optional: 802.11b/g/n wireless | networking and second Ethernet port ³⁰ | | | |
| Network protocols | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint, 40 HP ePrint, 41 FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPSec/Firewall, ACL, 802.1x | | | | |
| Security | Identity Management: Kerberos advanced authentication solutio | authentication, LDAP authentication, 1000 us ons (e.g., badge readers) | er PIN codes, optional HP and third-party | | |
| | Network: IPsec/firewall with Certificate, Pre-Shared Key, Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard | | | | |
| | Data: Storage Encryption, Encrypted PDF and Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials | | | | |
| | Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, ⁶ Intrusion Detection with Red Balloon Security Technology (constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known-good code (DLLs, EXEs, etc.)), HP Connection Inspector (helps ensure network connections to device are safe) | | | | |
| | Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messages processed and accessible in Arcsight, Splunk, McAfee (ESM), and SIEMonster SIEMs | | | | |
| | For more security settings, go to hp.com/ctq/Manual/c03602120 | | | | |
| Printer management | HP Device Toolbox, HP JetAdvantage Security Manager, ⁹ HP Printer Assistant, HP Web Jetadmin Software; ⁸ HP SNMF Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator) | | | | |
| Compatible operating systems ⁴² | Windows OS compatible with In-Box Driver: Windows 7 all 32- and 64-bit editions, Windows 8.1 all 32- and 64-bit editions, Windows 10 all 32- and 64-bit editions | | | | |
| | Windows OS compatible with Universal Print Driver ¹² (from <u>hp.com</u>): Windows 7 all 32- and 64-bit editions, Windows 8.1 all 32- and 64-bit editions, Windows 10 all 32- and 64-bit editions | | | | |
| | Mac OS (HP Print Drivers available from hp.com and Apple Store): OS X 10.13 High Sierra, OS X 10.14 Mojave, OS X 10.15 | | | | |
| | Mobile OS (In-OS drivers): Android™ | | | | |
| | Linux® OS (In-OS HPLIP): SUSE Linux (13.2, 42.1), Fedora (22-24), Linux Mint (17-17.3, 18), Boss (5.0), Ubuntu (12.04, 14.04, 15.1, 16.04, 16.10), Debian (7.0-8.6), Red Hat Enterprise (6, 7) Other OS: UNIX® | | | | |
| Compatible network operating | Windows OS compatible with In- | -Box Driver: Windows Server® 2008 32-/64-bi | t Windows Server 2008 R2 64-hit | | |
| systems | Windows OS compatible with Universal Print Driver (UPD) ¹² or Product-Specific drivers from <u>hp.com</u> : Windows Server 2008/2008 R2 64-bit, Windows Server 2012/2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 | | | | |
| | Citrix® (on Windows Server 2008 R2 SP1 Edition): Citrix XenApp 6.0/6.5, Citrix XenApp and XenDesktop® 7.5, (supports Windows Server 2008 R2 SP1 operating system), XenServer 6.x+ | | | | |
| | Citrix (on Windows Server 2012/2012R2): Citrix XenApp and Citrix XenDesktop 7.x | | | | |
| | Novell/Micro Focus (<u>novell.com/products/iprint</u>): Novell iPrint Appliance v1.1, Novell Open Enterprise Server 11/SP1 | | | | |
| | Novell iPrint Clients (novell.com/products/iprint): All Windows platforms: recommend v5.94+ | | | | |
| | Services Terminal Server Cluster | | | | |
| System requirements, Windows | A compatible operating system browser (For OS hardware requi | (see above); 2 GB available hard disk space; In rements see <u>microsoft.com</u>) | ternet connection, USB port, Internet | | |
| System requirements, Macintosh | A compatible operating system hardware requirements see <u>app</u> | (see above); 2 GB available hard disk space; In <u>le.com</u>) | ternet connection or USB port (For OS | | |

| | HP LaserJet Enterprise M507n | HP LaserJet Enterprise M507dn | HP LaserJet Enterprise M507x | | |
|-------------------------------------|--|--|--|--|--|
| Dimensions (width x depth x height) | Operating: 16.46 x 14.80 x 11.77 in (418 x 376 x 299 mm) Maximum: 43 16.46 x 25.16 x 11.77 in (418 x 639 x 299 mm) | | Operating: 16.46 x 14.80 x 18.94 in (418 x 376 x 481 mm) | | |
| | | | Maximum: ⁴³ 16.46 x 25.16 x 18.94 in (418 x 639 x 481 mm) | | |
| Weight (with print cartridge) | 24.7 lb (11.21 kg) | 25.5 lb (11.48 kg) | 36.3 lb (16.34 kg) | | |
| What's in the box | HP LaserJet Enterprise printer, HP Black LaserJet set-up cartridge (~5,000 pages), ²⁵ Power cord, User guide, Support flyers, Warranty cards, Required erratas | | | | |
| Downloadable software | From <u>123.hp.com</u> : HP Easy Start (Guid | ded Software Install for Windows and Ma | ac) | | |
| | From <u>hp.com</u> for Windows OS: Full solution software and drivers, Basic solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support | | | | |
| | From <u>hp.com</u> for Mac OS: HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin | | | | |
| | For Mobile OS, iOS: For more information, see hp.com/go/businessmobileprinting ; Android: For more information, see hp.com/go/businessmobileprinting | | | | |
| | From hp.com/h | | | | |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country, and local legal requirements. Contact your contractual partner or go to hp.com/support to learn about HP world-class service and support options in your region. | | | | |
| HP SureSupply supported | | orint cartridge is running low and helps y ilable with Original HP supplies; Internet | | | |

HP LaserJet Enterprise M507 series environmental specifications

| | HP LaserJet Enterprise M507n | HP LaserJet Enterprise M507dn | HP LaserJet Enterprise M507x | |
|---|--|--|---|--|
| Environmental ranges | | | | |
| Temperatures Relative Humidity | Recommended operating: 59 to 80.6° F (15 to 27° C); Operating: 50 to 90.5° F (10 to 32.5° C); Storage: -4 to 104° F (-20 to 40° C) Recommended operating range: 30 to 70% RH; Operating range: 10 to 80% RH | | | |
| Acoustic pressure emissions ⁴⁴ | Ready mode: 25 dB(A) Ready mode: 25 dB(A) Ready mode: 24 dB(A) Active print: 55 dB(A) Active print: 55 dB(A) Active print: 54 dB(A) | | | |
| Acoustic power emissions | Ready mode: 3.9 B(A) Active print: 6.9 B(A) ⁴⁵ | Ready mode: 3.9 B(A) Active print: 6.9 B(A) ⁴⁵ | Ready mode: 3.9 B(A) Active print: 6.8 B(A) ⁴⁵ | |
| Power specifications ⁴⁶ | | | | |
| Power supply | Built-in power supply; Input Voltage: 100 to | o 240 VAC, 50/60 Hz (all models) | | |
| Power consumption | Printing: 601 watts; Ready: 7.6 watts; Sleep: 2.61 watts; Auto-Off/Manual On: 0.06 watts; Off: 0.06 watts; Auto-Off/Wake on LAN: 0.73 watts | | | |
| Typical Electricity Consumption (TEC) | ENERGY STAR®: 1.3 kWh/week (all models) | | | |
| Energy-saving features | HP Auto-On/Auto-Off Technology; ²¹ Instan | t-on Technology ²² (all models) | | |
| Environmental specifications | ENERGY STAR certified; CECP; EPEAT® Gold; ⁴⁷ mercury-free | ENERGY STAR certified; CECP; EPEAT Gold; ⁴⁷ mercury-free | ENERGY STAR certified; CECP; EPEAT Silver; ⁴⁷ mercury-free | |
| Safety and regulatory compliance | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries. | | | |
| Electromagnetic emission standard | | 5PR32:2012 (International) - Class A, EN 5503 10, EMC Directive 2014/30/EU, FCC CFR 47 Poual countries. | | |

HP LaserJet Enterprise MFP M528 series technical specifications

| | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z |
|---|--|--|--|--|
| Product number | 1PV64A | 1PV65A | 1PV66A | 1PV67A |
| Functions | Print, scan, copy, and optional fax | Print, scan, copy, and fax | Print, scan, copy, and fax | Print, scan, copy, and fax |
| Control panel/data entry | 9.0-inch (22.8 cm) functional illuminated Home button (f | al touchscreen with 8.0-inch (20.3 or quick return to the Home menu | cm) Color Graphics Display; rotat) | ing (adjustable angle) display; |
| | | | Plus: Pull-out keyboard | |
| Print speed (letter/A4) ¹⁵ | | | | |
| Single-sided | Up to 45/43 ppm (all mode | ls) | | |
| Two-sided | Up to 36/34 ipm (all models | s) | | |
| Print speed (A5, landscape) ³⁶ | Up to 66 ppm (all models) | | | |
| First page out (letter and A4) | From ready: ¹³ as fast as 6.0 From sleep: ¹⁴ as fast as 13. | | | |
| Print resolution | Up to 600 x 600 dpi (norma | al); Up to 1200 x 1200 dpi (best) <i>(a</i> | ill models) | |
| Scanning resolution | Up to 600 x 600 dpi <i>(all mo</i> | dels) | | |
| ADF scan speed (letter/A4) ¹⁶ | | | | |
| Single-sided | Up to 45/43 ppm (black) Up to 40/38 ppm (color) | | Up to 48/45 ppm (black and | color) |
| Two-sided | Up to 45/43 ipm (black) | | Up to 68/64 ipm (black) | |
| | Up to 40/38 ipm (color) | | Up to 60/58 ipm (color) | |
| Printing Scanning | USB ²⁶ Flatbed scanner, up to 8.5 × features: optimize text/pict | ng, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-a x 14 inches (216 x 356 mm); 100-sheet ADF with two-sided, single-pass scanning; Advanced ure, image adjustments, job build, output quality setting, selectable scan resolution 75 to 600 c se, job notification, blank page suppression; HP Quick Sets | | |
| | | | | |
| | | | Plus: HP EveryPage, embedo (OCR), auto-orientation, auto | |
| Digital sending | | ork folder, save to USB drive, sencerase, auto-crop | (OCR), auto-orientation, auto | |
| Digital sending | | | (OCR), auto-orientation, auto | o-crop-to-page, auto-tone al address book, SMTP over SSL, o Microsoft SharePoint, OCR, multi-pick detect, |
| Digital sending File formats | blank page removal, edge e | erase, auto color sense, auto-crop | (OCR), auto-orientation, autodo to FTP, send to Internet fax, loca-to-content, compact PDF Plus: send to LAN fax, send to auto-tone, auto-orientation, auto-straighten, auto-crop-t | o-crop-to-page, auto-tone al address book, SMTP over SSL, o Microsoft SharePoint, OCR, multi-pick detect, co-page |
| 2 | blank page removal, edge e | Plus: send to LAN fax | (OCR), auto-orientation, auto d to FTP, send to Internet fax, loca- to-content, compact PDF Plus: send to LAN fax, send t auto-tone, auto-orientation, auto-straighten, auto-crop-t SB: PDF, PS, Print Ready files (.prr Plus: TEXT (OCR), unicode TE PDF (OCR), searchable PDF/A scan to easy-access USB: PD TEXT (OCR), unicode TEXT (OCR), searchable PDF/A (OCR), searchable PDF/A (OCR), searchable PDF/A (OCR) | o-crop-to-page, auto-tone al address book, SMTP over SSL, o Microsoft SharePoint, OCR, multi-pick detect, o-page n, .pcl, .cht) EXT (OCR), RTF (OCR), searchable o (OCR), HTML (OCR), CSV (OCR); oF, JPEG, TIFF, MTIFF, XPS, PDF/A |
| 2 | PDF, JPEG, TIFF, MTIFF, XPS Copy resolution: up to 600 cpm (letter/A4, two-sided); | Plus: send to LAN fax | (OCR), auto-orientation, auto- d to FTP, send to Internet fax, loca- to-content, compact PDF Plus: send to LAN fax, send t auto-tone, auto-orientation, auto-straighten, auto-crop-tentation, auto-orientation, auto-orientation, auto-orientation, auto-discounted tentation, auto-to-contentation, auto-to-contentation, auto-to-contentation, auto-orientation, auto-to-contentation, auto-orientation, auto-orientati | o-crop-to-page, auto-tone al address book, SMTP over SSL, o Microsoft SharePoint, OCR, multi-pick detect, o-page n, .pcl, .cht) EXT (OCR), RTF (OCR), searchable (OCR), HTML (OCR), CSV (OCR); pF, JPEG, TIFF, MTIFF, XPS, PDF/A DCR), RTF (OCR), searchable PDF R), HTML (OCR), CSV (OCR); print PS, print ready files (.prn, .pcl, A4, single-sided) and up to 36/3 |
| File formats | PDF, JPEG, TIFF, MTIFF, XPS Copy resolution: up to 600 cpm (letter/A4, two-sided); | Plus: send to LAN fax Plus: send to LAN fax PDF/A; Print from easy-access U' x 600 dpi; Copy speed: up to 45/4: Advanced features: Auto scale, rents (darkness, background cleanup Fax speed: 3 seconds per pafit, fax address book, LAN/in barrier, auto-redialing, fax b | (OCR), auto-orientation, auto- d to FTP, send to Internet fax, loca- to-content, compact PDF Plus: send to LAN fax, send t auto-tone, auto-orientation, auto-straighten, auto-crop-tentation, auto-orientation, auto-orientation, auto-orientation, auto-discounted tentation, auto-to-contentation, auto-to-contentation, auto-to-contentation, auto-orientation, auto-to-contentation, auto-orientation, auto-orientati | o-crop-to-page, auto-tone al address book, SMTP over SSL, o Microsoft SharePoint, OCR, multi-pick detect, o-page n, .pcl, .cht) EXT (OCR), RTF (OCR), searchable A (OCR), HTML (OCR), CSV (OCR); JF, JPEG, TIFF, MTIFF, XPS, PDF/A JCR), RTF (OCR), searchable PDF R), HTML (OCR), CSV (OCR); print PS, print ready files (.prn, .pcl, A4, single-sided) and up to 36/3- (25 to 400%), collate, auto-color rchiving, fax forwarding, scale to on, holiday fax schedule, junk locations; Up to 1000 numbers |

| | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z | |
|--------------------------|--|---|---|--|--|
| Durability ratings | | - | | - | |
| RMPV ³⁸ | 2,000 pages to as high as 7, | 500 pages (all models) | | | |
| RMSV ²⁸ | 4,000 to as high as 7,000 pages 8,000 to as high as 14,000 pages | | pages | | |
| Duty cycle ³⁹ | Up to 150,000 pages (all mo | odels) | | | |
| Media specifications | | | | | |
| Input capacity | Up to 650/2,300 sheets (sta Tray 1: up to 100 sheets Tray 2: up to 550 sheets | ndard/maximum ¹⁸) (all models) | | | |
| Output capacity | Up to 250 sheets (all models | 5) | | | |
| | | Plus: Convenience stapler ¹⁹ | (f/c/z models only) | | |
| Two-sided printing | Automatic (all models) | 1 | | | |
| Media sizes | A5, A6, RA4, B5 (JIS), B6 (JIS) B5, DL); Custom media: 3 x 5 Tray 2, optional trays 3-5: le (216 x 340 mm), 16K, postci ADF: Letter, legal, Oficio, exe | , 10 x 15 cm, Oficio (216 x 340 m 5 to 8.5 x 14 in (76 x 127 to 216 x tter, legal, executive, statement, ard (JIS double); Custom media: 4 | | d double), envelopes (B5, C5, C6, .5, A6, RA4, B5 (JIS), B6 (JIS), Oficio to 216 x 356 mm) | |
| | DPostcard (JIS) | 0 / 2 | | | |
| Media weights | Tray 1: 16 to 53 lb (60 to 20 Tray 2+: 16 to 32 lb (60 to 1 | 3 | | | |
| Madia to a | - | | .d | | |
| Media types | Paper (bond, color, letterhead, plain, pre-printed, pre-punched, recycled, rough), envelopes, labels, cardstock, transparencies, user-defined | | | | |
| Print languages | HP PCL 6, HP PCL 5 (HP PCL (v 1.7), Apple AirPrint ⁴⁰ | 5 driver available from the Web c | only), HP postscript level 3 emulat | ion, native PDF printing | |
| Fonts | built-in), 1 internal Unicode f | ont (Andale Mono World Type), 2 | calable fonts in HP postscript Levi Internal Windows Vista 8 fonts ((serJet fonts and IPDS Emulation a | Calibri, Cambria), additional font | |
| Connectivity | 2 Hi-Speed USB 2.0 Host; 1 I | Hi-Speed Device USB 2.0; 1 Gigab | it Ethernet; Hardware Integration | Pocket ⁶ | |
| | | Plus: Fax | | Plus: Fax; Dual-band Wi-Fi with Bluetooth Low Energy ³⁵ | |
| Mobile printing | Standard: Apple AirPrint, ⁴⁰ H | P ePrint, ⁴¹ Mopria-certified, HP Ro | oam capable for easy printing, ³⁴ (| Google Cloud Print 2.0 | |
| | | | | Plus: Wireless direct printing | |
| | Optional: Wireless direct prin | nting, ³¹ NFC touch-to-print ³² | | Optional: NFC touch-to- print ³² | |
| Network capabilities | Standard: via HP Jetdirect Et support on Fast Ethernet an | | pports: 10Base-T, 100Base-Tx, 1 | 000Base-T; 802.3az (EEE) | |
| | | | | Plus: 802.11b/g/n wireless networking and second Ethernet port ³⁰ | |
| | Optional: 802.11b/g/n wireless networking and second Ethernet port ³⁰ | | | | |
| Network protocols | Via built-in networking solution: TCP/IP, IPv4, IPv6 Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint, ⁴⁰ HP ePrint, FTP Print, Google Cloud Print | | | | |
| | Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6) | | | | |
| | Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, Syslog Security: SNMPv3, SSL Cert Management, IPSec/Firewall, ACL, 802.1x | | | | |

| | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z | |
|--|--|---|--|--|--|
| Security | Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers) | | | | |
| | Network: IPsec/firewall with Certificate, Pre-Shared Key, Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard | | | | |
| | Erase, SSL/TLS (HTTPS), Encry | | ,, <u> </u> | | |
| | Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, ⁶ Intrusion Detection with Red Balloon Security Technology (constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known-good code (DLLs, EXEs, etc.)), HP Connection Inspector (helps ensure network connections to device are safe) | | | | |
| | Device Security Syslog messag | ible with HP JetAdvantage Securi es processed and accessible in Ar | csight, Splunk, McAfee (ESM), and | | |
| | For more security settings, go t | to hp.com/ctg/Manual/c0360212 | 0 | | |
| Printer management | | ntage Security Manager, ⁹ HP Prin , Printer Administrator Resource k aged Printing Administrator) | | | |
| Compatible operating systems ⁴² | UPD ¹² Win7 Ultimate | -bit): Win10, Win8 Basic, Win8 Pro | o, Win8 Enterprise, Win8 Enterpri | se N, Win7 Starter Edition SP1, | |
| | Apple Mac OS: Sierra 10.12, Hig Mobile OS: Android | gh Sierra 10.13, Mojave 10.14 | | | |
| | | Supported operating systems: For | more information, go to support | t.hp.com | |
| | UPD ¹² PCL6/PS Printer Drivers | – Supported operating systems: F | or more information, go to <u>hp.cc</u> | om/go/upd | |
| Compatible network operating systems | | it, Windows Server 2008 R2 64-b 64-bit, Failover Cluster 2008 R2, F | | | |
| | Citrix Server 6.5, Citrix XenApp and XenDesktop 7.6, Citrix Ready Kit Certification – up to Citrix Server 7.18; For more information, see <u>citrixready.citrix.com</u> | | | | |
| | Novell iPrint Server | | | | |
| | Linux: For more information, see <u>developers.hp.com/hp-linux-imaging-and-printing</u> UPD ¹² PCL6/PS Printer Drivers; Supported for Compatible network operating systems, please see hp.com/go/upd | | | | |
| System requirements, Windows | | sapported for Compatible Netwo | | | |
| | OS-compatible hardware (For (| OS hardware requirements see <u>m</u> | icrosoft.com) | | |
| System requirements, Macintosh | A compatible operating system hardware (For OS hardware red | n (see above); 2 GB available hard quirements see <u>apple.com</u>) | disk space; Internet connection o | or USB port; OS-compatible | |
| Software included | No software solutions are inclu | ided in the box; HP Scan and TWA | IN driver available for download: | hp.com/support | |
| Dimensions (width x depth x height) | Operating: 18.98 x 19.52 x 19. Maximum: ⁴³ 19.96 x 24.83 x 19 | | | | |
| Weight (with print cartridge) | 47.56 lb (21.41 kg) | 48.76 lb (21.95 kg) | 49.16 lb (22.13 kg) (Flow mode | els) | |
| What's in the box | HP LaserJet Enterprise MFP, HF Warranty cards, Required errat | P Black LaserJet set-up cartridge (as | (~7,500 pages), ²⁵ Power cord, Us | er guide, Support flyers, | |
| Downloadable software | From <u>123.hp.com</u> : HP Easy Sta | rt (Guided Software Install for Wir | ndows and Mac) | | |
| | From <u>hp.com</u> for Windows OS: Full solution software and drivers, Basic solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support | | | | |
| | From <u>hp.com</u> for Mac OS: HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin | | | | |
| | For Mobile OS, iOS: For more information, see hp.com/qo/businessmobileprinting Android: For more information, see hp.com/qo/businessmobileprinting | | | | |
| | Utility, Managed Printing Admir (Mobile Driver for Windows), SA HP Web Jetadmin, ⁸ HP JetAdva | istrators: Printer Administrator Re histrator), HP Universal Print Drive AP Print Drivers (For more informa ntage Security Manager, ⁹ ReadIris ensource.com/hplip-web/index.h ent/c04222920 | ers (PCL6 GDI and PS GDI for Wind ation, see <u>support.hp.com/us-en/</u> s, HP Roam for Business, ³⁴ HPLIP | lows), ¹² HP ePrint Software ⁴¹ <u>(document/c05051702</u>), Linux Printer Driver (For more | |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country, and local legal requirements. Contact your contractual partner or go to https://px.com/support to learn about HP world-class service and support options in your region. | | | | |
| HP SureSupply supported | | n your print cartridge is running lo able with Original HP supplies; Int | | | |

HP LaserJet Enterprise MFP M528 series environmental specifications

| | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528c | HP LaserJet Enterprise Flow MFP M528z |
|--|---|--|---|---|
| Environmental ranges | | | | |
| Temperatures | Recommended operating: 59 to 80.6° F (15 to 27° C); Operating: 50 to 90.5° F (10 to 32.5° C); Storage: -4 to 104° F (-20 to 40° C) | | | |
| Relative Humidity | Recommended operating ran | ge: 30 to 70% RH; Operating range | e: 10 to 80% RH | |
| Acoustic pressure emissions ⁴⁴ | Ready mode: 26 dB(A) Active print: 54 dB(A) Active scan: 52 dB(A) | | Ready mode: 25 dB(A) Active print: 54 dB(A) Active scan: 52 dB(A) | |
| Acoustic power emissions | Ready mode: 4.0 B(A); Active | print: 6.8 B(A); ⁴⁵ Active scan: 6.7 B | (A) (all models) | |
| Power specifications ⁴⁶ | | | | |
| Power supply | Built-in power supply; Input V | oltage: 100 to 240 VAC, 50/60 Hz | (all models) | |
| Power consumption | Printing: 629 watts; Ready: 28 | 3.8 watts; Sleep: 5.3 watts; Auto-C | Off/Auto-On: 0.74 watts; Auto-0 | Off/Wake on LAN: 0.06 watts |
| Typical Electricity Consumption (TEC) ⁴⁸ | ENERGY STAR: 1.4 kWh/week (all models) | | | |
| Energy-saving features | HP Auto-On/Auto-Off Techno | logy; ²¹ Instant-on Technology; ²² Ir | nstant-on Copy (all models) | |
| Environmental specifications | ENERGY STAR certified; CECP; | EPEAT Silver; ⁴⁷ mercury-free | ENERGY STAR certified; CECF | P; EPEAT Gold; ⁴⁷ mercury-free |
| Safety and regulatory compliance | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EL with CE Mark (Europe); IEC 62471:2006/EN 62471:2008 (LED lighting); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries. | | | |
| Electromagnetic emission standard | | - Class A, CISPR32:2012 (Internat N 55024: 2010, EMC Directive 20 red by individual countries. | | |

Ordering information

| Product | HP LaserJet Enterprise M507n HP LaserJet Enterprise M507dn HP LaserJet Enterprise M507x HP LaserJet Enterprise MFP M528dn HP LaserJet Enterprise MFP M528f HP LaserJet Enterprise Flow MFP M528c HP LaserJet Enterprise Flow MFP M528z | 1PV86A 1PV87A 1PV88A 1PV64A 1PV65A 1PV66A 1PV67A |
|-------------|---|--|
| Supplies | HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages) ²⁵ HP 89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) ²⁵ HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages) ²⁵ MFP M528f and Flow MFP M528c/z models only: HP Staple Cartridge Refill (2 cartridges, 1,500 staples each) | CF289A CF289X CF289Y Q7432A |
| Accessories | HP LaserJet 550-sheet Paper Tray HP LaserJet Printer Cabinet HP Jetdirect 2900nw Print Server HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Removable Hard Drive Enclosure HP Internal USB Ports HP Accessibility Assistant HP USB Universal Card Reader HP HIP2 Keystroke Reader HP Legic Card Reader | F2A72A F2A73A J8031A 3JN69A 2NR12A B5L28A 2MU47A X3D03A Y7C05A 4QL32A |
| | M507 series only: HP 1 GB 90-Pin DDR3 DIMM HP 1 GB 90-Pin DDR3 DIMM (TAA version; U.S. only) M528dn only: HP Secure High-Performance Hard Disk Drive | G6W84A 2NR03A B5L29A |
| | HP TAA Version Secure Hard Disk Drive (U.S. only) HP LaserJet MFP Analog 700 Fax Accessory | 5ELO3A 2EH31A |
| | MFP M528 series only: HP 1 GB 144-Pin DDR3 800 MHz DIMM HP 2 GB 144-Pin DDR3 800 MHz DIMM HP 2 GB 144-Pin DDR3 B00 MHz DIMM HP 2 GB 144-Pin DDR3 DIMM (TAA version; U.S. only) HP Accessibility Kit HP Foreign Interface Harness | E5K48A E5K49A 2NR09A 2TD64A B5L31A |
| Solutions | HP JetAdvantage Global Solution Center: https://doi.org/10/14serietfonts HP Jaser let fonts barcodes and IPDS Emulation: https://doi.org/10/14serietfonts | |

HP JetAdvantage Global Solution Center: <u>hp.com/qo/qsc</u>

HP LaserJet fonts, barcodes, and IPDS Emulation: <u>hp.com/qo/laserjetfonts</u>

HP Web Jetadmin: <u>hp.com/qo/wia</u>

HP Universal Print Driver: <u>hp.com/qo/upd</u>

HP JetAdvantage Security Manager: <u>hp.com/qo/securitymanager</u>


On-Demand Cloud Solutions: <u>hpjetadvantage.com/ondemand</u>

Appendix A: Control panel features

To access additional apps on the new printer user interface, simply swipe right to left


Upgrade to a modern interface

The HP LaserJet Enterprise M507 series and MFP M528 series are powered by HP FutureSmart 4 firmware. The modern, tablet-like interface (9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display on the MFP M528 series, 4.3-inch (10.9 cm) on the M507x printer) keeps things simple and intuitive across your fleet of Enterprise devices. A scalable control panel interface improves future extensibility and allows for customization, along with a robust set of apps and usability features. You can even customize with your own wallpaper image and company logo. The new Message Center, with more detailed information and helpful animations, makes it easy to address device events. The simplified home screen displays just a few core apps by default. Additional apps are easily accessed by swiping right to left, like with a smartphone or tablet.



Edit jobs right at the MFP

The control panel on the MFP M528 series features an enhanced image preview—now for both copies and scans. Right from the MFP's 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display, you can easily preview and edit scans before sending them. You can apply changes (like rotating) to a single page, or to multiple pages at once. Batch separation allows users to create separate PDF or PDF/A files from scanned pages. Flow models can also create PDF OCR and PDF/A OCR files.



You can start a **preview** prior to committing to the copy job




Use Quick Sets to launch automated workflows

The digital sending capability on MFP M528 models allows users to route documents to a variety of destinations like email recipients, network folders, fax, FTP, a USB device, or Microsoft SharePoint.

Quick Sets automate all of the steps of a complicated workflow and provide easy access to the configurations you use most, such as page size, resolution, and file format. You can also specify security settings, such as encrypted PDFs to be delivered through encrypted and signed emails.

Help users find what they need by moving individual Quick Sets to any screen or folder using the home screen customization feature. With Quick Sets, IT can promote or block access to certain device features. Calls to the helpdesk can be reduced when users have everything they need and are restricted from accessing settings they shouldn't tamper with.



Troubleshoot with ease

The HP LaserJet Enterprise M507 series and MFP M528 series can help save your IT department valuable time when it comes to troubleshooting problems. The Remote Control Panel allows users to operate the user interface remotely, so IT can troubleshoot problems without running to the printer or MFP. ⁴⁹ Users can also quickly troubleshoot technical issues with HP's innovative, cloud-based Online Help services that are relevant and up to date. Easily solve problems from your PC or mobile device. A Quick Response (QR) code on the touchscreen links to Online Help using smart phones and tablets. ⁵⁰ You can also find these links in the HP Embedded Web Server event log.



- ¹ In July 2018, HP was named Buyers Lab's Most Reliable Business Printer & MFP Brand by the analysts at Buyers Lab (BLI), based on lab testing from 2012 to 2018. For more information, see <u>keypointintelligence.com/news/awards</u>.
- ² Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features for integrity checking down to the BIOS with self-healing capabilities. For a list of compatible products, visit hp.com/qo/printersthatprotect. For more information, see hp.com/qo/printersecurityclaims.
- ³ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/qo/printsecurity.
- ⁴ The encrypted HP High-Performance Secure Hard Disk is standard on the HP LaserJet Enterprise MFP M528f and Flow MFP M528c/z models and optional on the HP LaserJet Enterprise M507 series and MFP M528dn model.
- ⁵ HP Proximity Card Reader (CZ208a) is available for separate purchase for select HP devices with Hardware Integration Pocket (HIP) and touchscreen display.
- ⁶ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP LaserJet Enterprise M507dn, M507x, and MFP M528 series come with a second-generation HIP. The HIP is not available on the HP LaserJet Enterprise M507n.
- ⁷ Use of the HP Trusted Platform Module accessory may require a firmware upgrade.
- ⁸ HP Web Jetadmin is available for download at no additional charge at <u>hp.com/qo/wja</u>.
- ⁹ HP JetAdvantage Security Manager must be purchased separately. For details, see <u>hp.com/qo/securitymanager</u>.
- ¹⁰ HP JetAdvantage Secure Print works with any network-connected printer or MFP. On-device authentication is available for many HP LaserJet, PageWide, and OfficeJet Pro devices and selected non-HP devices. Some devices may require a firmware upgrade. Internet connection required for cloud storage and retrieval of print jobs. Print-job release from a mobile device requires a network connection and QR code. For more information and a list of supported printers and MFPs, see hp.com/go/JetAdvantageSecurePrint.
- ¹¹ Color access control capabilities vary from device to device.
- ¹² The HP Universal Print Driver is available for download at no additional charge at hp.com/go/upd.
- ¹³ Measured using ISO/IEC 17629. Exact speed for first page out varies depending on the system configuration, software application, driver, and document complexity. Learn more at hp.com/qo/printerclaims.
- 14 Measured after 15 minutes in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep.
- ¹⁵ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <u>hp.com/qo/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹⁶ Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ¹⁷ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
- ¹⁸ Purchase of optional paper trays required to reach maximum input capacity.
- ¹⁹ The convenience stapler is only available on the HP LaserJet Enterprise MFP M528f and Flow MFP M528c/z models.
- ²⁰ The HP LaserJet Enterprise M507x model comes with a 4.3-inch (10.9 cm) touchscreen control panel. The M507n/dn models come with a 2.7-inch (6.9 cm) display with 24-key pad. The MFP M528 series comes with a 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display.
- ²¹ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- ²² HP LaserJet products with Instant-on Technology use an innovative, quick-heating fuser system that warms rapidly and cools quickly, helping you conserve energy compared with products that use traditional fusing.
- ²³ HP calculations based on Energy Star normalized TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.
- ²⁴ Program availability varies. For more information, visit <u>hp.com/recycle</u>.
- ²⁵ Approximate average yield based on ISO/IEC 19752 and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details, see <a href="https://px.ncbi.nlm
- ²⁶ An administrator must enable the easy-access USB port before use.
- ²⁷ The 100-sheet ADF can scan documents up to 8.5×14 in (216×356 mm), as well as up to 8.5×34 in (216×864 mm) when "long scan size" is selected.
- ²⁸ The HP LaserJet Enterprise Flow MFP M528c/z models have an RMSV of 8,000 to 14,000 pages. The HP LaserJet Enterprise MFP M528dn/f models have an RMSV of 4,000 to 7,000 pages. HP recommends that the number of scanned pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ²⁹ Advanced workflow features are available on the Flow MFP M528c/z models only and include HP EveryPage, a pull-out keyboard, embedded capture functionality, built in OCR, plus automatic page orientation, cropping, and tone adjustment.
- ³⁰ Wireless networking is standard on the HP LaserJet Enterprise Flow MFP M528z model only; all other models can add it with purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- ³¹ Wireless direct printing is standard on the HP LaserJet Enterprise M507x and Flow MFP M528z models only, and optional on all other models. It can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). For details, see hp.com/qo/businessmobileprinting.
- ³² NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see hp.com/go/businessmobileprinting.
- ³³ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at https://example.com/qo/mobileprinting.
- ³⁴ Subscription or accessory may be required. For more information, visit <u>hp.com/qo/roam</u>. To enable HP Roam for Business, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB.
- ³⁵ Dual-band Wi-Fi® with Bluetooth® Low Energy is standard on the HP LaserJet Enterprise M507x and the Flow MFP M528z models and optional on all other models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at <a href="https://px.ncbi.org/ncb
- ³⁷ Expandable to 1.5 GB through 90-pin DDR3 DIMM.

- ³⁸ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ³⁹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ⁴⁰ Supports the following devices running iOS 4.2 or later: iPad®, iPad 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint®-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent on physical environment and distance from the access point.
- ⁴¹ Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Learn more at https://hpp.com/qo/mobileprinting.
- ⁴² Full solution software available only for Windows® 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from <u>123.hp.com</u>, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- and 64-bit) uses a simplified HP print driver built into the RT OS.
- ⁴³ Maximum dimensions of the device are measured with all paper trays folded out and standard accessories installed.
- ⁴⁴ Acoustic values are subject to change. For current information, see hp.com/support.
- ⁴⁵ Configuration tested: base model, simplex printing, A4 paper at an average of 43 ppm.
- ⁴⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ⁴⁷ EPEAT® registered where applicable. EPEAT registration varies by country. See <u>epeat.net</u> for registration status by country.
- ⁴⁸ Best TEC is not applicable to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O Energy Efficient Ethernet was used.
- ⁴⁹ Availability dependent on firmware or software updates or upgrades.
- ⁵⁰ Online Help must be enabled on the printer or MFP. Mobile device must have an Internet connection to access online services.

Sign up for updates hp.com/go/getupdated



© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Android, Google Cloud Print, and Google Chrome are trademarks of Google Inc. Apple, AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Citrix and XenDesktop are registered trademarks of Citrix Systems, Inc. and/or one more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. Microsoft, SharePoint, Windows, Windows Vista, and Windows Server are U.S. registered trademarks of the Microsoft group of companies. UNIX is a registered trademark of The Open Group.

