Product data sheet

Specifications





Network Management Card for Easy UPS, 1-Phase

AP9544

Overview

Presentation

The Network Management Card for Easy UPS On-Line (AP9544) enables secure remote monitoring and control of one Easy UPS Online through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 12-month Secure NMC Subscription, that allows the customer to access future firmware updates, is included with the purchase of the card*. Upon expiration of the provided Secure NMC Subscription the purchase of a new Secure NMC Subscription is required to access future firmware updates.

*The NMC Firmware must be V2.5 or later. Find the latest Firmware in the Software

and Firmware section below.

Usually in Stock

Main

Lead time

Product or Component Type	Network Interface
Provided Equipment	User Manual USB cable

Physical

Height	1.7 in (4.4 cm)
Width	2.05 in (5.2 cm)
Depth	3.1 in (8.0 cm)
Net Weight	0.11 lb(US) (0.05 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	CISPR 32
	EN 55024
	EN 61000-4-2
	EN 61000-4-3
	EN 61000-4-4
	EN 61000-4-5
	EN 61000-4-6
	EN 61000-4-8
	EN 61000-6-2
	EN/IEC 62040-2
Product Certifications	FCC Class A
	ICES-003
	VCCI Class A

Environmental

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

AS/NZS UK PSTI

Jul 27, 2024 Life Is On Schneider 1

Ambient Air Temperature for Operation	23.0000000000113.0000000000 °F (-545 °C)
Operating altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature for Storage	5.000000000149.0000000000 °F (-1565 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 %

Communications & Management

Communication network type 10/100/1000BASE-T

Ordering and shipping details

GTIN 731304440161

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.811 in (4.600 cm)
Package 1 Width	6.496 in (16.500 cm)
Package 1 Length	9.055 in (23.000 cm)
Package 1 Weight	10.653 oz (302.000 g)
Unit Type of Package 2	P06
Number of Units in Package 2	44
Package 2 Height	26.772 in (68.000 cm)
Package 2 Width	23.622 in (60.000 cm)
Package 2 Length	31.496 in (80.000 cm)
Package 2 Weight	46.297 lb(US) (21.000 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information