DATA SHEET

4XEM 45W 10FT USB-C to USB-C Laptop GaN Charging Kit – White

4XEM Part- 4X45WCHRGKIT10W



The kit adheres to industry standards with USB-PD 3.0 and USB 3.2 Gen 2, boasting a data rate of 10Gbps, and offers video support through the USB Type C cable. The E-Marker technology enables a maximum 100W power delivery, ensuring efficient charging. With CE certification, you can trust the charger's safety and quality.
With a total power budget of 45W and a max power delivery of 45W, this charger handles multiple devices effortlessly. The input voltage range of 100-240VAC ensures global compatibility. The output voltage ranges from 5V to 20V for optimal device charging.
For schools and businesses, the 4XEM 45W USB-C Charging Kit is a reliable, efficient, and versatile solution to keep all your devices powered up. Don't compromise on charging quality—choose 4XEM.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

DATA SHEET

Features

- 45W GaN charger kit for schools and businesses
- Dual USB Type-C ports
- Compact design with retractable prongs for portability
- USB-PD 3.0 and USB 3.2 Gen 2 compliant
- 10ft durable USB-C to USB-C cable included
- 100W E-Marker technology for fast and efficient charging
- CE certified for safety and quality
- Wide input voltage range (100-240VAC)
- Package includes charger and cable
- Ideal for powering laptops and other devices in various environments.

Device Compatibility

- Dell Models: Latitude 5320 2-in-1, Latitude 7210 2-in-1, Latitude 7310, Latitude 7320 Detachable, XPS 13 (7390), XPS 13 (9300), XPS 13 (9310) 2-in-1, XPS 13 (9370), XPS 13 (9380)
- Samsung Models: Samsung Chromebook 4 XE310XBA, 4+ XE350XBA, Plus XE513C24, Plus XE520QAB, Plus XE521QAB, Plus LTE XE525QBB, Pro XE510C24, Pro XE510C25, Samsung Notebook 7 Spin NP750QUA, Samsung Notebook 7 Spin NP750QUB
- HP Models: HP Chromebook 15a-na0020ca, 15a-na0010ca, 14a-na1010ca, HP Fortis 14 inch G10 Chromebook, Chromebook x360 14a-ca1000ca, x360 14c-cd0020ca
- Lenovo Models: Lenovo Yoga 910 910-13 910-13IKB 910-131KB 720-13 720 720-13IKB C630-13 C630-13Q50 ThinkPad L480 L580 L490 L590 T480 T480s T490 T490s T495sT580 T580s T590
- Apple Models: iPhone 15, 15 Pro, 15 Pro Max, iPad Pro 11-inch (1st generation or later), iPad Pro 12.9-inch (3rd generation or later), iPad Air (4th generation or later), iPad mini (6th generation)

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

4XEM™

Problem solved.

DATA SHEET

Warranty Information	Warranty	1 year
Connector(s)	Charging Port	2x USB Type-C Female
	Power	Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Retractable Prongs
	Charging Cable Connector A	USB Type-C Male
	Charging Cable Connector B	USB Type-C Male
Performance	Industry Standards	USB-PD 3.0 USB 3.2 Gen 2
	Cable Data Rate	10Gbps
	Video Support	Yes (Cable)
	E-Marker	20V, 5A (100W)
	Certifications	CE
Physical Characteristics	Charger Color	White
	Display	No
	LED Indicator(s)	Power: Blue
	Charger Width	1.37 in [34.7 mm]
	Charger Height	1.26 in [32.00 mm]
	Charger Length	2.39 in [60.8 mm] (Body Only) 3.02 in [76.6 mm] (Incl. power prongs)
	Charger Weight	3.25 oz [92 g]
	Charging Cable Color	White
	Charging Cable Length	9.84 ft [3.00 m]
	Charging Cable OD	0.18 in [4.50 mm]
	Charging Cable Weight	3.21 oz [91 g]
Power	Total Power Budget	45W
	Power Delivery	45W Max
	Input Voltage	100-240VAC, 50Hz-60Hz @ 1A
	Output Voltage (C1/C2)	45W: 5/9/12/15V 3A, 20V 2.25A
	Output Voltage (C1) + (C2)	45W MAX - 27W: 5V 2.4A, 9V 3A, 12V 2.25A, 15V 1.8A, 20V 1.35A + 18W: 5V 2.4A, 9V 2A, 12V 1.5A
Environmental	Operating Temperature	32°F to 104°F [0°C to 40°C]
	Storage Temperature	-4°F to 176°F [-20°C to 80°C]
	Humidity	5% to 90% (non-condensing)
Packaging Information	Package Type	Poly-bag
	Package Height	7.09 in [180 mm]
	Package Width	4.72 in [120 mm]
	Package Length	1.03 in [26.1 mm]
	Shipping (Package) Weight	6.46 oz [183 g]
What's in the Box	Included in Package	1x 45W Dual USB-C GaN Charger 1x 9.8ft/3m USB-C/USB-C Cable
Notes	Notes	Connected video source equipment and display must both support DisplayPort Alt-Mode for functional A/V transmission.

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com