

Specification:

Detail:

| | |
|-------------------------------------|---|
| Product Name | PCT2275 |
| Planar Part Number | 998-4111-00 |
| Viewable Size | 22" diagonal (18.74" horizontal x 10.54" vertical) |
| Touchscreen Type | Optically bonded Multi-Touch Projected Capacitive (up to 10 touch points) |
| Surface Treatment | Anti-Glare |
| Number of Touch Points | 10 |
| Touchscreen Interface | USB |
| Contrast Ratio (typ) | 1300:1 |
| Viewing Angle (typ) | 178° Horizontal and 178° Vertical (Specified at CR>10:1) |
| Response Time (typ) | 14 ms, 5ms (G to G) |
| Brightness (w/touchscreen) | 250 cd/m ² |
| Brightness (w/o touchscreen) | 312 cd/m ² |
| Display Type | IPS Edge-Lit LED LCD |
| Display Resolution | 1920 x 1080, FHD |
| Aspect Ratio | 16:9 |
| Tilt Range | -5° to +90° |
| Palette | 16.7 million colors |
| Pixel Pitch | 0.24795 mm |

Specification:

Detail:

| | |
|-----------------------------------|--|
| Refresh Rate | 48 to 100 Hz (100 Hz recommended for HDMI/DP) |
| Panel Depth | 1.9" (48.8 mm) |
| Dimensions (W x H x D) | 19.3" x 14.6" x 8.1" ; (489.2 mm x 372.1 mm x 206.4 mm) |
| Dimensions without Stand | 19.3" x 14.6" x 2.0" ; (489.2 mm x 372.1 mm x 51.7 mm) |
| Display Weight | 11.7 lb (5.3 kg) |
| Display Weight (w/o stand) | 6.5 lb (2.95 kg) |
| Shipping weight | 16.8 lb (7.6 kg) |
| Video Inputs | HDMI®, DisplayPort, VGA |
| HDCP | Yes |
| Audio Output | 2W x 2, headphone out |
| Compatibility | Windows® 7, 8, 10, 11 - HID Compliant, Chrome OS, Android & Linux (Kernel above version 3.8)- no drivers needed for basic touchscreen operation |
| External Connections | HDMI 19-pin, DisplayPort 20-pin, VGA 15-pin, 3.5mm headphone out, USB (A to B), USB 3.2 Gen 1 A type x 2, AC power-in |
| Power Supply | Internal |
| Power Requirements | AC 100/240 VAC |
| Power Consumption (typ) | 30W typical (<0.5W standby, <0.3W off) |
| Operating Temperature | 0 to 40°C |
| Humidity | 10 - 80% RH (non-condensing) |
| Mount | Built-in 100 mm VESA, back |
| Recommended Usage | Up to 16 hours per day |
| Service and Support | 3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US. |
| Options / Features | MPP2.0 Active Pen Compatible, built-in USB Hub -USB 3.2 Gen 1 hub - x 2, Kensington® Security Slot |

Specification:

Detail:

| | |
|-------------------------------|---|
| Blue Light Reduction | Yes |
| Product Approvals | cTUVus, FCC-Class B, CE, RoHS, UKCA |
| CI-Black-PN | 998-4111-00 |
| In the Box | PCT2275 22 inch Wide Multi-Touch Monitor, Base/Stand, Power Cord, HDMI Cable, USB Cable (A to B), User's Guide, Screwdriver |
| UPC | 8 10069 81176 5 |
| HDMI® | Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. |
| ENERGY STAR® Certified | Yes |

Planar is a trademark of Planar Systems, Inc. All other trademarks and service marks are property of their holders. Copyright © 2026 Planar Systems, Inc. All rights reserved. This document may not be copied in any form without permission from Planar. Information in this document is subject to change without notice.