



Schneider OffGrid Portable Power Station 330, 120V, 332Wh Lithiumion, LCD, 2 NEMA, Sinewave, 3 USB-A, 1 USB-C, Wireless Charger

PPS330

Overview

Load time	
Lead time	Usually in Stock

Main

product or component type	Portable power station	
Battery type	Li-lon (Lithium-lon)	
Battery capacity	332 Ah	
Number of input connectors	(1) 1230 V DC, 8 A, (100 W) (1) USB type C (60 W)	
Number of output connectors	(2) NEMA 5-15, 120 V ,AC, 2.5 A(300 W) 60 Hz, sine wave (3) USB type A, 5 V ,DC, 2.4 A(12 W) (1) USB type C, 520 V ,DC, 3 A(60 W) (1) car cigaratte lighter port, 12 V ,DC, 10 A(120 W) (1) wireless charging,DC(15 W)	

Complementary

Colour	Black and green
Height	6.02 in (15.3 cm) 6.0 in (152.4 mm)
Width	6.4 in (16.3 cm) 6.4 in (162.6 mm)
Depth	8.8 in (22.3 cm) 8.7 in (221.0 mm)
net weight	7.3 lb(US) (3.3 kg) 7.3 lb(US) (3.3 kg)
Product specific application	For Caravan/Camping Power Supply Mobile wireless charging
product certifications	TUV C-US certified FCC Class B BC
Provided equipment	1 AC adapter 1 car charging cable User manual
Battery capacity	332 Ah with 500+ cycles with 80% capacity

Environment

ambient air temperature for storage	-4.0000000000158.00000000000 °F (-2070 °C) -2070 °C (-4158 °F)
Charging temperature	32104 °F (040 °C) -040 °C (32104 °F)

Discharging temperature	14104 °F (-1040 °C)	
	-1040 °C (14104 °F)	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.02 in (28 cm)
Package 1 Width	9.4 in (23.8 cm)
Package 1 Length	11.8 in (30 cm)
Package 1 Weight	13.9 lb(US) (6.3 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Image of product / Alternate images

Alternative











Image of product in real life situation



