



# APC Smart-UPS Ultra Step-Down Transformer, 5kVA, rackmount, 2U, 12x NEMA 5-20R outlets

SRTL5KRMTF

#### **Overview**

Lead time Usually in Stock

### Main

Main Input Voltage	208 V	
product or component type	Uninterruptible power supply (UPS)	
Main Output Voltage	120 V	
Rated power in W	5000 W	
Rated power in VA	5 kVA	
Input Connection Type	NEMA L6-30P	
Number of rack unit	2U	
Number of cables	1	
provided equipment	Mounting hardware	

## **Physical**

Colour	Black	
Height	8.35 in (21.2 cm)	
Width	23.3 in (59.2 cm)	
Depth	30.7 in (78 cm)	
net weight	101.4 lb(US) (46 kg)	
mounting location	Front	
Mounting preference	No preference	
mounting mode	Rack-mounted	
Mounting position	Horizontal	

### Input

Max line current	24 A
Input current limits	30 A
Load capacity	5000 VA
Network frequency	50/60 Hz

#### **Output**

Max current draw 24 A

Number of power socket outlets	12
Number of power socket outlets	12 NEMA 5-20R

# Conformance

Product certifications	CSA
Standards	UL 1778

## **Environmental**

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)	
Relative humidity	095 % non-condensing	
Operating altitude	010000 ft	
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)	
Storage Relative Humidity	095 % non-condensing	
Storage altitude	050000 ft (0.000000000015240.000000000 m)	

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	10.0000000000 in (25.4 cm)	
Package 1 Width	37.5 in (95.2 cm)	
Package 1 Length	24.5 in (62.2 cm)	
Package 1 Weight	110.01 lb(US) (49.9 kg)	

# **Contractual warranty**

Warranty 5 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information