WorkForce DS-730N



DATASHEET / BROCHURE



Release the potential of a connected workplace with this affordable and highly efficient standalone network scanner.

Connect your business with this affordable and highly efficient standalone network scanner. It's the intelligent choice for business document management, offering the option to scan to separate locations – departments or individual accounts – at the touch of a button, allowing you to capture, convert and distribute scanned information within your organisation.

Sharing made easy

With limited office space, reducing the number of dedicated devices is crucial. With an easy to use control panel with built in 1.44'' colour LCD display, you can choose the correct job and send documents to the correct destination without delay, making digital files available across departments and other agencies. Scan to email, folder, FTP, SFTP, cloud services or Microsoft applications at the touch of a button[1].

High performance

Thanks to a high capacity 100 sheet ADF, user intervention is reduced, allowing you to capture high volumes of documents in one go. With double-sided scan speeds of up to 40ppm/80ipm, bulk jobs can be captured quickly and easily as a single file.

Intelligent features

Take control with a range of intelligent features, including ultra-sonic sensors and a paper protection function. Slow mode allows difficult media to be captured by reducing roller speed, without increasing file sizes. Double feed detection skip means difficult documents like envelopes and post-it notes can be processed rapidly.

Protecting important documents

Paper protection, double feed and dirt detection warning allows documents to be captured carefully and precisely, from 27gsm to 413gsm. The Active Separation Roller System and on-board sensors help prevent document double-feeds and ensures every piece of paper is scanned accurately.

Quick send buttons

Thanks to WebConfig, you can create job presets and assign them to one of three quick send buttons, without the need for a PC or server. Multiple email addresses can be assigned to a single job. Scan once and send to several different contacts. Up to 300 separate contacts can be saved.

Document Capture Pro suite

Take advantage of Epson software. The Epson Document Capture suite of software gives you access to a range of easy-to-use scanning solutions for capturing, separating and routing documents around a business and beyond.

KEY FEATURES

- **Standalone network scanning**
  Release the potential of a connected workplace
- **File sharing**
  One touch scan to different destinations
- **Reliable paper handling**
  Take control with ultra-sonic sensors and paper protection
- **Speed with control**
  Use slow mode or scan documents with speeds of up to 40 ppm (80ipm)
- **Built-in display**
  Easy to use 1.44 inch colour LCD

EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Scanner Type	Sheetfed Scanner
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Optical Resolution	600 DPI x 600 DPI (Horizontal x Vertical)
ADF Minimum Document Size	50,8 mm x 50,8 mm (Horizontal x Vertical)
ADF Maximum Document Size	215,9 mm x 6.096 mm (Horizontal x Vertical)
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B4, B5, B6, Letter, Legal, Postcard, Business cards, Plastic cards, DL (Envelope)
Scanning color depth	Input: 30 Bits Color / 10 Bits Monochrome , Output: 24 Bits Color / 8 Bits Monochrome
Ultrasonic Sensor	Yes
Category	Network & Wifi, General Office
SCANNER	
Optical Sensor	CIS (Contact Image Sensor)
Light Source	ReadyScan LED technology
Output Resolution	75, 100, 150, 200, 240, 300, 600, 1200 DPI
SCAN SPEED	
Scanning Speed	Monochrome:40 pages/min - Color:40 pages/min measured with Size: A4 , Resolution: 200 / 300 dpi, Monochrome:80 image/min - Color:80 image/min measured with Size: A4 , Resolution: 200 / 300 dpi
PAPER / MEDIA HANDLING	
Paper weight	Auto loading: 27 - 413 g/m²
Automatic Document Feeder Type	Single pass dual scanning
Reliability Daily Duty Cycle	6.500 pages
Automatic Document Feed	100 pages
Duplex Scan	Yes
SCANNING FEATURES	
Features	RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stitching, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic de-skew, Automatic multi-document recognition, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Barcode Recognition, Manual / Automatic Job Separation, Scan to Cloud Storage
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A, PNG, docx, xlsx, pptx
File compression features	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression
Advanced document integration	Scan to Email, Scan to FTP, Scan to Web folders, Scan to Network folders
Scanning Volume	6.500 Pages per day
CONNECTIVITY	
Interfaces	USB 2.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Hi-Speed USB - compatible with USB 2.0 specification
Network Interface Panel / Unit	Built-in
Ethernet settings	10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex
IPv6 support	Yes
Push scan features	Yes (with Document Capture Pro solutions)
Panel Lock with password	Yes (with Document Capture Pro solutions)

WHAT'S IN THE BOX

- Power cable
- Main unit
- Warranty card
- Setup guide
- AC adapter
- USB cable
- Driver and utilities

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Energy Use	14 Watt (Operation), 5,9 Watt (Ready), 1,5 Watt (sleep mode), 0,1 Watt (Power off)
Product dimensions	296 x 169 x 167 mm (Width x Depth x Height)
Product weight	3,6 kg
Drivers	TWAIN, ISIS (Web download), Epson Scan2 (TWAIN), SANE (Linux), WIA (Windows), ICA (Mac)
Included Software	Epson Device Admin, Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager, Epson Scan 2, Web browser interface
Compatible Operating Systems	Mac OS 10.6+, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3
Supported Humidity	Operation 15% - 80%, Storage -25% - 60%
Supported Temperature	Operation 5° C - 35° C, Storage 25° C - 60° C
Options	Roller Assembly Kit
LCD AND MEMORY CARDS	
Panel	Type: Color, Diagonal:3,7 cm

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Scanner Type	Sheetfed Scanner
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Optical Resolution	600 DPI x 600 DPI (Horizontal x Vertical)
ADF Minimum Document Size	50,8 mm x 50,8 mm (Horizontal x Vertical)
ADF Maximum Document Size	215,9 mm x 6.096 mm (Horizontal x Vertical)
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B4, B5, B6, Letter, Legal, Postcard, Business cards, Plastic cards, DL (Envelope)
Scanning color depth	Input: 30 Bits Color / 10 Bits Monochrome , Output: 24 Bits Color / 8 Bits Monochrome
Ultrasonic Sensor	Yes
Category	Network & Wifi, General Office
SCANNER	
Optical Sensor	CIS (Contact Image Sensor)
Light Source	ReadyScan LED technology
Output Resolution	75, 100, 150, 200, 240, 300, 600, 1200 DPI
SCAN SPEED	
Scanning Speed	Monochrome:40 pages/min - Color:40 pages/min measured with Size: A4 , Resolution: 200 / 300 dpi, Monochrome:80 image/min - Color:80 image/min measured with Size: A4 , Resolution: 200 / 300 dpi
PAPER / MEDIA HANDLING	
Paper weight	Auto loading: 27 - 413 g/m²
Automatic Document Feeder Type	Single pass dual scanning
Reliability Daily Duty Cycle	6.500 pages
Automatic Document Feed	100 pages
Duplex Scan	Yes
SCANNING FEATURES	
Features	RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stitching, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic de-skew, Automatic multi-document recognition, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Barcode Recognition, Manual / Automatic Job Separation, Scan to Cloud Storage
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A, PNG, docx, xlsx, pptx
File compression features	TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression
Advanced document integration	Scan to Email, Scan to FTP, Scan to Web folders, Scan to Network folders
Scanning Volume	6.500 Pages per day
CONNECTIVITY	
Interfaces	USB 2.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Hi-Speed USB - compatible with USB 2.0 specification
Network Interface Panel / Unit	Built-in
Ethernet settings	10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex
IPv6 support	Yes
Push scan features	Yes (with Document Capture Pro solutions)
Panel Lock with password	Yes (with Document Capture Pro solutions)

WorkForce DS-730N

WHAT'S IN THE BOX

- Power cable
- Main unit
- Warranty card
- Setup guide
- AC adapter
- USB cable
- Driver and utilities

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Energy Use	14 Watt (Operation), 5,9 Watt (Ready), 1,5 Watt (sleep mode), 0,1 Watt (Power off)
Product dimensions	296 x 169 x 167 mm (Width x Depth x Height)
Product weight	3,6 kg
Drivers	TWAIN, ISIS (Web download), Epson Scan2 (TWAIN), SANE (Linux), WIA (Windows), ICA (Mac)
Included Software	Epson Device Admin, Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager, Epson Scan 2, Web browser interface
Compatible Operating Systems	Mac OS 10.6+, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3
Supported Humidity	Operation 15% - 80%, Storage -25% - 60%
Supported Temperature	Operation 5° C - 35° C, Storage 25° C - 60° C
Options	Roller Assembly Kit
LCD AND MEMORY CARDS	
Panel	Type: Color, Diagonal:3,7 cm

WorkForce DS-730N

WHAT'S IN THE BOX

- Power cable
- Main unit
- Warranty card
- Setup guide
- AC adapter
- USB cable
- Driver and utilities

EPSON®

OPTIONAL ACCESSORIES

- Cleaning Kit
  B12B819291
- Carrier Sheets
  B12B819051
- Roller Assembly Kit
  B12B819671

LOGISTICS INFORMATION

SKU	B11B259401
EAN code	8715946678283
Country of Origin	Indonesia

ScanWay

Epson Deutschland GmbH
Schiessstraße 49
D-40549 Düsseldorf
Info-Line: 02159 92 79 500
Telefax: +49 (0) 211 54229-001
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

1. [1]Some features require the use of Epson software packages.

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON®