SureColor T5700DM
Multi-function printer



DATASHEET / BROCHURE



This 36-inch multi-function printer with integrated dual light CIS scanner delivers on speed and quality whilst remaining sleek and compact.

The T5700DM is a highly productive, secure and compact MPF with excellent scanning and printing capabilities.
This MFP offers business enhancing solutions from Epson and 3rd party Independant Software Vendors (ISV), high scan speeds (up to 10 IPS) and image correction thanks to the integrated 36-inch dual light CIS scanner (with RGB filters).

}
The T5700DM uses a fully integrated 36-inch Dual light CIS scanner to support and enhance business productivity. High speed, premium quality Print and Copy enlargement and advanced Scan capabilities will support business requirements.

{bSimple user experience
Simplified scanning workflows, easy-to-feed documents and selectable scan to locations, including encrypted network folders and encrypted 960GB SSD.

KEY FEATURES

- **High productivity**
  36-inch dual light CIS scanner with RGB filters
- **Secure scanning destinations**
  Scan to secure sites, Mail, encrypted SSD and FTP servers
- **Enhanced image quality**
  Dual light scanner detects and adjusts to reduce wrinkles and creases
- **Extensive processing and storage**
  Adobe PS 64GB, 4GB Printer memory, 8GB scan mem included in 960GB SSD

EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD3
PRINT	
Colours Capacity	Photo Black [350ml, 700ml], Matte Black [350ml, 700ml], Cyan [350ml, 700ml], Yellow [350ml, 700ml], Magenta [350ml, 700ml], Red [350ml, 700ml]
Minimum Droplet Size (colour)	(CMY)3,5 pl, (mk)3,5 pl, (pk)3,5 pl
Minimum line width	0,02 mm
Line accuracy	+/-0,1
Print from	PC, MAC, Network, Mobile Device, USB, Cloud, Direct from Device
Ink tank capacity	350 ml, 700 ml
Printing Resolution	1.200 x 2.400 DPI
Printing Resolution - Draft	300 x 600 DPI
Printing Resolution - Maximum Quality	2.400 x 1.200 DPI
Printing Resolution - Speed	600 x 600 DPI
PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2 (42.0x59.4cm), A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), 17" (43.2 cm) Roll, 24" (61.0 cm) Roll, 36" (91.4 cm) Roll
Thickness	Single Sheet0,1 mm, Roll0,3 mm, Rigid board supported
Compatible Paper Thickness	1,5 mm
Auto Take Up Reel	Yes
Roll Capacity - Diameter	Roll 1:170 mm, Roll 2:170 mm
Roll Capacity - Weight	Roll 1:10.200 g, Roll 2:10.200 g
Borderless printing on	20 inches, 10" (25.4cm) Roll, 17" (43.1cm) Roll, 24" (60.9cm) Roll
GENERAL	
Power consumption	90 Watt, 44 Watt (economy), 2 Watt (standby), 1,3 Watt (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1.645 x 499 x 975 mm (Width x Depth x Height)
Product weight	147 kg
Optional extras	Cover Plus warranty extensions, NFC Card Reader (Server), NFC Card Reader (Serverless), Roll Feed Spindle 36"
OTHER FEATURES	
Emulations	ESC/P-R, PostScript 3, Adobe® Postscript 3®, PDF 1.7, HP-GL2, RTL
Features	Touchscreen, Bluetooth, Direct print from USB, Driver Preview, Scan Preview, Auto Take up Reel, Nozzle Verification Technology
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac
Optional Software & Solutions	Epson Print Automate, Dinax Mirage, Epson Edge, Epson Cloud Solution PORT, Epson Print Layout, Epson LFP Accounting Tool, Epson Device Admin, Epson Edge Dashboard, Epson Print Admin, Epson Print Admin Serverless
Security	SNMP V3, IPSec, AES-256, Data storage Encryption, Data Encryption, WPA3, NFC - Card Authentication Reader, TMP (Trusted Platform Module), PIN code Release, Image Overwrite, User Authorisation, LDAP, IEEE802, SSL/TLS, Panel Admin Mode
LCD AND MEMORY CARDS	
Panel	Type: Color, Touchscreen

SureColor T5700DM Multi-function printer

WHAT'S IN THE BOX

- SureColor T-Series Printer/Scanner
- Roll Feed Spindle 36"
- Warranty Documents
- Adobe PostScript 3
- Ink set
- AC adapter
- Installation/safety manual
- Maintenance boxes
- Setup guide

EPSON®

PRODUCT SPECIFICATIONS

SCAN	
Scanner	Standard
Maximum Precision	OR +/-0,1 % of vector length (whichever is greater)
Destinations	SSD, Scan to Email, USB (Memory device), Network Folder
Output formats	JPEG, TIFF, multi-TIFF, PDF, PDF/A, PDF multi, Secured PDF
Scanner type	Contact image sensor (CIS)
Light Source	Dual LED (RGB)
Scan width	36" (153mm to 914.4mm)
Scanning Speed	10 inch/sec (Monochrome, 200 dpi; 4,5 inch/sec (Colour, 200 dpi;
COPY	
Reduction / Enlargement	25 % - 755 %
Maximum number of copies	99
OTHER	
Warranty	24 months On-site service Optional warranty extension available

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ TFP print head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD3
PRINT	
Colours Capacity	Photo Black [350ml, 700ml], Matte Black [350ml, 700ml], Cyan [350ml, 700ml], Yellow [350ml, 700ml], Magenta [350ml, 700ml], Red [350ml, 700ml]
Minimum Droplet Size (colour)	(CMY)3,5 pl, (mk)3,5 pl, (pk)3,5 pl
Minimum line width	0,02 mm
Line accuracy	+/-0,1
Print from	PC, MAC, Network, Mobile Device, USB, Cloud, Direct from Device
Ink tank capacity	350 ml, 700 ml
Printing Resolution	1.200 x 2.400 DPI
Printing Resolution - Draft	300 x 600 DPI
Printing Resolution - Maximum Quality	2.400 x 1.200 DPI
Printing Resolution - Speed	600 x 600 DPI
PAPER / MEDIA HANDLING	
Paper Formats	A0, A1, A2 (42.0x59.4cm), A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), 17" (43.2 cm) Roll, 24" (61.0 cm) Roll, 36" (91.4 cm) Roll
Thickness	Single Sheet0,1 mm, Roll0,3 mm, Rigid board supported
Compatible Paper Thickness	1,5 mm
Auto Take Up Reel	Yes
Roll Capacity - Diameter	Roll 1:170 mm, Roll 2:170 mm
Roll Capacity - Weight	Roll 1:10.200 g, Roll 2:10.200 g
Borderless printing on	20 inches, 10" (25.4cm) Roll, 17" (43.1cm) Roll, 24" (60.9cm) Roll
GENERAL	
Power consumption	90 Watt, 44 Watt (economy), 2 Watt (standby), 1,3 Watt (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1.645 x 499 x 975 mm (Width x Depth x Height)
Product weight	147 kg
Optional extras	Cover Plus warranty extensions, NFC Card Reader (Server), NFC Card Reader (Serverless), Roll Feed Spindle 36"
OTHER FEATURES	
Emulations	ESC/P-R, PostScript 3, Adobe® Postscript 3®, PDF 1.7, HP-GL2, RTL
Features	Touchscreen, Bluetooth, Direct print from USB, Driver Preview, Scan Preview, Auto Take up Reel, Nozzle Verification Technology
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac
Optional Software & Solutions	Epson Print Automate, Dinax Mirage, Epson Edge, Epson Cloud Solution PORT, Epson Print Layout, Epson LFP Accounting Tool, Epson Device Admin, Epson Edge Dashboard, Epson Print Admin, Epson Print Admin Serverless
Security	SNMP V3, IPSec, AES-256, Data storage Encryption, Data Encryption, WPA3, NFC - Card Authentication Reader, TMP (Trusted Platform Module), PIN code Release, Image Overwrite, User Authorisation, LDAP, IEEE802, SSL/TLS, Panel Admin Mode
LCD AND MEMORY CARDS	
Panel	Type: Color, Touchscreen

SureColor T5700DM Multi-function printer

WHAT'S IN THE BOX

- SureColor T-Series Printer/Scanner
- Roll Feed Spindle 36"
- Warranty Documents
- Adobe PostScript 3
- Ink set
- AC adapter
- Installation/safety manual
- Maintenance boxes
- Setup guide

EPSON®

PRODUCT SPECIFICATIONS

SCAN	
Scanner	Standard
Maximum Precision	OR +/-0,1 % of vector length (whichever is greater)
Destinations	SSD, Scan to Email, USB (Memory device), Network Folder
Output formats	JPEG, TIFF, multi-TIFF, PDF, PDF/A, PDF multi, Secured PDF
Scanner type	Contact image sensor (CIS)
Light Source	Dual LED (RGB)
Scan width	36" (153mm to 914.4mm)
Scanning Speed	10 inch/sec (Monochrome, 200 dpi; 4,5 inch/sec (Colour, 200 dpi;
COPY	
Reduction / Enlargement	25 % - 755 %
Maximum number of copies	99
OTHER	
Warranty	24 months On-site service
	Optional warranty extension available

SureColor T5700DM Multi-function printer

WHAT'S IN THE BOX

- SureColor T-Series Printer/Scanner
- Roll Feed Spindle 36"
- Warranty Documents
- Adobe PostScript 3
- Ink set
- AC adapter
- Installation/safety manual
- Maintenance boxes
- Setup guide

EPSON®

SUPPLIES

Cleaning Stick S090013 (50 pcs)	C13S090013
Auto Cutter Blade	C13S210117
Borderless Maintenance Box (Tx700/Px500)	C13S210116
Maintenance Box (Tx700/Px500)	C13S210115
Singlepack UltraChrome XD3 Cyan T50M2 (700ml)	C13T50M200
Singlepack UltraChrome XD3 Cyan T50U2 (350ml)	C13T50U200
Singlepack UltraChrome XD3 Photo Black T50M1 (700ml)	C13T50M100
Singlepack UltraChrome XD3 Photo Black T50U1 (350ml)	C13T50U100
Singlepack UltraChrome XD3 Red T50MF (700ml)	C13T50MF00
Singlepack UltraChrome XD3 Red T50UF (350ml)	C13T50UF00
Singlepack UltraChrome XD3 Yellow T50M4 (700ml)	C13T50M400
Singlepack UltraChrome XD3 Yellow T50U4 (350ml)	C13T50U400
Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets	C13S041340
Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets	C13S041344
Epson A4 Archival Matte Photo Paper 189gsm, 50 sheets	C13S041342
Bond Paper Bright 90, 594mm x 50m	C13S045277
Bond Paper Bright 90, 610mm x 50m	C13S045278
Bond Paper Bright 90, 841mm x 50m	C13S045279
Bond Paper Bright 90, 914mm x 50m	C13S045280
Bond Paper Satin 90, 610mm x 50m	C13S045282
Bond Paper Satin 90, 914mm x 50m	C13S045283
Bond Paper White 80, 594mm x 50m	C13S045272
Bond Paper White 80, 610mm x 50m	C13S045273
Bond Paper White 80, 841mm x 50m	C13S045274
Bond Paper White 80, 914mm x 50m	C13S045275
Coated Paper 95, 610mm x 45m	C13S045284
Coated Paper 95, 914mm x 45m	C13S045285
Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2}	C13S041385
Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2}	C13S041617
Enhanced Matte Paper, 17" x 30,5 m, 189g/m{s2}	C13S041725
Enhanced Matte Paper, 24" x 30,5 m, 189g/m{s2}	C13S041595
Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets	C13S042095
Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets	C13S041719
Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets	C13S041718
Enhanced Matte Posterboard, DIN A2, 800g/m{s2}, 20 Sheets	C13S042111
Enhanced Matte Posterboard, DIN A3+, 800g/m{s2}, 20 Sheets	C13S042110
Enhanced Synthetic Paper Roll, 24	C13S041614
Matte Backlit Film, 24" x 30,5 m, 280g/m{s2}	C13S045083
Epson A4 Matte Paper 167gsm, 50 sheets	C13S041256
Photo Paper Gloss, 17" x 30,5 m, 250g/m{s2}	C13S041892
Photo Paper Gloss, 24" x 30,5 m, 250g/m{s2}	C13S041893
Photo Paper Gloss, 36" x 30,5 m, 250g/m{s2}	C13S041894
Photo Quality Ink Jet Paper, DIN A2, 102g/m{s2}, 30 Sheets	C13S041079
Photo Quality Ink Jet Paper, DIN A3+, 102g/m{s2}, 100 Sheets	C13S041069
Photo Quality Ink Jet Paper, DIN A3, 102g/m{s2}, 100 Sheets	C13S041068
Epson A4 Photo Quality Inkjet Paper 102gsm, 100 sheets	C13S041061
Premium Glossy Photo Paper Roll, 16" x 30,5 m, 170g/m{s2}	C13S042076
Premium Glossy Photo Paper Roll, 16	C13S041742
Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m{s2}	C13S041390
Premium Glossy Photo Paper Roll, 24" x 30,5 m, 260g/m{s2}	C13S041638
Premium Glossy Photo Paper, DIN A2, 255g/m{s2}, 25 Sheets	C13S042091
Premium Glossy Photo Paper, DIN A3+, 255g/m{s2}, 20 Sheets	C13S041316
Premium Luster Photo Paper, 16" x 30,5 m, 260g/m{s2}	C13S042079
Premium Luster Photo Paper, 20" x 30,5 m, 260g/m{s2}	C13S042080
Premium Luster Photo Paper, 24" x 30,5 m, 260g/m{s2}	C13S042081
Premium Luster Photo Paper, 30 cm x 30,5 m, 260g/m{s2}	C13S042078
Premium Luster Photo Paper, DIN A2, 250g/m{s2}, 25 Sheets	C13S042123
Premium Luster Photo Paper, DIN A3+, 250g/m{s2}, 100 Sheets	C13S041785

CoverPlus

Adobe PostScript 3

LOGISTICS INFORMATION

SKU	C11CH82301A0
EAN code	8715946702896
Country of Origin	Indonesia

Epson Deutschland GmbH
Schiessstraße 49
D-40549 Düsseldorf
Info-Line: 02159 92 79 500
Telefax: +49 (0) 211 54229-001
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON®