

MPN: MO-RUC-E25G-SFP28-LR

SFP28 25 Gbps, LC, 10Km, LC, DDMI support, Compatible with Ruckus 25G-SFP28-LR

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- ****100% Ruckus Compatible****



Specifications

Features	Brand compatibility	Ruckus Wireless
	Certification	MSA
	Compatible products	Ruckus 25G-SFP28-LR
	Easy to install	Yes
	Form factor	SFP28
	Plug and Play	Yes
	RoHS compliance	Yes
Operational conditions	Operating relative humidity (H-H)	10 - 80 %
	Operating temperature (T-T)	0-70 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions	Depth (package,cm)	10 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	3 cm
	Width (package,cm)	6 cm
Packaging data	Number of products included	1 kusû
Performance	Digital Diagnostics Monitoring (DDM)	Yes
	Duplex system	Full
	Ethernet interface type	25 Gigabit Ethernet
	Fiber cable diameters supported (core/cladding)	9/125 µm
	Fiber ethernet cabling technology	25GBASE-LR
	Maximum data transfer rate	25000 Mbit/s
	Maximum transfer distance	10000 m

Performance	Multi-mode fiber (MMF) supported	No
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	Yes
	Wavelength	1310 nm
Product dimensions	Net Weight (Product, kg)	0.03 kg
	Product Depth	5.6 cm
	Product Height	0.85 cm
	Product Width	1.4 cm
Vendor information	Brand Name	Lanview
	Warranty	3 Year(s)

ProductSheet.OtherImages

