

PC-Connectable shipping and barcode label printer QL-1100c

REUTSCI







PC CONNECTION

CONTINUOUS ROLL PRE-SIZED LABELS

brother.co.uk/QL1100c

PC-Connectable shipping and barcode label printer

The Brother QL-1100c is a high-speed label printer engineered to print up to 4" wide labels. This business-quality label printer lets you create cost-effective paper adhesive labels for packages, envelopes, postage and more.



QL-1100c

Key Features:

- Print labels up to 103.6mm wide and at up to 110mm/second print speed
- USB connectivity for PC and Mac
- Supports printing of FBA (Fulfilled By Amazon) labels through a special PDF crop print function
- Built-in cutter to create your own length labels using unique continuous rolls
- Windows SDK (Software Development Kit) available to add label printing to your own apps

Your home office business partner

The unique to Brother feature of automatic crop print function enables online sellers to easily print product and other barcode labels instead of using A4/letter size label sheet templates*. The barcode labels comply with Fulfilled by Amazon requirements.

The Brother QL-1100c delivers fast print speeds of up to 69 standard address labels per minute with black text at 300dpi. Auto cutter allows for printing one or multiple labels at a time, eliminating wasted label sheets. Free P-touch Editor software is included, allowing you to easily design your own labels.



Included items	Printer DK-11247 - Large shipping pre-sized labels (41 labels) DK-22205 - 62mm width continuous roll (8.1 metres)	USB cable AC power cord Documentation	
Printing / Media	 Printing technology Direct thermal Print resolution 1300 x 300dpi Maximum print speed* 69 standard address labels per minute or 110mm per second* Label widths 12mm - 103.6mm 	Maximum print width 101.6mm Minimum label length 25.4mm Maximum label length 3 metres (Windows / MacOS) 1 metre (P-touch Editor Lite / iPrint&Label)**	Media sensor type Reflective Cutter Yes (full cut / guillotine type) Media types DK rolls (DK pre-sized labels / DK continuous tape)
Control panel	Buttons Power / Feed / Cut / P-touch Editor Lite		
Connectivity	USB USB version 2.0 full-speed (type B)		
Memory	Flash (for label templates) 7.8MB	Locations (for label templates) 99	
Power	Power 220-240V AC internal power supply	Energy Star Certification Yes	Auto sleep mode Yes
Weights / Dimensions	Dimensions 170 (w) x 222 (d) x 151 (h) mm	Weight 1.71kg	

Software / Firmware

Operating system support

Windows: 7, 8, 8.1, 10, 11, Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022 Mac: 10.11, 10.12, 10.13, 10.14, 10.15, 11, 12

Label editor support

P-touch Editor (Windows/Mac) Add-In for Microsoft Word/ Excel/Outlook P-touch Editor Lite (Windows) iPrint&Label (Android only using USB cable)

Supported printer commands

ESC/P P-touch Template Raster

Label crop and print

(convert A4 sheets of labels to individual labels automatically). Yes (Windows only)

Barcode symbologies

(using P-touch Editor for Windows) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), AztecCode, PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(using P-touch Editor for Mac) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(Built-in printer firmware) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS (RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Internal fonts

Bitmap fonts: Helsinki, Brussels, Letter Gothic Bold, San Diego, Brougham. Bitmap font sizes: 24 dots, 32 dots, 48 dots. Outline fonts: Helsinki, Brussels, Letter Gothic. Outline font sizes: 33 dots - 400 dots (22 sizes)

* Brother standard test environment. Using DK-11201 standard address labels and USB connection.

** Using USB connection through P-touch Editor



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

