

Product data sheet

Specifications



APC Universal Transfer Switch 6-circuit 120V, L5-30

UTS6H

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	120 V
Product or Component Type	Transfer switch
Main Output Voltage	120 V
Other Output Voltage	240 V
Input Connection Type	IEC 60320 C14 NEMA 5-15P NEMA L5-30P
Number of cables	1
Provided Equipment	Hardwire panel User Manual Installation guide

Physical

Color	Black
Height	19.6 in (49.8 cm)
Width	15.5 in (39.4 cm)
Depth	3.3 in (8.4 cm)
Net Weight	21.54 lb(US) (9.77 kg)
Mounting Location	Front Side Top
Mounting preference	No preference
Mounting Mode	Not rack-mountable
USB compatible	No

Input

Input Frequency	47 ...63 Hz
Max line current	20 A

Conformance

Product Certifications	cTUVus
------------------------	--------

Environmental

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature for Operation	-13...104 °F (-25...40 °C)
Relative Humidity	5...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-40...185 °F (-40...85 °C)
Storage altitude	0...10000 ft (0.0000000000...3048.0000000000 m)

Ordering and shipping details

GTIN	731304264514
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	21.0 in (53.3 cm)
Package 1 Width	6.0 in (15.2 cm)
Package 1 Length	17.5 in (44.5 cm)
Package 1 Weight	24.05 lb(US) (10.91 kg)
SCC14	10731304264511

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)