# Product datasheet

Specifications

**APC**

**Green Premium™**

## APC Easy Rack PDU, Switched, 1U, 1 Phase, 3.7kW, 230V, 16A, 8 x C13 outlets, IEC60320 C20 inlet

EPDU1016S

## Overview

| | |
|---|---|
| Lead time | Usually in Stock |

## Main

| | |
|---|---|
| Colour | Black |
| Product or component type | PDU |
| PDU type | Switched |
| Cord length | 2.5 m |
| Provided equipment | Horizontal mounting brackets<br>Installation guide<br>Cable |

## Complementary

| | |
|---|---|
| Input Voltage | 200 V<br>208 V<br>230 V |
| Height | 4.44 cm |
| Width | 48.2 cm |
| Output Voltage | 208 V<br>230 V |
| Depth | 20 cm |
| Net weight | 2.8 kg |
| Mounting location | Front<br>Rear |
| Mounting preference | No preference |
| Input Plug Type | IEC 60320 C20 |
| Mounting mode | Rack-mounted |
| Rack units | 1U |
| Mounting position | Horizontal |
| Input current limits | 16 A |
| Load capacity | 3680 VA |
| Network frequency | 50/60 Hz |
| Outlet type and quantity | 8 IEC 60320 C13 |

## Environment

Life Is On | Schneider Electric

| | |
|---|---|
| **Product certifications** | CE |
| | EAC |
| | TÜV |
| **Ambient air temperature for operation** | -5…45 °C |
| **Relative humidity** | 5…95 % |
| **Operating altitude** | 0...10000 ft |
| **Ambient air temperature for storage** | -25…65 °C |
| **Storage Relative Humidity** | 5…95 % |
| **Storage altitude** | 0.0000000000…15240.0000000000 m |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 8 cm |
| **Package 1 Width** | 26 cm |
| **Package 1 Length** | 56 cm |
| **Package 1 Weight** | 3.6 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 1 year repair or replace |

# Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency    RoHS/REACh

## Well-being performance

| | | |
|---|---|---|
| ✓ | Reach Free Of Svhc | |
| ✓ | Rohs Exemption Information | Yes |

## Certifications & Standards

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Compliant<br>EU RoHS Declaration |
| **China Rohs Regulation** | China RoHS declaration<br>Pro-active China RoHS declaration (out of China RoHS legal scope) |
| **Environmental Disclosure** | Product Environmental Profile |
| **Weee** | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| **Circularity Profile** | End of Life Information |