

4XEM's 65W GAN Charger USB-C + USB-A

Part- 4XGAN00665WW



Introducing the ultimate power solution for all your charging needs - the White 65W GAN Charger with 1 USB-C port and 1 USB-A port! With Power Delivery technology, you can charge your devices up to 4 times faster than traditional chargers. The USB-C and USB-A port provide the flexibility you need to charge all your devices, whether it's a phone, tablet, laptop, or more. The sleek white design is both stylish and practical, making it perfect for any setting. The compact size makes it easy to take with you on-the-go, while the safety features ensure your devices are protected while they charge.

Order your White 65W GAN Charger today and experience the convenience and efficiency of lightning-fast charging!



## Features

- 65W total power output for fast and efficient charging of multiple devices
- 1 USB-C port and 1 USB-A port, providing flexibility to charge a variety of devices.
- USB-C port feature Power Delivery technology for lightning-fast charging of devices that support it.
- Sleek white design with an integrated LED indicator for easy monitoring of charging status
- Compact and portable design makes it easy to take with you on-the-go.
- Overcurrent, overvoltage, and short circuit protection for added safety and peace of mind.

## Application

- Charging
- At Home
- At the Office
- Travel





**DATA SHEET**

Warranty Information	Warranty	1 Year
Connector(s)	Charging Port(s)	1x USB Type-C Female 1x USB Type-A Female
	Power Source	Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Non-Retractable Prongs
Performance	Industry Standards Certifications	USB-PD 3.0 CE ROHS
Physical Characteristics	Colour	White
	Display	No
	LED Indicator(s)	Power: Aqua
	Power Cable Length	N/A
	Product Height	2.05 in [52.0 mm]
	Product Width	1.17 in [29.9 mm]
	Product Length	2.05 in [52.0 mm] (Body Only) 2.67 in [67.9 mm] (Incl. power prongs)
	Weight of Product	3.53 oz [100 g]
Power	Total Power Budget	65W
	Power Delivery	65W Max
	Input Voltage	100-240VAC, 50Hz-60Hz @ 1.5A
	Output Voltage (C1)	65W: 5/9/12/15V 3A, 20V 3.25A
	Output Voltage (A1)	18W: 5V 3A, 9V 2A, 12V 1.5A
	Output Voltage (C1) + (A1)	63W MAX - 45W: 5/9/12/15V 3A, 20V 2.25A + 18W: 5V 2.4A, 9V 2A, 12V 1.5A
Environmental	Operating Temperature	32°F to 104°F [0°C to 40°C]
	Storage Temperature	-4°F to 176°F [-20°C to 80°C]
	Humidity	5% to 90% (non-condensing)
Packaging Information	Package Type	Poly-Bag
	Package Height	6.00 in [152.4 mm]
	Package Width	4.00 in [101.6 mm]
	Package Length	1.18 in [30.1 mm]
	Shipping (Package) Weight	3.60 oz [102 g]
What's in the Box	Included in Package	1x 65W USB-C + USB-A GaN Charger

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

