

MPN: MO-ENT-MGBIC-LC09

# SFP 1.25 Gbps, SMF, 20 km, LC, DDMI support, Compatible with Enterarsys MGBIC-LC09

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- **\*\*100% Enterarsys Compatible\*\***



## Specifications

Conditions environnementales	Operating temperature (T-T)	0-70 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Features	Certification	MSA
	Compatible products	Enterarsys MGBIC-LC09
	Easy to install	Yes
	Form factor	Small form-factor
	Plug and Play	Yes
	RoHS compliance	Yes
Package dimensions	Depth (package,cm)	6.5 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	2.4 cm
	Width (package,cm)	10.7 cm
Packaging data	Number of products included	1 kusů
Performance	Cabling technology	1000BASE-LX
	Digital Diagnostics Monitoring (DDM)	Yes
	Duplex system	Full
	Fiber cable diameters supported (core/cladding)	9/125 μm
	Fiber optic connector	LC
	Fiber ports quantity	1
	Interface type	SFP
	Maximum data transfer rate	1000 Mbit/s
	Maximum transfer distance	20000 m

Performance	Multi-mode fiber (MMF) supported	No
	SFP transceiver standard	LX
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	Yes
	Wavelength	1310 nm
Product dimensions	Net Weight (Product, kg)	0.01 kg
	Product Depth	5.7 cm
	Product Height	1.1 cm
	Product Width	1.2 cm
Vendor information	Brand Name	Lanview
	Warranty	3 Year(s)

## ProductSheet.OtherImages

