Product data sheet

Specification





APC Home Office SurgeArrest 12 Outlets with 2 USB charging ports (5V, 2.4A in total), 120V

PH12U2

- ! Discontinued on: Feb 14, 2024
- ! To be end-of-service on: Sep 30, 2024

① To be discontinued

Overview

Lead time	Usually in Stock

Main

mann	
Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	6 ft (1.8 m)
Number of cables	1
Provided equipment	Lleer Menuel

Physical

Color	Black
Height	1.2 in (3 cm)
Width	3.03 in (7.7 cm)
Depth	14.06 in (35.7 cm)
Net Weight	1.57 lb(US) (0.71 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Maximum Line Current per phase	15 A
Input Frequency	50/60 Hz
Maximum Input Current per Phase	15 A
Switching current capacity	15 A

Output

Number of power socket outlets	12
Outlet standard	NEMA 5-15R

Conformance

Product Certifications	MET Canada	
	MET USA	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Jul 27, 2024 Life Is On Schneider 1

Standards	FCC Part 15 class B	
	UL 1363	
	UL 1449	
	UL 60950-1	

Equipment protection policy Lifetime: \$150000

Environmental

Ambient Air Temperature for Operation	32.0000000000104.0000000000 °F (040 °C)
Relative Humidity	095 % non-condensing
Operating altitude	010000 ft
Ambient Air Temperature for Storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage Relative Humidity	095 % non-condensing
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

Surge Protection and Filtering

NM Surge Response Time (ns)	1 ns common mode	
Common mode rejection	40 dB	
Peak current	56 kAcommon mode 28 kAnormal mode	
Surge energy rating	2160 J	

Ordering and shipping details

GTIN 731304335962

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.9 in (4.8 cm)
Package 1 Width	15.2 in (38.5 cm)
Package 1 Length	5.7 in (14.5 cm)
Package 1 Weight	1.85 lb(US) (0.84 kg)
SCC14	10731304335969

Contractual warranty

Warranty Limited Lifetime



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration	
Eu Rohs Directive	Compliant with Exemptions	
Circularity Profile	End of Life Information	