



# APC Smart-UPS RT 192V RM Battery Pack

SURT192RMXLBP3U

#### Overview

Lead time Usually in Stock

#### Main

Mairi	
Main Input Voltage	208 V
product or component type	Battery
Main Output Voltage	208 V
Number of rack unit	3U
Number of cables	1.0
Battery type	Lead-acid battery
provided equipment	Installation guide Rack mounting brackets User manual

#### **Batteries & Runtime**

Number of battery blocks per string	16
Number of battery free slots	0
Number of battery filled slots	4
Battery manufacturer	Panasonic
device mounting	Stand alone battery stack
Battery voltage	192 V
Additional information	Replace all batteries in operation together (UPS internal and external batteries) all-at- once
Number of battery replacement quantity	2
Replacement battery	APCRBC140 ☐

## **Physical**

Colour	Black
Height	5.1 in (13 cm)
Width	17.008 in (43.2 cm)
Depth	26.0 in (66 cm)
net weight	200.42 lb(US) (90.91 kg)
mounting mode	Rack-mounted
USB compatible	No

#### **Conformance**

Standards	OSHPD

#### **Environmental**

Ambient air temperature for operation	32.0000000000104.00000000000 °F (040 °C)
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 % non-condensing

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.3 in (41.3 cm)
Package 1 Width	39.4 in (100 cm)
Package 1 Length	23.6 in (60 cm)
Package 1 Weight	223.46 lb(US) (101.36 kg)

## **Contractual warranty**

Warranty

2 years repair or replace, optional on-site warranties available, optional extended warranties available



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

#### Resource performance



Take-Back Program Available

#### Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information