







SK I SOKIVIDI

Overview

Lead time Usually in Stock

Main

Product or component type	Battery
number of rack unit	2U
Battery type	Lead-acid battery
Provided equipment	Rack mounting brackets User manual Warranty card

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	96 V
Number of battery replacement quantity	2
Replacement battery	APCRBC152 ☐

Physical

Colour	Black
Height	8.5 cm
Width	43.2 cm
Depth	59.4 cm
Net weight	40.6 kg
Mounting mode	Rack-mounted

Conformance

Standards OSHPD

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-1545 °C

Storage altitude	0.000000000015240.0000000000 m
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	23.9 cm
Package 1 Width	83.1 cm
Package 1 Length	59.9 cm
Package 1 Weight	44.5 kg

Logistical informations

Country of origin PH

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information