

3 ft Coax High Resolution Monitor VGA Cable - HD15 M/M

StarTech ID: MXT101MMHQ3



The MXT101MMHQ3 3-foot High Resolution VGA Monitor Cable is designed to provide the highest video quality possible through VGA and is ideally suited for high resolution VGA applications of 1920x1200 and above.

This durably constructed coaxial VGA cable features two HD15 (male) connectors and eliminates the picture "ghosting" and fuzzy images that are inherent to non-coaxial cables, while providing superior EMI interference protection by using ferrite cores near the connector ends.

Applications

- Ideal for high resolution monitors (1920x1200 and above)
- Connect any VGA display to a VGA source
- Connect a high resolution display to a Desktop PC or video switch, up to 3 feet away

Features

- Triple-coaxial + twisted-pair wire for crystal clear display
- Impedance matched at 75 Ohms for full brightness and vibrant picture color
- Molded connector ends with strain relief
- Ferrite core eliminates EMI interference

Technical Specifications

Warranty	Lifetime
Cable Jacket Type	PVC - Polyvinyl Chloride
Cable Shield Type	Aluminum-Mylar Foil with Braid
Connector Plating	Nickel
Fire Rating	CMG Rated (General Purpose)
Number of Conductors	14
Number of Ferrites	1
Regulatory Approvals	UL2919
Impedance	75 Ohm
Connector A	1 - VGA (15 pin; High Density D-Sub) Male
Connector B	1 - VGA (15 pin; High Density D-Sub) Male
Humidity	0 - 80 %RH
Operating Temperature	0 to 60 °C
Storage Temperature	-20 to 80 °C
Cable Length	3 ft [0.9 m]
Cable OD	0.4 in [9 mm]
Color	Black
Max Connector Dimension	1.3 in [34 mm]
Product Height	0.6 in [15 mm]
Product Length	3 ft [0.9 m]
Product Weight	6.8 oz [192 g]
Product Width	1.3 in [32 mm]
Wire Gauge	28 AWG
Shipping (Package) Weight	7.1 oz [200 g]
Included in Package	1 - 3 ft Coax High Resolution VGA Monitor Cable - HD15 M/M
Included in Package	2 - Nuts

Certifications, Reports and Compatibility

